STAINLESS STEEL & CHROME CLEANER MSDS DATE: 9/15/2011

FILE NO.: 0003

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: Stainless Steel & Chrome Cleaner

MANUFACTURER: Flitz International, Ltd.

ADDRESS: 821 Mohr Avenue, Waterford, WI 53185

EMERGENCY PHONE: 1-800-558-8611

FAX PHONE: 1-262-534-2991

CHEMICAL FAMILY: Detergent Solution

SECTION 2: COMPOSITION/INFORMATION ON INGREDIENTS

INGREDIENT:	CAS NO.	<u>Percent</u>
Proprietary Surfactant Blend		98
2-butoxy ethanol	111-76-2	2

SECTION 3: HAZARDS IDENTIFICATION

Emergency Overview: This product is a colorless to slight amber liquid with a mild odor. It is corrosive to the eyes and a mild skin irritant. If ingested, this product may be harmful or fatal.

Potential Health Effects:

Eye: Mildly irritating

Skin: No adverse effects expected under typical use conditions. Prolonged exposure may cause dryness. Chemically sensitive individuals may experience mild irritation.

Ingestion: May cause stomach or intestinal irritation if swallowed.

Inhalation: No adverse effects expected under typical use conditions. Adequate ventilation should be present for prolonged usage in small enclosed areas.

Chronic Effects:

Skin: Prolonged or repeated exposure can cause drying, defatting, and dermatitis.

SECTION 4 - FIRST AID MEASURES

Inhalation: Move to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen and seek medical attention.

Seek medical attention.

Skin: Immediately flush with mild soap and water for 15 minutes.

Eye: Immediately flush with water for 15 minutes. Seek medical attention if irritation persists.

Ingestion: Drink plenty of water to dilute

SECTION 5 - FIRE FIGHTING MEASURES

Flammability: Not Flammable

Flash Point (°F, °C, PMCC): Does not ignite Autoignition Temperature (°F, °C): Not applicable

Flame Propagation or Burning Rate of Solid Materials: Not applicable

Sensitivity to Static Discharge: Not applicable **Sensitivity to Mechanical Impact:** Not applicable

Extinguishing Media: Water spray, carbon dioxide, and dry chemical.

Special Fire Fighting Procedures: Evacuate personnel to a safe area. Keep containers cool with water spray. Avoid breathing decomposition products. Wear self-contained breathing apparatus and full body protection.

Unusual Fire and Explosion Hazards: None

.Special Exposure Hazards: In event of fire created carbon oxides, oxides of phosphorous may be formed.

SECTION 6 – ACCIDENTAL RELEASE MEASURES

Leak and Spill Procedure: Do not allow into open waterways and ground water systems. Dilute with water and rinse into sanitary sewer system or soak up with inert absorbent material.

SECTION 7 - HANDLING AND STORAGE

Keep Out Of Reach Of Children. Keep container tightly closed.

SECTION 8 - EXPOSURE CONTROLS, PERSONAL PROTECTION

Engineering Controls: If current ventilation practices are not adequate for minimizing exposures, additional ventilation or exhaust systems may be required.

Respiratory protection: Not normally required if good ventilation is maintained. **Eye protection:** Use protective glasses if splashing or spray back is likely.

Skin protection: Prolonged exposure or dermal sensitive individuals use protective gloves. Other protective clothing or equipment: Eye Bath, Safety Shower, Full Protective Clothing. Work Hygienic Practices: The usual precaution for the handling of chemicals must be observed.

Exposure limit values:

2=butoxy ethanol OSHA PEL TWA 50 ppm(240 mg/m3

ACGIH RLV 22 ppm (97 mg/m3) 5mg/m3

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Clear liquid

Specific Gravity (H2O = 1): 1.01 ± 0.01

Density (25 ° C): 8.4 lbs./gal

Solubility In Water: Soluble (100% in water)

Boiling Point: 100 · C/212 · F

Freezing Point: 32 F Odor: Unscented

pH: 9.00

SECTION 10 – STABILITY AND REACTIVITY

Stability: Stable

Conditions to Avoid: None known.

Hazardous Decomposition Products: Normal products of combustion - CO, CO2; Oxides of phosphorous may occur.

Hazardous Polymerization: Will not occur.

SECTION 11 - TOXICOLOGICAL INFORMATION

>5 g/kg body weight. >5 g/kg body weight. Acute Toxicity: Oral LD50 (rat)

Dermal LD₅₀ (rabbit)

No ingredients are listed by OSHA, IARC, or NTP as known or suspected carcinogens. Carcinogens:

SECTION 12 – ECOLOGICAL INFORMATION

Readily biodegradable per OECD 301D, closed bottle test. Environmental Hazard: Low, based on toxicology profile

SECTION 13 – DISPOSAL CONSIDERATIONS

Dispose of used and unused product in accordance with Local, State, Profincial and Federal regulations for your location.

SECTION 14 - TRANSPORT INFORMATION

U.S. Department of Transportation: Not Regulated

Proper Shipping Name:

Hazard Class: ID Number:

Canadian T.D.G.: Not Regulated

Proper Shipping Name: Detergent Solution

Hazard Class: Non Hazardous ID Number: Not required

Water Transportation (IMDG): Not Regulated

Proper Shipping NameDetergent Solution

Hazard Class: Non hazardous ID Number: Not required

SECTION 15 - REGULATORY INFORMATION ______

SARA Title III: 2-butoxy ethanol is subject to the reporting requirements od Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 as Category N230-Certain Glycol Ethers

WHMIS Classification: Class D - Division 2B, eye irritant.

OSHA & WHMIS: MSDS prepared pursuant to the Hazard Communication Standard (CFR29 1910.1200) and Canadian WHMIS regulations (Controlled Products Regulations under the Hazardous Products Act).

Environmental Regulatory Lists:

SARA: Section 313 (Toxic Chemical Release Reporting) 40 CFR 372 - None of the ingredients are listed. Toxic Substances Control Act (TSCA): All the ingredients are listed on the Chemical Substance Inventory Canadian Domestic Substance List (DSL): All ingredients are listed.

INTERNATIONAL INVENTORY LISTINGS:

Components in this product are listed on the: Australian AICS

SECTION 16 - OTHER INFORMATION

Shipping Containers:

Polyethylene Totes 275 gallon Polvethylene Drums 55 Gallons Polyethylene Pails 5 gallon

HMIS Rating Health: 1

Flammability: 0 Reactivity: 0

Date: September 15, 2011

Disclaimer: As the handling and use of products under user's conditions are beyond our control, no warranty, expressed or implied, including, but not limited to merchantability or fitness for a particular use, is made concerning this product. The user assumes all risk of use or handling whether or not in accordance with any directions or suggestions of the supplier. Seller shall not be liable to purchaser or any other person for loss or damages directly or indirectly arising from the use of our products, from breach of any warranty or from any other cause, the exclusive remedy against the seller being to require replacement or repair of defective goods. ______