

Page 1/8

Safety Data Sheet acc. to OSHA HCS

 $D_{\rm min}(i_{\rm m}, D_{\rm m}) = 0.02/25/2015$

*

*

-.

00/05/0015 Durisian D

Identification		
Product identifier		
Trade name: <u>WS-8010 B-1/2 Base</u> Relevant identified uses of the sub		
Details of the supplier of the safet Manufacturer/Supplier: Royal Adhesives And Sealants, LL 2001 W. Washington Street South Bend IN 46628-2023 Information Phone Number: 574-2	C	
Information department: Environ Emergency telephone number: ChemTrec: Day or Night within U Outside USA and Canada: +1 703		
Hazard(s) identification		
Classification of the substance or Aquatic Chronic 3 H412 Harmfu	<i>mixture</i> l to aquatic life with long lasting effects.	
Hazard pictograms Void Signal word Void Hazard statements Harmful to aquatic life with long la Precautionary statements Avoid release to the environment.	is classified and labeled according to the G asting effects. ccordance with local/regional/national/inte	
Health = 1 Fire = 1 Reactivity = 0		
HMIS-ratings (scale 0 - 4) HEALTH 1 HEALTH 1 FIRE 1 FIRE 1 PHYSICAL HAZARD 0 Physical Haz	ard = 0	
Other hazards Results of PBT and vPvB assessm PBT: Not applicable.	ent	

Printing Date 08/25/2015

Revision Number 1

Revision Date 08/25/2015

Trade name: WS-8010 B-1/2 Base

(Contd. of page 1)

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Hazardous components:		
68611-50-7	Polysulphide Elastomer	50-100%
471-34-1	calcium carbonate	10-25%
	Polysulphide Polymer	2.5-10%
	titanium dioxide	2.5-10%
14808-60-7	Quartz (SiO2)	<i>≤</i> 0.1%
	Thiuram Accelerator	<i>≤</i> 0.09%

4 First-aid measures

· Description of first aid measures

· After inhalation:

Supply fresh air or oxygen; call for doctor.

- In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing: Seek medical treatment.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray.
- Use fire fighting measures that suit the environment.
- · Advice for firefighters
- · Protective equipment: Protective clothing and respiratory protective device.

6 Accidental release measures

- *Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation*
- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.

• Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose of contaminated material as waste in accordance with federal state and local regulations. Ensure adequate ventilation.

- Do not flush with water or aqueous cleansing agents
- · Reference to other sections

See Section 7 for information on safe handling.

(Contd. on page 3)

USA

Printing Date 08/25/2015

Revision Number 1

Revision Date 08/25/2015

Trade name: WS-8010 B-1/2 Base

See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

· Handling:

· Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

- Prevent formation of aerosols.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location away from direct heat.
- Information about storage in one common storage facility: Store away from oxidizing agents.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data.
- · Control parameters

· Com	· Components with limit values that require monitoring at the workplace:			
1346	13463-67-7 titanium dioxide			
PEL	Long-term value: 15* mg/m ³ *total dust			
REL	See Pocket Guide App. A			
TLV	Long-term value: 10 mg/m ³ withdrawn from NIC			
1480	8-60-7 Quartz (SiO2)			
PEL	see Quartz listing			
REL	Long-term value: 0.05* mg/m³ *respirable dust; See Pocket Guide App. A			
TLV	Long-term value: 0.025* mg/m ³ *as respirable fraction			

· Additional information:

This product contains crystalline silica (Quartz) which is not hazardous in a wet or encapsulated state. However, if a formula containing hazardous fillers is reduced to a respirable fraction by grinding or putting into an airborne powder, the powder is considered a hazardous material.

Formaldehyde - Trace amounts of Formaldehyde are present in the mixture. However, it is unlikely that this chemical will be released as the curing process is at ambient temperature. The lists that were valid during the creation were used as basis.

· Exposure controls

- · Personal protective equipment (see listings below)
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work.
- · Breathing equipment: Not necessary if room is well-ventilated.

(Contd. on page 4)

(Contd. of page 2)

USA

(Contd. of page 3)

Safety Data Sheet acc. to OSHA HCS

Printing Date 08/25/2015

Revision Number 1

Revision Date 08/25/2015

Trade name: WS-8010 B-1/2 Base

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· Material of gloves

Neoprene gloves

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection: Safety glasses with side shields.

· Body protection: Protective work clothing

9 Physical and chemical properties

· Information on basic physical a	nd chemical properties
· General Information	
· Appearance:	
Form:	Paste
Color:	Red
· Odor:	Characteristic
· Change in condition	
Melting point:	Undetermined.
Boiling.point: · Flash point:	$> 97 \ ^{\circ}C \ (> 207 \ ^{\circ}F)$
• Auto igniting:	Product is not selfigniting.
• Danger of explosion:	Product does not present an explosion hazard.
· Specific gravity at 20 °C (68 °F)	: 1.52 g/cm ³ (12.684 lbs/gal)
· Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
VOC (Per EPA 24)	N/A GMS/L
Solids content:	not available
• Other information	No further relevant information available.

10 Stability and reactivity

· Reactivity No further relevant information available.

· Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

(Contd. on page 5) USA

Printing Date 08/25/2015

Revision Number 1

Revision Date 08/25/2015

Trade name: WS-8010 B-1/2 Base

- · Possibility of hazardous reactions No further information is available.
- · Conditions to avoid Avoid high temperatures. Avoid freezing.
- · Incompatible materials: Reacts with strong oxidizing agents.
- · Hazardous decomposition products:

Carbon Dioxide and Carbon Monoxide. Oxides of Sulphur. Trace amounts of Formaldehyde, Phenol, Hydrogen Sulphide.

11 Toxicological information

· Information on toxicological effects

· Acute toxicity:

- Primary irritant effect:
- on the skin: May irritate the skin.
- on the eye: May irritate the eye.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

· Carcinogenic categories

· IARC (Inter	national Agency for Research on Cancer)	
13463-67-7	titanium dioxide	28
14808-60-7	Quartz (SiO2)	1
	Thiuram Accelerator	3
50-00-0	formaldehyde	1
· NTP (Natio	nal Toxicology Program)	
14808-60-7	Quartz (SiO2)	K
50-00-0	formaldehyde	K
· OSHA-Ca (Occupational Safety & Health Administration)	
50-00-0 for	maldehyde	

12 Ecological information

· Toxicity

- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · **Remark:** Harmful to fish
- \cdot Additional ecological information:
- General notes: At present there are no ecotoxicological assessments.
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

(Contd. on page 6)

(Contd. of page 4)

(Contd. of page 5)

Safety Data Sheet acc. to OSHA HCS

Printing Date 08/25/2015

Revision Number 1

Revision Date 08/25/2015

Trade name: WS-8010 B-1/2 Base

· Waste treatment methods

13 Disposal considerations

· Recommendation: Must be specially treated adhering to official regulations.

· Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

14 Transport information

14 ITansport information	
· UN-Number · DOT, ADR, ADN, IMDG, IATA	not regulated
· UN proper shipping name · DOT, ADR, ADN, IMDG, IATA	not regulated
· Transport hazard class(es)	
· DOT · Class	not regulated Non-Hazardous
· ADR, IMDG, IATA · Class	not regulated Not Regulated
· ADN/R Class:	not regulated
· Packing group · DOT, ADR, IMDG, IATA	not regulated
· Environmental hazards:	Not applicable.
· Special precautions for user	Not applicable.
• Transport in bulk according to Annex II MARPOL73/78 and the IBC Code	of Not applicable.
· Transport/Additional information:	
· DOT · Remarks:	Non regulated
· IMDG · Remarks:	Non regulated
· UN ''Model Regulation'':	-

*

*

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

Section 355 (extremely hazardous substances):
 50-00-0 formaldehyde

 Section 313 (Specific toxic chemical listings):
 Thiuram Accelerator
 50-00-0 formaldehyde
 (Contd. on page 7)
 USA

Printing Date 08/25/2015

Revision Number 1

Revision Date 08/25/2015

Trade name: WS-8010 B-1/2 Base

		ntd. of pag
	ic Substances Control Act):	
All compone	ents of this product are on the TSCA Inventory or are exempt from TSCA Inventory requiren	<i>ients</i> .
Proposition	65	
Chemicals I	known to cause cancer:	
13463-67-7	titanium dioxide	
50-00-0	formaldehyde	
Chemicals I	known to cause reproductive toxicity:	
None of the	ingredients is listed.	
All compone requirement	ada Dosmestic Substance List ents of this product are on the DSL(Canada Domestic Substance list) or are exempt from DS ts. nity categories	Ľ
-	conmental Protection Agency)	
50-00-0 for	rmaldehyde	Ì
TLV (Thres	hold Limit Value established by ACGIH)	L
13463-67-7	titanium dioxide	I
14808-60-7	Quartz (SiO2)	1
	Thiuram Accelerator	1
50-00-0	formaldehyde	I
MAK (Gern	nan Maximum Workplace Concentration)	
13463-67-7	titanium dioxide	-
14808-60-7	Quartz (SiO2)	1
50-00-0	formaldehyde	2
NIOSH-Ca	(National Institute for Occupational Safety and Health)	
13463-67-7	titanium dioxide	
14808-60-7	Quartz (SiO2)	
	formaldehyde	

· National regulations:

• Water hazard class: Water hazard class 3 (Self-assessment): extremely hazardous for water.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

Although the information and recommendations set forth in this SDS are presented in good faith and are believed to be correct as of the date of this SDS, Royal Adhesives & Sealants makes no representations as to the completeness or accuracy thereof. Information is supplied on the condition that the persons receiving and using it will make their own determination as to the suitability for their purpose prior to use. In no event will Royal Adhesives & Sealants or any affiliate thereof be responsible for damages of any nature whatsoever resulting from the use or reliance on the information set forth in the SDS.

· Department issuing SDS: Environment protection department.

· Creation Date: 09/30/2009

· Date of preparation / last revision 08/25/2015 / -

• Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

(Contd. on page 8)

USA

Safety Data Sheet acc. to OSHA HCS

Printing Date 08/25/2015

Revision Number 1

Revision Date 08/25/2015

Trade name: WS-8010 B-1/2 Base

(Contd. of page 7) ICAO: International Civil Aviation Organisation ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3



Page 1/8

Safety Data Sheet acc. to OSHA HCS

Printing Date 09/21/2015

*

*

Revision Number 1

Revision Date 09/21/2015

1	Identification
	Product identifier
	Trade name: WS-8010 B-1/2 CA
	Relevant identified uses of the substance or mixture. Activator
	Details of the supplier of the safety data sheet
	Manufacturer/Supplier:
	Royal Adhesives And Sealants, LLC
	2001 W. Washington Street South Bend IN 46628-2023
	Information Phone Number: 574-246-5000
	Information department: Environment protection department.
	Emergency telephone number:
	ChemTrec: Day or Night within USA and Canada: 1-800-424-9300.
	Outside USA and Canada: +1 703-527-3887 (collect calls accepted)
	Hazard(s) identification
	Classification of the substance or mixture
	GHS07
	\mathbf{V}
	Acute Tox. 4 H302 Harmful if swallowed.
	Aquatic Chronic 4 H413 May cause long lasting harmful effects to aquatic life.
	Label elements
	GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS)
	Hazard pictograms
	\wedge
	GHS07
	Signal word Warning
	Hazard statements
	Harmful if swallowed.
	May cause long lasting harmful effects to aquatic life.
	Precautionary statements
	Avoid release to the environment. Wash thoroughly after handling
	Wash thoroughly after handling. Do not eat, drink or smoke when using this product.
	If swallowed: Call a poison center/doctor if you feel unwell.
	Rinse mouth.
	Dispose of contents/container in accordance with local/regional/national/international regulations.

Printing Date 09/21/2015

Revision Number 1

Revision Date 09/21/2015

Trade name: WS-8010 B-1/2 CA

(Contd. of page 1)

• Classification system: • NFPA ratings (scale 0 - 4)

 $\begin{array}{c} 1\\ 2\\ 0\\ \end{array} \begin{array}{c} Health = 2\\ Fire = 1\\ Reactivity = 0 \end{array}$

· HMIS-ratings (scale 0 - 4)

HEALTH2Health = 2FIRE1Fire = 1PHYSICAL HAZARDPhysical Hazard = 0

· Other hazards

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

1313-13-9 manganese dioxide 25-50% 61788-32-7 Hydrogenated Terphenyl 25-50% 557-05-1 zinc distearate, pure ≤1.0%	• Hazardous o	components:	
	1313-13-9	manganese dioxide	25-50%
557-05-1 zinc distearate, pure <1.0%	61788-32-7	Hydrogenated Terphenyl	25-50%
- // -	557-05-1	zinc distearate, pure	≤1.0%

4 First-aid measures

· Description of first aid measures

· After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing:

Immediately call a doctor.

- Seek medical treatment.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray. Use fire fighting measures that suit the environment.

(Contd. on page 3)

USA •

Printing Date 09/21/2015

Revision Number 1

Revision Date 09/21/2015

Trade name: WS-8010 B-1/2 CA

· Advice for firefighters

• Protective equipment: Protective clothing and respiratory protective device.

6 Accidental release measures

- *Personal precautions, protective equipment and emergency procedures* Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation
- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose of contaminated material as waste in accordance with federal state and local regulations. Ensure adequate ventilation.

Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

7 Handling and storage

· Handling:

- · Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: Store in a cool location away from direct heat.
- Information about storage in one common storage facility: Store away from oxidizing agents.
- Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data.
- · Control parameters

· Com	omponents with limit values that require monitoring at the workplace:	
1313	3-9 manganese dioxide	
PEL	Ceiling limit value: 5 mg/m ³ as Mn	
REL	Short-term value: 3 mg/m³ Long-term value: 1 mg/m³ as Mn	
TLV	Long-term value: 0.02*0.1* mg/m ³ as Mn; *respirable **inhalable fraction	
557-0	05-1 zinc distearate, pure	
PEL	Long-term value: 15* 5** mg/m ³ *total dust **respirable fraction	
REL	Long-term value: 10* 5** mg/m ³ *total dust **respirable fraction	
	(Contd. on page 4)	

(Contd. of page 2)

Printing Date 09/21/2015

*

Revision Number 1

Revision Date 09/21/2015

Trade name: WS-8010 B-1/2 CA

	(Contd. of page 2
TLV Long-term value: 10 mg/m ³	
Additional information: The lists that were valid during the creation were	used as basis.
Exposure controls	
Personal protective equipment (see listings below)	
General protective and hygienic measures:	
Keep away from foodstuffs, beverages and feed.	
Wash hands before breaks and at the end of work.	
Breathing equipment: Not necessary if room is well-ventilated.	
Protection of hands:	
The glove material has to be impermeable and resistant to the product/ the Material of gloves	e substance/ the preparation.
Nitrile rubber, NBR	
Chloroprene rubber, CR	
The selection of the suitable gloves does not only depend on the material, a varies from manufacturer to manufacturer.	but also on further marks of quality an
Penetration time of glove material	
The exact break through time has to be found out by the manufacturer of the observed.	he protective gloves and has to be
Eye protection: Safety glasses with side shields.	
Body protection: Protective work clothing	

Information on basic physical of General Information Appearance:	und chemical properties	
Form:	Paste	
Color:	Black	
Odor:	Mild	
Change in condition		
Melting point:	Undetermined.	
Boiling.point: Flash point:	> 150 °C (> 302 °F)	
Ignition temperature:	373 °C (703 °F)	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Specific gravity at 20 °C (68 °F): 1.66 g/cm³ (13.853 lbs/gal)	
Solubility in / Miscibility with Water:	Not miscible or difficult to mix.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	

Printing Date 09/21/2015

Revision Number 1

Revision Date 09/21/2015

Trade name: WS-8010 B-1/2 CA

	(Contd. of page	4)
· Solvent content: Organic solvents: VOC (Per EPA 24)	0.0 % N/A GMS/L	
Solids content: • Other information	not available No further relevant information available.	

10 Stability and reactivity

- *Reactivity* No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No further information is available.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: Reacts with oxidizing agents.
- Hazardous decomposition products:
- Oxides of carbon and hydrocarbons,
- Hydrogen chloride (HCl)
- Hydrocarbons

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

61788-32-7 Hydrogenated Terphenyl

Oral	LD50	>12500 mg/kg (rat)
		>2000 mg/kg (rabbit)
Inhalative	LC50/4 h	>4.7 mg/l (rat)

· Primary irritant effect:

- on the skin: May irritate the skin.
- on the eye: May irritate the eye.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

· Carcinogenic categories

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

(Contd. on page 6)

USA

Printing Date 09/21/2015

Revision Number 1

Revision Date 09/21/2015

Trade name: WS-8010 B-1/2 CA

(Contd. of page 5)

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- **Remark:** Harmful to fish
- Additional ecological information:
- · General notes: At present there are no ecotoxicological assessments.
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation: Must be specially treated adhering to official regulations.
- · Uncleaned packagings:

*

· Recommendation: Disposal must be made according to official regulations.

UN-Number	
DOT, ADR, ADN, IMDG, IATA	not regulated
· UN proper shipping name · DOT, ADR, ADN, IMDG, IATA	not regulated
Transport hazard class(es)	
DOT, ADR, ADN, IMDG, IATA	
· Class	not regulated
Packing group	
DOT, ADR, IMDG, IATA	not regulated
Environmental hazards:	Not applicable.
Special precautions for user	Not applicable.
Transport in bulk according to Annex II of	¢ (
MARPOL73/78 and the IBC Code	Not applicable.

(Contd. on page 7)

US/

Printing Date 09/21/2015

Revision Number 1

Revision Date 09/21/2015

Trade name: WS-8010 B-1/2 CA

(Contd. of page 6)

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

• Section 313 (Specific toxic chemical listings):

557-05-1 zinc distearate, pure

• TSCA (Toxic Substances Control Act):

All components of this product are on the TSCA Inventory or are exempt from TSCA Inventory requirements.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity:

None of the ingredients is listed.

· (DSL) Canada Dosmestic Substance List

All components of this product are on the DSL(Canada Domestic Substance list) or are exempt from DSL requirements.

· Cancerogenity categories

· EPA (Environmental Protection Agency)

1313-13-9 manganese dioxide

557-05-1 zinc distearate, pure

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients listed.

· MAK (German Maximum Workplace Concentration)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· National regulations:

• Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

Although the information and recommendations set forth in this SDS are presented in good faith and are believed to be correct as of the date of this SDS, Royal Adhesives & Sealants makes no representations as to the completeness or accuracy thereof. Information is supplied on the condition that the persons receiving and using it will make their own determination as to the suitability for their purpose prior to use. In no event will Royal Adhesives & Sealants or any affiliate thereof be responsible for damages of any nature whatsoever resulting from the use or reliance on the information set forth in the SDS.

• Department issuing SDS: Environment protection department.

· Creation Date: 09/18/2009

· Date of preparation / last revision 09/21/2015 / -

 Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods
 D

Π

Printing Date 09/21/2015

Revision Number 1

Revision Date 09/21/2015

Trade name: WS-8010 B-1/2 CA

DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity, Hazard Category 4 Aquatic Chronic 4: Hazardous to the aquatic environment - Chronic Hazard, Category 4 (Contd. of page 7)

USA