

> WWW.NUVITECHEMICAL.COM WWW.UNIVERSALPHOTONICS.COM

NU-GEAR-SC

SECTION 1: PRODUCT & COMPANY IDENTIFICATION

1.0 APPLICABLE PART #: PC22091GL, PC22091QT, PC22095GL, PC22095GL

1.1 IDENTITY: NU-GEAR-SC

1.2 INTENDED USE: Exterior Aircraft / Engine Component Cleaning Compound

1.3 SUPPLIER: Universal Photonics, Inc. FOR INFORMATION CALL

495 West John StreetCUSTOMER SERVICE:(516) 935-4000Hicksville, NY 11801DATE PREPARED:March 16, 2016

1.866.519.4752 3-E COMPANY - ACCT # 3665 1.4 EMERGENCY TELEPHONE NUMBER: SECTION 2: HAZARDS IDENTIFICATION **Not Applicable** 2.1 CLASSIFICATION OF SUBSTANCE: 2.2 GHS LABEL ELEMENTS: None HAZARD PICTOGRAM: **Not Applicable** HAZARD SYMBOL: Not Applicable SIGNAL WORD: H316 - Causes mild skin irritation HAZARD STATEMENTS: H319 - Causes serious eye irritation PRECAUTIONARY STATEMENTS: P233 - Keep container tightly closed P262 - Do not get in eyes, on skin, or on clothing P264 - Wash hands thoroughly after handling P280 - Wear protective gloves/eye protection/protective clothing PREVENTION: Wear protective gloves. Wear eye protection to include splash goggles. Wear protective clothing. Use with ventilation. Wash hands after handling. RESPONSE. In the event of skin, eye, respiratory contact or ingestion, seek medical attention immediately. Keep container tightly closed when not in use. Do not return spent material STORAGE: back to original container. DISPOSAL: Dispose of waste in accordance with all regulatory agencies. None known 2.3 HAZARDS NOT OTHERWISE CLASSIFIED: 2.4 UNKNOWN ACUTE TOXICITY: None known



> WWW.NUVITECHEMICAL.COM WWW.UNIVERSALPHOTONICS.COM

NU-GEAR-SC

SECTION 3: COMPOSITION INFORMATION

COMPONENTS	CAS#	WEIGHT %	
Trade Secret Information *	N/A	100	

NOTE: *Non-Regulated components are proprietary, confidential, and trade secret.

SECTION 4: FIRST AID MEASURES

4.1 DESCRIPTION OF FIRST AID MEASURES:

SKIN:	Remove soiled clothing and flush with soap and water.

EYES: Flush with water for 20 minutes and immediately seek medical attention.

INHALATION: Administer fresh air or oxygen.

INGESTION: Induce vomiting. Immediately seek medical attention urgently. Maintain an

open airway.

4.2 MOST IMPORTANT SYMPTOMS / EFFECTS, ACUTE & DELAYED:

SKIN CONTACT: May cause dryness & defatting.

EYE CONTACT: Will cause moderate irritation upon direct contact.

INHALATION: Breathing high concentrations may irritate nose and throat.

INGESTION: Will cause serious gastric disturbances.

ENVIRONMENT: None known.

CHRONIC: None known

4.3 INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND

Special Treatment Needed, If Necessary: Immediately contact physician for further medical advice.

SECTION 5: FIRE FIGHTING MEASURES

5.1 EXTINGUISHING MEDIA:

SUITABLE EXTINGUISHING MEDIA: Water spray, foam, dry chemical, CO₂

UNSUITABLE EXTINGUISHING MEDIA: None

5.2 SPECIFIC HAZARDS ARISING FROM THE MIXTURE:



WWW.NUVITECHEMICAL.COM WWW.UNIVERSALPHOTONICS.COM

NU-GEAR-SC

FIRE HAZARD:	None

EXPLOSION HAZARD: None

REACTIVITY: None

EXPOSURE HAZARDS: Oxides of carbon.

UNUSUAL FIRE/EXPLOSION HAZARD: None

5.3 SPECIAL PROTECTIVE EQUIPMENT: Wear full protective safety equipment as standard practice.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal Precautions, Protective Equipment And Emergency Procedures:

Non-Emergency Personnel: Wear appropriate personal protection equipment (PPE). Avoid contact with

skin & eyes. Do not walk through spilled material. Provide adequate

ventilation. Wear respirator when ventilation is inadequate.

EMERGENCY RESPONDERS: Take note of any special instructions in Section 8.

6.2 ENVIRONMENTAL PRECAUTIONS: Do not introduce material directly into natural waterways such as rivers, lakes,

streams, etc. or drains & sewers.

6.3 METHODS AND MATERIALS FOR CONTAINMENT AND CLEAN-UP:

SMALL SPILL: Stop leak if safe to do so. Use inert absorbent material and dispose in proper

chemical waste container or to approved waste treatment areas.

Large Spill: Stop leak if safe to do so, Approach release from upwind. Prevent entry into

sewers or natural waterways. Contain and collect with inert absorbent material and place in container for disposal according to local regulations (See Section

13). Dispose via a licensed waste disposal contractor.

6.4 REFERENCE TO OTHER SECTIONS: See Section 8, Exposure Controls & Personal Protection.

SECTION 7: HANDLING & STORAGE

7.1 Precautions For Safe Handling: Use recognized standard safety practices. Handle with care to avoid contact.

7.2 CONDITIONS FOR SAFE STORAGE: When not in use, keep closure on container closed. Store indoors. Keep away

from heat and freezing conditions.



> WWW.NUVITECHEMICAL.COM WWW.UNIVERSALPHOTONICS.COM

NU-GEAR-SC

SECTION 8: EXPOSURE CONTROLS & PERSONAL PROTECTION

8.1 CONTROL PARAMETERS:	See Section 8.2
8.2 EXPOSURE CONTROLS	
CONTROL PARAMETERS:	General ventilation to control worker exposure to airborne contaminants. Ensure that emergency eyewash stations are in the immediate vicinity of any potential exposure.
Engineering Controls:	If user operations generate dust, fumes, vapor or mist, use process enclosures, local exhaust or other engineering controls to keep worker exposure below any recommended or statutory limits.
PERSONAL PROTECTIVE CONTROLS:	expectate solon any recommended of equations, immediately
Hygiene Measures:	Wash hands, forearms and face thoroughly after handling product. Remove contaminated clothing and wash before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Skin Protection:	Chemical resistant, impervious gloves are recommended if exposure is prolonged – Neoprene type. Personal protective clothing for the body should be selected based upon the task being performed.
EYES:	Avoid eye contact. Protective safety eyewear goggles are recommended if to avoid exposure to liquid splashes, mists, and dusts or when working on overhead structures if direct contact is evident.
RESPIRATORY:	Should vapors exceed PEL, wear NIOSH approved dust & organic vapor respirator.
8.3 PERSONAL PROTECTIVE EQUIPMENT (PPE):	

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE:

Color:

Yellow

Odor:

Minimal



ODOR THRESHOLD:

85 JETSON LANE, CENTRAL ISLIP, NEW YORK 11722 516.935.4000 FAX 516.935.4039

WWW.NUVITECHEMICAL.COM WWW.UNIVERSALPHOTONICS.COM

NU-GEAR-SC

Not determined

PH:	11.8 – 12.4
SOLUBILITY:	Soluble in water
FLASH POINT:	212°F
LOWER FLAMMABLE LIMIT:	None
UPPER FLAMMABLE LIMIT:	None
AUTOIGNITION TEMPERATURE:	Not applicable
DECOMPOSITION TEMPERATURE:	Not applicable
FLAMMABILITY:	Not applicable
SPECIFIC GRAVITY:	1.015 at 25°C
BOILING POINT (°F):	212 °F
VAPOR PRESSURE:	18 at 20°C
VAPOR DENSITY:	Greater than 1 (Air = 1)
MELTING POINT (°F):	Not applicable
FREEZING POINT:	Not applicable
EVAPORATION RATE:	Less than 1 (Butyl Acetate = 1)
VISCOSITY:	Not applicable
PARTITION COEFFICIENT	
N-OCTANOL/WATER:	Not Determined
SECTION 10: STABILITY & REACTIVITY	
10.1 REACTIVITY:	None
10.2 CHEMICAL STABILITY:	Stable
10.3 HAZARDOUS REACTIONS:	None
HAZARDOUS POLYMERIZATION:	None



10.4 CONDITIONS TO AVOID:

OSHA:

85 JETSON LANE, CENTRAL ISLIP, NEW YORK 11722 516.935.4000 FAX 516.935.4039

WWW.NUVITECHEMICAL.COM WWW.UNIVERSALPHOTONICS.COM

NU-GEAR-SC

None

10.5 INC	OMPATIBLE MATERIALS:	Strong acid, alkali, oxidizing agents
10.6 HAZ	ARDOUS DECOMPOSITION OF PRODUCTS:	Oxides of carbon
SECTI	ON 11: TOXICOLOGICAL INFORMATION	ON
Note:		Primary route of entry is through skin with secondary route through inhalation
11.1 INFO	DRMATION ON TOXICOLOGICAL EFFECTS	
	ACUTE TOXICITY:	Not classified.
	SKIN:	Not established
	INHALATION:	Not established
	INGESTION:	Not established
11.2 Рот	ENTIAL ACUTE HEALTH EFFECTS:	
SKIN:		Possible irritation and drying during prolonged contact
EYES:		Will cause moderate irritation and cornea damage upon direct contact
RESPIR	ATORY:	May irritate nose & throat when breathing high concentrations
INGEST	ION:	Will cause serious gastric disturbances
SYMPTO	DMS AFTER CONTACT	
	SKIN:	Irritation, dryness, redness
	EYES:	Pain, watering, burning, redness, moderate irritation
	RESPIRATORY:	Irritation, asthmatic systems, dizziness
	INGESTION:	Stomach pain, gastric disturbances
11.3 Сня	RONIC HEALTH EFFECTS:	No known significant effects or critical hazards
11.4 CAR	RCINOGENICITY:	
	NTP:	None
	IARC:	None

None



> WWW.NUVITECHEMICAL.COM WWW.UNIVERSALPHOTONICS.COM

NU-GEAR-SC

SECTION 12: ECOLOGICAL INFORMATION

12.1 TOXICITY: Not determined.

12.2 Persistence & Degradability: Not considered to be a waste or environmental hazard. Biodegradable.

12.3 BIOACCUMULATIVE POTENTIAL: Not determined

12.4 MOBILITY IN SOIL: Not determined

12.5 OTHER ADVERSE EFFECTS: No known significant effects or critical hazards

SECTION 13: DISPOSAL INFORMATION

13.1 WASTE TREATMENT METHODS:

For small spills, contain all residues with inert absorbent material and dispose in chemical recycle container. For large spills, stop leak if safe to do so. Approach release from upwind. Dyke or dam area and vacuum all wet areas for recycle by a licensed waste disposal contractor. Avoid contact with soil, waterways, drains, and sewers unless such drains & sewers are fully compliant with the requirements of all authorities for disposal. Consult all Federal, State, & Local Regulatory authorities for proper disposal.

SECTION 14: TRANSPORTATION INFORMATION

REGULATORY INFORMATION	UN NUMBER	PROPER SHIPPING NAME	CLASSES	PACKING GROUP	LABEL	Additional Information
DOT CLASSIFICATION	Not Applicable	Not Applicable	Not Applicable	Not Applicable	None	None
TDG CLASSIFICATION	Not Applicable	Not Applicable	Not Applicable	Not Applicable	None	None
ADR/RID CLASS	Not Applicable	Not Applicable	Not Applicable	Not Applicable	None	None
IMDG Calss	Not Applicable	Not Applicable	Not Applicable	Not Applicable	None	None
IATA-DGR	Not Applicable	Not Applicable	Not Applicable	Not Applicable	None	None



> WWW.NUVITECHEMICAL.COM WWW.UNIVERSALPHOTONICS.COM

NU-GEAR-SC

SECTION 15: REGULATORY INFORMATION

15.1 U.S. FEDERAL REGULATIONS:

OSHA HAZARD COMMUNICATION STANDARD: Non-regulated

TSCA: Non-regulated

SARA (302/304): Non-regulated

SARA (311/312): Non-regulated

SARA TITLE III: This product contains the following chemical subject to the reporting

requirements of Section 313: 2-Butoxyethanol (111-76-2) 5%.

OTHER REGULATORY STANDARDS: Not regulated per 29 CFR 1900.1000 - 1500, 40 CFR PART 261.3, 302.4, 355,

370, 372

15.2 STATE REGULATIONS: Non-regulated

15.3 INTERNATIONAL REGULATIONS: Non-regulated per EINECS / ELINCS / DSL / NDSL / IECSC / ENS / ECL / PICCS

SECTION 16: OTHER INFORMATION

HMIS RATING: Health 2, Flammability 0, Reactivity 0, Personal Protection B.

NFPA RATING: Health 2, Flammability 0, Reactivity 0

DEFINITIONS:

DOT – Department of Transportation

GHS - The Globally Harmonized System of Classification and Labeling of Chemicals

HMIS - Hazardous Materials Identification System

NIOSH - National Institute for Occupational Safety and Health

NORM - Natural Occurring Radioactive Materials

IATA – International Air Transportation Association

IMO - International Maritime Organization

OSHA - Occupational Safety & Health Administration

TSCA - Toxic Substance Control Act

SDS Revision #: 7

DISCLAIMER

THIS SDS IS OFFERED IN GOOD FAITH WITHOUT WARANTY OR REPRESENTATION SOLELY FOR THE BUYER'S USE IN THE EVALUATION OF THIS PRODUCT WITH RESPECT TO SAFETY, HEALTH, AND ENVIROMENTAL USE. IT IS THE RESPONSIBILITY OF THE BUYER AND END USER TO DETERMINE THE DATA, INFORMATION WITH RESPECT TO APPLICABLE LAWS AND REGULATIONS, AND THE FITNESS & CHARACTER OF THIS PRODUCT PRIOR TO FULL SCALE USE. UNIVERSAL PHOTONICS AND OR NUVITE CHEMICAL COMPOUNDS (SELLER) ASSUMES NO LEGAL LIABILITY FOR ANY INJURY, ACCIDENT, LOSS, OR DAMAGE THROUGH THE USE OF THIS PRODUCT OF WHICH SUCH USES ARE BEYOND SELLER'S CONTROLINGEARS.