

**EPIBOND® 1210 A-1 US**

Version 1.0      Revision Date: 05/05/2020      SDS Number: 400001015656      Date of last issue: -  
Date of first issue: 05/05/2020

Print Date 10/20/2020

**SECTION 1. IDENTIFICATION**

Product name : EPIBOND® 1210 A-1 US

**Manufacturer or supplier's details**

Company name of supplier : Huntsman Advanced Materials Americas LLC  
Address : P.O. Box 4980  
The Woodlands,  
TX 77387  
United States of America (USA)  
Telephone : Non-Emergency: (800) 257-5547  
E-mail address of person responsible for the SDS : Global\_Product\_EHS\_AdMat@huntsman.com  
Emergency telephone number : Chemtrec: (800) 424-9300 or (703) 527-3887

**Recommended use of the chemical and restrictions on use**

Recommended use : Epoxy constituents  
Epoxy constituents

**SECTION 2. HAZARDS IDENTIFICATION****GHS classification in accordance with 29 CFR 1910.1200**

Skin irritation : Category 2  
Eye irritation : Category 2A  
Skin sensitisation : Category 1  
Short-term (acute) aquatic hazard : Category 2  
Chronic aquatic toxicity : Category 2

**GHS label elements**

Hazard pictograms : 

Signal word : Warning

Hazard statements : H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H319 Causes serious eye irritation.  
H411 Toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**

**EPIBOND® 1210 A-1 US**

Version 1.0      Revision Date: 05/05/2020      SDS Number: 400001015656      Date of last issue: -  
Date of first issue: 05/05/2020

Print Date 10/20/2020

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.  
P264 Wash skin thoroughly after handling.  
P272 Contaminated work clothing must not be allowed out of the workplace.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ eye protection/ face protection.

**Response:**

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.  
P337 + P313 If eye irritation persists: Get medical advice/ attention.  
P362 Take off contaminated clothing and wash before reuse.  
P391 Collect spillage.

**Storage:**

Not available

**Disposal:**

P501 Dispose of contents/container to an approved facility in accordance with local, regional, national and international regulations.

**Other hazards**

None known.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

**Hazardous components**

Chemical name	CAS-No.	Concentration (% w/w)
2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane	1675-54-3	50 - 70
Talc (Mg <sub>3</sub> H <sub>2</sub> (SiO <sub>3</sub> ) <sub>4</sub> )	14807-96-6	20 - 30
mica	12001-26-2	10 - 20

The specific chemical identity and/or exact percentage (concentration) of composition may be withheld as a trade secret.

Both 25068-38-6 and 1675-54-3 can be used to describe the epoxy resin which is produced through the reaction of bisphenol A and epichlorohydrin

**SECTION 4. FIRST AID MEASURES**

General advice : Move out of dangerous area.  
Show this safety data sheet to the doctor in attendance.  
Treat symptomatically.  
Get medical attention if symptoms occur.

**EPIBOND® 1210 A-1 US**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	05/05/2020	400001015656	Date of first issue: 05/05/2020

Print Date 10/20/2020

- If inhaled : If inhaled, remove to fresh air.  
Get medical attention if symptoms occur.
- In case of skin contact : If skin irritation persists, call a physician.  
If on skin, rinse well with water.  
If on clothes, remove clothes.
- In case of eye contact : Immediately flush eye(s) with plenty of water.  
Remove contact lenses.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.  
Never give anything by mouth to an unconscious person.  
If symptoms persist, call a physician.
- Most important symptoms and effects, both acute and delayed : None known.
- Notes to physician : Treat symptomatically.

**SECTION 5. FIREFIGHTING MEASURES**

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during firefighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : Carbon oxides  
Halogenated compounds
- Specific extinguishing methods : No data is available on the product itself.
- Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Refer to protective measures listed in sections 7 and 8.

**EPIBOND® 1210 A-1 US**

Version 1.0      Revision Date: 05/05/2020      SDS Number: 400001015656      Date of last issue: -  
 Date of first issue: 05/05/2020

Print Date 10/20/2020

- Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).  
Keep in suitable, closed containers for disposal.

**SECTION 7. HANDLING AND STORAGE**

- Advice on protection against fire and explosion : Normal measures for preventive fire protection.
- Advice on safe handling : Repeated or prolonged skin contact may cause skin irritation and/or dermatitis and sensitisation of susceptible persons.  
Persons suffering from asthma, eczema or skin problems should avoid contact, including dermal contact, with this product.  
Do not breathe vapours/dust.  
Avoid exposure - obtain special instructions before use.  
Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Dispose of rinse water in accordance with local and national regulations.
- Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.  
Containers which are opened must be carefully resealed and kept upright to prevent leakage.  
Keep in properly labelled containers.
- Materials to avoid : Strong acids  
  
Strong bases  
  
Strong oxidizing agents  
  
For incompatible materials please refer to Section 10 of this SDS.
- Further information on storage stability : Stable under normal conditions.

**SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION****Components with workplace control parameters**

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis

**EPIBOND® 1210 A-1 US**

Version 1.0      Revision Date: 05/05/2020      SDS Number: 400001015656      Date of last issue: -  
 Date of first issue: 05/05/2020

Print Date 10/20/2020

Talc (Mg <sub>3</sub> H <sub>2</sub> (SiO <sub>3</sub> ) <sub>4</sub> )	14807-96-6	TWA (Dust)	20 Million particles per cubic foot	OSHA Z-3
		TWA (Respirable)	2 mg/m <sup>3</sup>	NIOSH REL
		TWA	0.1 fibres per cubic centimeter	ACGIH
		TWA (Respirable particulate matter)	2 mg/m <sup>3</sup>	ACGIH
mica	12001-26-2	TWA (Respirable particulate matter)	3 mg/m <sup>3</sup>	ACGIH
		TWA (Dust)	20 Million particles per cubic foot	OSHA Z-3
		TWA (Respirable)	3 mg/m <sup>3</sup>	NIOSH REL
		TWA (respirable dust fraction)	3 mg/m <sup>3</sup>	OSHA P0

**Personal protective equipment**

Respiratory protection : General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

Hand protection

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water  
Tightly fitting safety goggles  
Wear face-shield and protective suit for abnormal processing problems.

Skin and body protection : Impervious clothing  
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures : When using do not eat or drink.  
When using do not smoke.  
Wash hands before breaks and at the end of workday.

**EPIBOND® 1210 A-1 US**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	05/05/2020	400001015656	Date of first issue: 05/05/2020

Print Date 10/20/2020

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance	: paste
Colour	: tan
Odour	: slight
Odour Threshold	: No data is available on the product itself.
pH	: No data is available on the product itself.
Freezing point	: No data is available on the product itself.
Melting point	: No data is available on the product itself.
Boiling point	: > 392 °F / > 200 °C
Flash point	: > 489 °F / > 254 °C Method: Pensky-Martens closed cup, closed cup
Evaporation rate	: No data is available on the product itself.
Flammability (solid, gas)	: No data is available on the product itself.
Flammability (liquids)	: No data is available on the product itself.
Upper explosion limit / Upper flammability limit	: No data is available on the product itself.
Lower explosion limit / Lower flammability limit	: No data is available on the product itself.
Vapour pressure	: No data is available on the product itself.
Relative vapour density	: No data is available on the product itself.
Relative density	: 1.3
Density	: 1.3 g/cm <sup>3</sup> (77 °F / 25 °C)
Solubility(ies)	
Water solubility	: insoluble (68 °F / 20 °C)
Solubility in other solvents	: No data is available on the product itself.
Partition coefficient: n-octanol/water	: No data is available on the product itself.
Auto-ignition temperature	: No data is available on the product itself.
Decomposition temperature	: > 392 °F / > 200 °C
Self-Accelerating	: No data is available on the product itself.

**EPIBOND® 1210 A-1 US**

Version 1.0      Revision Date: 05/05/2020      SDS Number: 400001015656      Date of last issue: -  
Date of first issue: 05/05/2020

Print Date 10/20/2020

decomposition temperature  
(SADT)

Viscosity

Viscosity, dynamic : 25,000 mPa.s (68 °F / 20 °C)

Explosive properties : No data is available on the product itself.

Oxidizing properties : No data is available on the product itself.

Particle size : No data is available on the product itself.

**SECTION 10. STABILITY AND REACTIVITY**

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : Stable under normal conditions.

Possibility of hazardous  
reactions : No hazards to be specially mentioned.

Conditions to avoid : None known.

Incompatible materials : None known.

Hazardous decomposition  
products : Carbon oxides  
Burning produces noxious and toxic fumes.  
No hazardous decomposition products are known.Hazardous decomposition  
products : carbon dioxide  
carbon monoxide  
Halogenated compounds**SECTION 11. TOXICOLOGICAL INFORMATION**Information on likely routes of  
exposure : No data is available on the product itself.**Acute toxicity****Components:**

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Acute oral : LD50 (Rat, female): &gt; 2,000 mg/kg

toxicityComponents

Method: OECD Test Guideline 420

Assessment: The substance or mixture has no acute oral  
toxicity

Remarks: No mortality observed at this dose.

Acute inhalation toxicity : No data available

**EPIBOND® 1210 A-1 US**

Version 1.0      Revision Date: 05/05/2020      SDS Number: 400001015656      Date of last issue: -  
Date of first issue: 05/05/2020

Print Date 10/20/2020

**Components:**

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Acute dermal toxicity : LD50 (Rat, male and female): &gt; 2,000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal toxicity

Acute toxicity (other routes of administration) : No data available

**Skin corrosion/irritation****Components:**

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Species: Rabbit

Exposure time: 4 h

Assessment: Irritating to skin.

Method: OECD Test Guideline 404

Result: Irritating to skin.

**Serious eye damage/eye irritation****Components:**

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Species: Rabbit

Result: Irritating to eyes.

Assessment: Irritating to eyes.

Method: OECD Test Guideline 405

**Respiratory or skin sensitisation****Components:**

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Test Type: Local lymph node assay (LLNA)

Exposure routes: Skin

Species: Mouse

Method: OECD Test Guideline 429

Result: The product is a skin sensitiser, sub-category 1B.

Assessment: No data available

**Germ cell mutagenicity****Components:**

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test

Test system: mouse lymphoma cells

Metabolic activation: without metabolic activation

Result: positive

Test Type: reverse mutation assay

Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Method: Mutagenicity (Salmonella typhimurium - reverse



**EPIBOND® 1210 A-1 US**

Version 1.0      Revision Date: 05/05/2020      SDS Number: 400001015656      Date of last issue: -  
Date of first issue: 05/05/2020

Print Date 10/20/2020

mutation assay)  
Result: negative

**Components:**

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Genotoxicity in vivo : Test Type: in vivo assay  
Species: Mouse (male)  
Cell type: Germ  
Application Route: Oral  
Dose: 3333, 10000 mg/kg  
Result: negative

Test Type: gene mutation test  
Species: Rat (male)  
Cell type: Somatic  
Application Route: Oral  
Dose: 50,250,500,1000 mg/kg bw/day  
Method: OECD Test Guideline 488  
Result: negative

Germ cell mutagenicity- Assessment : No data available

**Carcinogenicity****Components:**

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Species: Rat, male  
Application Route: Oral  
Exposure time: 24 month(s)  
Dose: 0, 2, 15, or 100 mg/kg bw/day  
Frequency of Treatment: 7 days/week  
NOAEL: 15 mg/kg bw/day

Method: OECD Test Guideline 453  
Result: negative  
Target Organs: Digestive organs

Species: Mouse, male  
Application Route: Dermal  
Exposure time: 24 month(s)  
Dose: 0, 0.1, 10, 100 mg/kg bw/day  
Frequency of Treatment: 3 days/week  
NOEL: 0.1 mg/kg body weight

Method: OECD Test Guideline 453  
Result: negative  
Target Organs: Digestive organs

Species: Rat, female  
Application Route: Dermal  
Exposure time: 24 month(s)  
Dose: 0.1, 100, 1000 mg/kg bw/day  
Frequency of Treatment: 5 days/week  
NOEL: 100 mg/kg body weight

**EPIBOND® 1210 A-1 US**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	05/05/2020	400001015656	Date of first issue: 05/05/2020

Print Date 10/20/2020

Method: OECD Test Guideline 453  
Result: negative

Species: Rat, female  
Application Route: Oral  
Exposure time: 24 month(s)  
Dose: 0, 2, 15, or 100 mg/kg bw/day  
Frequency of Treatment: 7 days/week  
NOAEL: 100 mg/kg bw/day

Method: OECD Test Guideline 453  
Result: negative  
Target Organs: Digestive organs

Species: Rat, females  
Application Route: Oral  
Exposure time: 24 month(s)  
Dose: 0, 2, 15, or 100 mg/kg bw/day  
Frequency of Treatment: 7 days/week  
NOEL: 2 mg/kg bw/day

Method: OECD Test Guideline 453  
Result: negative  
Target Organs: Digestive organs

Carcinogenicity - Assessment : No data available

**IARC** Group 1: Carcinogenic to humans  
Talc (Mg<sub>3</sub>H<sub>2</sub>(SiO<sub>3</sub>)<sub>4</sub>)

**ACGIH** Confirmed human carcinogen  
Talc (Mg<sub>3</sub>H<sub>2</sub>(SiO<sub>3</sub>)<sub>4</sub>)

Confirmed animal carcinogen with unknown relevance to humans

2-butoxyethanol

**OSHA** No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

**NTP** Known to be human carcinogen  
Talc (Mg<sub>3</sub>H<sub>2</sub>(SiO<sub>3</sub>)<sub>4</sub>)  
(Silica, Crystalline (Respirable Size))

**Reproductive toxicity****Components:**

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Effects on fertility : Test Type: Two-generation study  
Species: Rat, male and female  
Application Route: Oral  
Dose: 0, 50, 180, 540 or 750 milligram per kilogram

**EPIBOND® 1210 A-1 US**

Version 1.0      Revision Date: 05/05/2020      SDS Number: 400001015656      Date of last issue: -  
Date of first issue: 05/05/2020

Print Date 10/20/2020

Duration of Single Treatment: 238 d  
Frequency of Treatment: 1 daily  
General Toxicity - Parent: No-observed-effect level: 540 mg/kg body weight  
General Toxicity F1: No-observed-effect level: 750 mg/kg body weight  
Symptoms: No adverse effects  
Method: OECD Test Guideline 416  
Result: No effects on fertility and early embryonic development were detected.

**Components:**

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Effects on foetal development : Species: Rabbit, female  
Application Route: Dermal  
Dose: 0, 30, 100 or 300 milligram per kilogram  
Duration of Single Treatment: 28 d  
Frequency of Treatment: 1 daily  
General Toxicity Maternal: No observed adverse effect level: 30 mg/kg body weight  
Developmental Toxicity: No observed adverse effect level: 300 mg/kg body weight  
Method: Other guidelines  
Result: No teratogenic effects

Test Type: Pre-natal  
Species: Rabbit, female  
Application Route: Oral  
Dose: 0, 20, 60 or 180 milligram per kilogram  
Duration of Single Treatment: 13 d  
Frequency of Treatment: 1 daily  
General Toxicity Maternal: No observed adverse effect level: 60 mg/kg body weight  
Developmental Toxicity: No observed adverse effect level: 180 mg/kg body weight  
Method: OECD Test Guideline 414  
Result: No teratogenic effects

Test Type: Pre-natal  
Species: Rat, female  
Application Route: Oral  
Dose: 0, 60, 180 and 540 milligram per kilogram  
Duration of Single Treatment: 10 d  
Frequency of Treatment: 1 daily  
General Toxicity Maternal: No observed adverse effect level: 180 mg/kg body weight  
Developmental Toxicity: No observed adverse effect level: > 540 mg/kg body weight  
Method: OECD Test Guideline 414  
Result: No teratogenic effects

Reproductive toxicity - Assessment : No data available

**EPIBOND® 1210 A-1 US**

Version 1.0      Revision Date: 05/05/2020      SDS Number: 400001015656      Date of last issue: -  
Date of first issue: 05/05/2020

Print Date 10/20/2020

**STOT - single exposure**

No data available

**STOT - repeated exposure**

No data available

**Repeated dose toxicity****Components:**

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Species: Rat, male and female

NOAEL: 50 mg/kg

Application Route: oral (gavage)

Exposure time: 14 Weeks

Number of exposures: 7 d

Dose: 0, 50, 250, 1000 mg/kg/day

Method: OECD Test Guideline 408

Species: Rat, male and female

NOAEL: &gt;= 10 mg/kg

Application Route: Skin contact

Exposure time: 13 Weeks

Number of exposures: 5 d

Dose: 0, 10, 100, 1000 mg/kg/day

Method: OECD Test Guideline 411

Species: Mouse, male

NOAEL: 100 mg/kg

Application Route: Skin contact

Exposure time: 13 Weeks

Number of exposures: 3 d

Dose: 0, 1, 10, 100 mg/kg/day

Method: OECD Test Guideline 411

Repeated dose toxicity -                   : No data available  
Assessment

**Aspiration toxicity**

No data available

**Experience with human exposure**

General Information:      No data available

Inhalation:                    No data available

Skin contact:                No data available

Eye contact:                No data available

Ingestion:                    No data available

**EPIBOND® 1210 A-1 US**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	05/05/2020	400001015656	Date of first issue: 05/05/2020

Print Date 10/20/2020

**Toxicology, Metabolism, Distribution**

No data available

**Neurological effects**

No data available

**Further information**

Ingestion: No data available

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity****Components:**

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 2 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Talc (Mg<sub>3</sub>H<sub>2</sub>(SiO<sub>3</sub>)<sub>4</sub>):

Toxicity to fish : LC50 (Brachydanio rerio (zebrafish)): &gt; 100 mg/l

Exposure time: 24 h

**Components:**

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1.8 mg/l

Exposure time: 48 h

Test Type: static test

Test substance: Fresh water

Method: OECD Test Guideline 202

**Components:**

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Toxicity to algae/aquatic plants : EC50: 11 mg/l

Exposure time: 72 h

Test Type: static test

Test substance: Fresh water

Method: EPA-660/3-75-009

NOEC: 4.2 mg/l

Exposure time: 72 h

Test Type: static test

Test substance: Fresh water

Method: EPA-660/3-75-009

M-Factor (Acute aquatic toxicity) : No data available

**EPIBOND® 1210 A-1 US**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	05/05/2020	400001015656	Date of first issue: 05/05/2020

Print Date 10/20/2020

Toxicity to fish (Chronic toxicity) : No data available

**Components:**

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:  
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.3 mg/l  
Exposure time: 21 d  
Test Type: semi-static test  
Test substance: Fresh water  
Method: OECD Test Guideline 211

M-Factor (Chronic aquatic toxicity) : No data available

**Components:**

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:  
Toxicity to microorganisms : IC50 (activated sludge): > 100 mg/l  
Exposure time: 3 h  
Test Type: static test  
Test substance: Fresh water

Toxicity to soil dwelling organisms : No data available

Plant toxicity : No data available

Sediment toxicity : No data available

Toxicity to terrestrial organisms : No data available

Ecotoxicology Assessment  
Acute aquatic toxicity : No data available

**Components:**

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:  
Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

Toxicity Data on Soil : No data available

Other organisms relevant to the environment : No data available

**Persistence and degradability****Components:**

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:  
Biodegradability : Test Type: aerobic  
Inoculum: activated sludge, non-adapted  
Concentration: 20 mg/l  
Result: Not readily biodegradable.  
Biodegradation: 5 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301F

**EPIBOND® 1210 A-1 US**

Version 1.0      Revision Date: 05/05/2020      SDS Number: 400001015656      Date of last issue: -  
Date of first issue: 05/05/2020

Print Date 10/20/2020

Biochemical Oxygen Demand (BOD) : No data available

Chemical Oxygen Demand (COD) : No data available

BOD/COD : No data available

ThOD : No data available

BOD/ThOD : No data available

Dissolved organic carbon (DOC) : No data available

Physico-chemical removability : No data available

**Components:**

2,2'-[[1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Stability in water : Degradation half life(DT50): 4.83 d (77 °F / 25 °C) pH: 4  
Method: OECD Test Guideline 111  
Remarks: Fresh water

Degradation half life(DT50): 7.1 d (77 °F / 25 °C) pH: 9  
Method: OECD Test Guideline 111  
Remarks: Fresh water

Degradation half life(DT50): 3.58 d (77 °F / 25 °C) pH: 7  
Method: OECD Test Guideline 111  
Remarks: Fresh water

Photodegradation : No data available

Impact on Sewage Treatment : No data available

**Bioaccumulative potential****Components:**

2,2'-[[1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Bioaccumulation : Bioconcentration factor (BCF): 31  
Remarks: Does not bioaccumulate.

**Components:**

2,2'-[[1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Partition coefficient: n-octanol/water : log Pow: 3.242 (77 °F / 25 °C)  
pH: 7.1  
Method: OECD Test Guideline 117

**Mobility in soil**

Mobility : No data available

**EPIBOND® 1210 A-1 US**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	05/05/2020	400001015656	Date of first issue: 05/05/2020

Print Date 10/20/2020

**Components:**

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Distribution among environmental compartments : Koc: 445  
 Stability in soil : No data available

**Other adverse effects**

Environmental fate and pathways : No data available

Results of PBT and vPvB assessment : No data available

Endocrine disrupting potential : No data available

Adsorbed organic bound halogens (AOX) : No data available

**Hazardous to the ozone layer**

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82  
 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances  
 Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information - Product : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
 Toxic to aquatic life with long lasting effects.

Global warming potential (GWP) : No data available

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.  
 Do not contaminate ponds, waterways or ditches with chemical or used container.  
 Send to a licensed waste management company.  
 Dispose of as hazardous waste in compliance with local and national regulations.  
 Dispose of contents/ container to an approved waste disposal plant.

Contaminated packaging : Empty remaining contents.  
 Dispose of as unused product.  
 Do not re-use empty containers.



**EPIBOND® 1210 A-1 US**

Version 1.0      Revision Date: 05/05/2020      SDS Number: 400001015656      Date of last issue: -  
Date of first issue: 05/05/2020

Print Date 10/20/2020

**SECTION 14. TRANSPORT INFORMATION****International Regulations****IATA**

UN/ID No. : UN 3082  
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.  
(BISPHENOL A EPOXY RESIN)  
Class : 9  
Packing group : III  
Labels : Miscellaneous  
Packing instruction (cargo aircraft) : 964  
Packing instruction (passenger aircraft) : 964

**IMDG**

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,  
N.O.S.  
(BISPHENOL A EPOXY RESIN)  
Class : 9  
Packing group : III  
Labels : 9  
EmS Code : F-A, S-F  
Marine pollutant : yes

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**National Regulations****DOT Classification**

UN/ID/NA number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,  
N.O.S.  
(BISPHENOL A EPOXY RESIN)  
Class : 9  
Packing group : III  
Labels : CLASS 9  
ERG Code : 171  
Marine pollutant : yes(BISPHENOL A EPOXY RESIN)

**Special precautions for user**

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

**EPIBOND® 1210 A-1 US**

Version 1.0      Revision Date: 05/05/2020      SDS Number: 400001015656      Date of last issue: -  
 Date of first issue: 05/05/2020

Print Date 10/20/2020

**SECTION 15. REGULATORY INFORMATION****EPCRA - Emergency Planning and Community Right-to-Know Act****CERCLA Reportable Quantity**

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
1-chloro-2,3-epoxypropane	106-89-8	100	*
methanol	67-56-1	5000	*

\*: Calculated RQ exceeds reasonably attainable upper limit.

**SARA 311/312 Hazards** : Respiratory or skin sensitisation  
 Skin corrosion or irritation  
 Serious eye damage or eye irritation

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

**California Prop. 65**

WARNING: This product can expose you to chemicals including methanol, 4,4'-isopropylidenediphenol, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

**The components of this product are reported in the following inventories:**

DSL : All components of this product are on the Canadian DSL

AICS : On the inventory, or in compliance with the inventory

NZIoC : On the inventory, or in compliance with the inventory

ENCS : Not in compliance with the inventory

KECI : On the inventory, or in compliance with the inventory

PICCS : On the inventory, or in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

TCSI : On the inventory, or in compliance with the inventory

TSCA : On the inventory, or in compliance with the inventory

**Inventories**

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

**TSCA - 5(a) Significant New Use Rule List of Chemicals**

No substances are subject to a Significant New Use Rule.


**EPIBOND® 1210 A-1 US**

Version 1.0      Revision Date: 05/05/2020      SDS Number: 400001015656      Date of last issue: -  
 Date of first issue: 05/05/2020

Print Date 10/20/2020

**US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)**

No substances are subject to TSCA 12(b) export notification requirements.

**SECTION 16. OTHER INFORMATION****Further information****NFPA 704:****HMIS® IV:**

<b>HEALTH</b>		<b>2</b>
<b>FLAMMABILITY</b>		<b>1</b>
<b>PHYSICAL HAZARD</b>		<b>0</b>

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard

Revision Date : 05/05/2020

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

NIOSH REL : USA. NIOSH Recommended Exposure Limits

OSHA P0 : USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000

OSHA Z-3 : USA. Occupational Exposure Limits (OSHA) - Table Z-3 Mineral Dusts

ACGIH / TWA : 8-hour, time-weighted average

NIOSH REL / TWA : Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek

OSHA P0 / TWA : 8-hour time weighted average

OSHA Z-3 / TWA : 8-hour time weighted average

The information and recommendations in this publication are to the best of our knowledge, information and belief accurate at the date of publication, NOTHING HEREIN IS TO BE CONSTRUED AS A WARRANTY, EXPRESS OR OTHERWISE.

IN ALL CASES, IT IS THE RESPONSIBILITY OF THE USER TO DETERMINE THE APPLICABILITY OF SUCH INFORMATION AND RECOMMENDATIONS AND THE SUITABILITY OF ANY PRODUCT FOR ITS OWN PARTICULAR PURPOSE.

THE PRODUCT MAY PRESENT HAZARDS AND SHOULD BE USED WITH CAUTION. WHILE CERTAIN HAZARDS ARE DESCRIBED IN THIS PUBLICATION, NO GUARANTEE IS MADE THAT THESE ARE THE ONLY HAZARDS THAT EXIST.

## EPIBOND® 1210 A-1 US

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	05/05/2020	400001015656	Date of first issue: 05/05/2020

Print Date 10/20/2020

Hazards, toxicity and behaviour of the products may differ when used with other materials and are dependent upon the manufacturing circumstances or other processes. Such hazards, toxicity and behaviour should be determined by the user and made known to handlers, processors and end users.

The trademarks above are the property of Huntsman Corporation or an affiliate thereof.

NO PERSON OR ORGANIZATION EXCEPT A DULY AUTHORIZED HUNTSMAN EMPLOYEE IS AUTHORIZED TO PROVIDE OR MAKE AVAILABLE DATA SHEETS FOR HUNTSMAN PRODUCTS. DATA SHEETS FROM UNAUTHORIZED SOURCES MAY CONTAIN INFORMATION THAT IS NO LONGER CURRENT OR ACCURATE.

**EPIBOND® 1210 B US**

Version 1.0      Revision Date: 04/19/2017      SDS Number: 400001010564      Date of last issue: -  
Date of first issue: 04/19/2017

**SECTION 1. IDENTIFICATION**

Product name : EPIBOND® 1210 B US

**Manufacturer or supplier's details**

Company name of supplier : Huntsman Advanced Materials Americas LLC  
Address : P.O. Box 4980  
The Woodlands,  
TX 77387  
United States of America (USA)  
Telephone : Non-Emergency: (800) 257-5547  
E-mail address of person responsible for the SDS : MSDS@huntsman.com  
Emergency telephone number : Chemtrec: (800) 424-9300 or (703) 527-3887

**Recommended use of the chemical and restrictions on use**

Recommended use : Hardener

**SECTION 2. HAZARDS IDENTIFICATION****GHS classification in accordance with 29 CFR 1910.1200**

Acute toxicity (Dermal) : Category 4  
Skin irritation : Category 2  
Serious eye damage : Category 1  
Skin sensitisation : Category 1  
Chronic aquatic toxicity : Category 3

**GHS label elements**

Hazard pictograms :



Signal word : Danger

Hazard statements : H312 Harmful in contact with skin.  
H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H318 Causes serious eye damage.  
H412 Harmful to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**  
P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.  
P264 Wash skin thoroughly after handling.

**EPIBOND® 1210 B US**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	04/19/2017	400001010564	Date of first issue: 04/19/2017

P272 Contaminated work clothing should not be allowed out of the workplace.  
 P273 Avoid release to the environment.  
 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**

P302 + P352 + P312 IF ON SKIN: Wash with plenty of water. Call a POISON CENTER/doctor if you feel unwell.  
 P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.  
 P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.  
 P362 Take off contaminated clothing and wash before reuse.

**Storage:**

Not available

**Disposal:**

P501 Dispose of contents/container to an approved facility in accordance with local, regional, national and international regulations.

**Other hazards**

None known.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Substance

**Hazardous components**

Chemical name	CAS-No.	Concentration (% w/w)
polyamide resin	68154-62-1	90 - 100
trientine	112-24-3	3 - 5

The specific chemical identity and/or exact percentage (concentration) of composition may be withheld as a trade secret.

**SECTION 4. FIRST AID MEASURES**

If inhaled : Move to fresh air.  
 Keep patient warm and at rest.  
 If symptoms persist, call a physician.

In case of skin contact : Take off contaminated clothing and shoes immediately.  
 Wash off with soap and plenty of water.  
 If symptoms persist, call a physician.

In case of eye contact : Immediately flush eye(s) with plenty of water.  
 Remove contact lenses.  
 Seek medical advice.

If swallowed : Rinse mouth with water.  
 Do NOT induce vomiting.

**EPIBOND® 1210 B US**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	04/19/2017	400001010564	Date of first issue: 04/19/2017

Consult a physician if necessary.

Most important symptoms and effects, both acute and delayed : None known.

**SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media : None known.

Specific hazards during firefighting : Do not use a solid water stream as it may scatter and spread fire.  
Do not allow run-off from fire fighting to enter drains or water courses.

No data is available on the product itself.

Hazardous combustion products : No data is available on the product itself.

No hazardous combustion products are known

Specific extinguishing methods : No data is available on the product itself.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Ensure adequate ventilation.

Environmental precautions : Prevent product from entering drains.  
Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).  
Keep in suitable, closed containers for disposal.

**SECTION 7. HANDLING AND STORAGE**

**EPIBOND® 1210 B US**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	04/19/2017	400001010564	Date of first issue: 04/19/2017

- Advice on protection against fire and explosion : Normal measures for preventive fire protection.
- Advice on safe handling : Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Dispose of rinse water in accordance with local and national regulations.
- Conditions for safe storage : Keep containers tightly closed in a cool, well-ventilated place.  
Containers which are opened must be carefully resealed and kept upright to prevent leakage.

**SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION****Components with workplace control parameters**

Contains no substances with occupational exposure limit values.

**Personal protective equipment**

- Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines  
Combined particulates and organic vapour type
- Hand protection
- Material : butyl-rubber
- Break through time : > 8 h
- Material : Nitrile rubber
- Material : Neoprene
- Break through time : 10 - 480 min
- Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.  
Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact).
- Eye protection : Safety glasses
- Skin and body protection : Protective suit
- Hygiene measures : Handle in accordance with good industrial hygiene and safety practice.  
When using do not eat, drink or smoke.  
Wash hands before breaks and at the end of workday.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

- Appearance : liquid



**EPIBOND® 1210 B US**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	04/19/2017	400001010564	Date of first issue: 04/19/2017

Colour : amber

Odour : amine-like

Odour Threshold : No data is available on the product itself.

pH : No data is available on the product itself.

Freezing point : No data is available on the product itself.

Melting point : No data is available on the product itself.

Boiling point : No data is available on the product itself.

Flash point : 135 °C  
Method: Pensky-Martens closed cup

Evaporation rate : No data is available on the product itself.

Flammability (solid, gas) : No data is available on the product itself.

Flammability (liquids) : No data is available on the product itself.

Upper explosion limit : No data is available on the product itself.

Lower explosion limit : No data is available on the product itself.

Vapour pressure : < 10 hPa (20 °C)

Relative vapour density : No data is available on the product itself.

Relative density : 0.95

Density : 0.95 g/cm<sup>3</sup> (25 °C)

Solubility(ies)

Water solubility : partly soluble (20 °C)

Solubility in other solvents : No data is available on the product itself.

Partition coefficient: n-octanol/water : No data is available on the product itself.

Auto-ignition temperature : No data is available on the product itself.

Decomposition temperature : > 200 °C

Self-Accelerating decomposition temperature (SADT) : No data is available on the product itself.

Viscosity

Viscosity, dynamic : 30,000 mPa.s (25 °C)

Explosive properties : No data is available on the product itself.

**EPIBOND® 1210 B US**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	04/19/2017	400001010564	Date of first issue: 04/19/2017

Oxidizing properties : No data is available on the product itself.

Particle size : No data is available on the product itself.

**SECTION 10. STABILITY AND REACTIVITY**

Reactivity : Stable under recommended storage conditions.  
Chemical stability : No decomposition if stored and applied as directed.  
Stable under normal conditions.  
Possibility of hazardous reactions : Stable under normal conditions.  
Conditions to avoid : None known.  
Incompatible materials : Strong acids and strong bases  
Strong oxidizing agents  
Hazardous decomposition products : Carbon oxides  
Nitrogen oxides (NO<sub>x</sub>)  
Burning produces noxious and toxic fumes.

**SECTION 11. TOXICOLOGICAL INFORMATION**

Information on likely routes of exposure : No data is available on the product itself.

**Acute toxicity**

Acute oral toxicity - Product : Assessment: The component/mixture is low toxic after single ingestion.

Acute inhalation toxicity : No data available

Acute dermal toxicity - Product : Assessment: The component/mixture is moderately toxic after single contact with skin.

Acute toxicity (other routes of administration) : No data available

**Skin corrosion/irritation****Components:**

polyamide resin:  
Assessment: Irritating to skin.

trientine:  
Species: Rabbit  
Assessment: Causes burns.  
Method: OECD Test Guideline 404  
Result: Causes burns.

**EPIBOND® 1210 B US**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	04/19/2017	400001010564	Date of first issue: 04/19/2017

---

**Serious eye damage/eye irritation**
**Components:**

polyamide resin:  
Assessment: Irritating to eyes.

trientine:  
Species: Rabbit  
Result: Corrosive  
Assessment: Corrosive  
Method: OECD Test Guideline 405

**Respiratory or skin sensitisation**
**Product:**

Result: May cause sensitisation by skin contact.

Assessment: No data available

**Germ cell mutagenicity**
**Components:**

trientine:  
Genotoxicity in vitro : Concentration: 0 - 200 µg/L  
Metabolic activation: negative  
Method: OECD Test Guideline 482  
Result: negative

**Components:**

trientine:  
Genotoxicity in vivo : Application Route: Intraperitoneal injection  
Dose: 0 - 600 mg/kg  
Method: OECD Test Guideline 474  
Result: negative

**Carcinogenicity**
**Components:**

trientine:  
Species: Mouse, (male)  
Application Route: Dermal  
Dose: 42 mg/kg  
Frequency of Treatment: 3 days/week  
Method: OECD Test Guideline 451  
Result: negative

Species: Mouse, (male)  
Application Route: Dermal  
Exposure time: 104 weeks  
Dose: 16.8 mg/kg  
Frequency of Treatment: 3 days/week  
Method: OECD Test Guideline 451

**EPIBOND® 1210 B US**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	04/19/2017	400001010564	Date of first issue: 04/19/2017

Carcinogenicity - Assessment : No data available

**IARC** No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**ACGIH** No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

**OSHA** No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

**NTP** No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

**Reproductive toxicity**

Effects on fertility : No data available

**Components:**

trientine:

Effects on foetal development : Species: Rat  
Application Route: Oral  
General Toxicity Maternal: No observed adverse effect level:  
> 750 mg/kg body weight  
Method: OECD Test Guideline 414  
Result: No teratogenic effects

Species: Rabbit  
Application Route: Dermal  
General Toxicity Maternal: No observed adverse effect level:  
125 mg/kg body weight  
Method: OECD Test Guideline 414  
Result: No teratogenic effects

Reproductive toxicity - Assessment : No data available

**STOT - single exposure**

No data available

**STOT - repeated exposure**

No data available

**Repeated dose toxicity****Components:**

trientine:

Species: Rat, male and female  
NOAEL: 50 mg/kg/d

**EPIBOND® 1210 B US**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	04/19/2017	400001010564	Date of first issue: 04/19/2017

Application Route: Ingestion  
Exposure time: 26 Weeks  
Number of exposures: 7 d  
Method: Subchronic toxicity

Repeated dose toxicity - Assessment : No data available

**Aspiration toxicity**

No data available

**Experience with human exposure**

General Information: No data available

Inhalation: No data available

Skin contact: No data available

Eye contact: No data available

Ingestion: No data available

**Toxicology, Metabolism, Distribution**

No data available

**Neurological effects**

No data available

**Further information**

Ingestion: No data available

---

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity****Components:**

trientine:

Toxicity to fish

: LC50 (Pimephales promelas (fathead minnow)): 330 mg/l  
Exposure time: 96 h  
Test Type: static test  
Test substance: Fresh water  
Method: Fish Acute Toxicity Test

**EPIBOND® 1210 B US**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	04/19/2017	400001010564	Date of first issue: 04/19/2017

**Components:**

trientine:

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 31.1 mg/l  
 Exposure time: 48 h  
 Test Type: static test  
 Test substance: Fresh water  
 Method: Directive 67/548/EEC, Annex V, C.2.

**Components:**

trientine:

Toxicity to algae : ErC50 (Selenastrum capricornutum (green algae)): 20 mg/l  
 Exposure time: 72 h  
 Test Type: semi-static test  
 Test substance: Fresh water  
 Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : No data available

Toxicity to fish (Chronic toxicity) : No data available

**Components:**

trientine:

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC10 (Daphnia magna (Water flea)): 1.9 mg/l  
 Exposure time: 21 d  
 Test Type: semi-static test  
 Test substance: Fresh water  
 Method: OECD Test Guideline 202

M-Factor (Chronic aquatic toxicity) : No data available

**Components:**

trientine:

Toxicity to microorganisms : EC50 (activated sludge): 800 mg/l  
 Exposure time: 0.5 h  
 Test Type: static test  
 Test substance: Fresh water

Toxicity to soil dwelling organisms : No data available

Plant toxicity : No data available

Sediment toxicity : No data available

Toxicity to terrestrial organisms : No data available

Ecotoxicology Assessment Acute aquatic toxicity : No data available

**EPIBOND® 1210 B US**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	04/19/2017	400001010564	Date of first issue: 04/19/2017

**Components:**

polyamide resin:  
Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

Toxicity Data on Soil : No data available

Other organisms relevant to the environment : No data available

**Persistence and degradability****Components:**

trientine:

Biodegradability : Inoculum: activated sludge  
Result: Not readily biodegradable.  
Biodegradation: 0 %  
Exposure time: 162 d  
Method: OECD Test Guideline 301D

Inoculum: activated sludge  
Result: Not readily biodegradable.  
Biodegradation: 20 %  
Exposure time: 84 d  
Method: Inherent Biodegradability: Modified SCAS Test

Biochemical Oxygen Demand (BOD) : No data available

Chemical Oxygen Demand (COD) : No data available

BOD/COD : No data available

ThOD : No data available

BOD/ThOD : No data available

Dissolved organic carbon (DOC) : No data available

Physico-chemical removability : No data available

Stability in water : No data available

Photodegradation : No data available

Impact on Sewage Treatment : No data available

**Bioaccumulative potential**

Bioaccumulation : No data available

**EPIBOND® 1210 B US**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	04/19/2017	400001010564	Date of first issue: 04/19/2017

**Components:**

trientine:  
 Partition coefficient: n-octanol/water : log Pow: -2.65 (20 °C)  
 Method: OECD Test Guideline 117

**Mobility in soil**

Mobility : No data available

**Components:**

trientine:  
 Distribution among environmental compartments : Koc: 1584.9 - 5012 Method: OECD Test Guideline 106  
 Stability in soil : No data available

**Other adverse effects**

Environmental fate and pathways : No data available

Results of PBT and vPvB assessment : No data available

Endocrine disrupting potential : No data available

Adsorbed organic bound halogens (AOX) : No data available

**Hazardous to the ozone layer**

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82  
 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances  
 Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information : No data available

Global warming potential (GWP) : No data available

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**

Waste from residues : Can be landfilled or incinerated, when in compliance with local regulations.  
 Where possible recycling is preferred to disposal or incineration.  
 Send to a licensed waste management company.



**EPIBOND® 1210 B US**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	04/19/2017	400001010564	Date of first issue: 04/19/2017

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.

**SECTION 14. TRANSPORT INFORMATION****International Regulations****IATA**

Not regulated as dangerous goods

**IMDG**

Not regulated as dangerous goods

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**National Regulations****DOT Classification**

Not regulated as dangerous goods

**SECTION 15. REGULATORY INFORMATION****EPCRA - Emergency Planning and Community Right-to-Know Act**

**SARA 311/312 Hazards** : Acute Health Hazard

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

**California Prop. 65**

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

**The components of this product are reported in the following inventories:**

CH INV : Low volume exemption, The formulation contains substances listed on the Swiss Inventory, On the inventory, or in compliance with the inventory

DSL : All components of this product are on the Canadian DSL

AICS : On the inventory, or in compliance with the inventory

NZIoC : On the inventory, or in compliance with the inventory

ENCS : On the inventory, or in compliance with the inventory

**EPIBOND® 1210 B US**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	04/19/2017	400001010564	Date of first issue: 04/19/2017

KECI : On the inventory, or in compliance with the inventory  
 PICCS : On the inventory, or in compliance with the inventory  
 IECSC : On the inventory, or in compliance with the inventory  
 TCSI : On the inventory, or in compliance with the inventory  
 TSCA : On the inventory, or in compliance with the inventory

**Inventories**


AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

**TSCA - 5(a) Significant New Use Rule List of Chemicals**

No substances are subject to a Significant New Use Rule.

**US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)**

No substances are subject to TSCA 12(b) export notification requirements.

**SECTION 16. OTHER INFORMATION****Further information****NFPA:****HMIS® IV:**

<b>HEALTH</b>		<b>3</b>
<b>FLAMMABILITY</b>		<b>1</b>
<b>PHYSICAL HAZARD</b>		<b>0</b>

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Revision Date : 04/19/2017

The information and recommendations in this publication are to the best of our knowledge, information and belief accurate at the date of publication, NOTHING HEREIN IS TO BE CONSTRUED AS A WARRANTY, EXPRESS OR OTHERWISE.

IN ALL CASES, IT IS THE RESPONSIBILITY OF THE USER TO DETERMINE THE APPLICABILITY OF SUCH INFORMATION AND RECOMMENDATIONS AND THE SUITABILITY OF ANY PRODUCT FOR ITS OWN PARTICULAR PURPOSE.

**EPIBOND® 1210 B US**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	04/19/2017	400001010564	Date of first issue: 04/19/2017

---

THE PRODUCT MAY PRESENT HAZARDS AND SHOULD BE USED WITH CAUTION. WHILE CERTAIN HAZARDS ARE DESCRIBED IN THIS PUBLICATION, NO GUARANTEE IS MADE THAT THESE ARE THE ONLY HAZARDS THAT EXIST.

Hazards, toxicity and behaviour of the products may differ when used with other materials and are dependent upon the manufacturing circumstances or other processes. Such hazards, toxicity and behaviour should be determined by the user and made known to handlers, processors and end users.

The trademarks above are the property of Huntsman Corporation or an affiliate thereof.

NO PERSON OR ORGANIZATION EXCEPT A DULY AUTHORIZED HUNTSMAN EMPLOYEE IS AUTHORIZED TO PROVIDE OR MAKE AVAILABLE DATA SHEETS FOR HUNTSMAN PRODUCTS. DATA SHEETS FROM UNAUTHORIZED SOURCES MAY CONTAIN INFORMATION THAT IS NO LONGER CURRENT OR ACCURATE.