



SAFETY DATA SHEET

ROYCO 756 MIL-PRF-5606H

Version: 1.3

Revision Date: 08/31/2017

Print Date: 11/14/2017

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name: ROYCO 756 MIL-PRF-5606H

Product Use Description: Lubricant

Company: Manufacturer
Anderol Specialty Lubricants, a division of Lanxess Solutions US Inc.
215 Merry Lane
East Hanover, NJ
07936
United States of America (USA)

Telephone: +1 203-573-4596, Toll Free: +1 888-263-3765

Emergency telephone number: CHEMTREC: (24 hours) 800-424-9300
:

For additional emergency telephone numbers see section 16 of the Safety Data Sheet.

Prepared by Product Safety Department
(US) +1 866-430-2775

MSDSRequest@chemtura.com

Recommended use of the chemical and restrictions on use

Recommended use : Lubricant

Restrictions on use : For industrial use only.

SECTION 2. HAZARDS IDENTIFICATION

Form	liquid
Colour	red
Odour	aromatic

GHS Classification

Aspiration hazard : Category 1
Acute aquatic toxicity : Category 3
Chronic aquatic toxicity : Category 3

GHS label elements

Signal word : **Danger**

ROYCO 756 MIL-PRF-5606H

Version: 1.3

Revision Date: 08/31/2017

Print Date: 11/14/2017

Hazard pictograms

:



Hazard statements

: H304 May be fatal if swallowed and enters airways.
H412 Harmful to aquatic life with long lasting effects.

Other hazards

: None

Precautionary statements

: **Prevention:**
P273 Avoid release to the environment.
Response:
P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.
P331 Do NOT induce vomiting.
Storage:
P405 Store locked up.
Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

Carcinogenicity:

IARC

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

Group 3: Not classifiable as to its carcinogenicity to humans

Distillates (petroleum), 64742-46-7

hydrotreated middle

Distillates (petroleum), 64742-47-8

hydrotreated light

2,6-di-tert-butyl-p-cresol 128-37-0

OSHA

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

NTP

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.



SAFETY DATA SHEET

ROYCO 756 MIL-PRF-5606H

Version: 1.3

Revision Date: 08/31/2017

Print Date: 11/14/2017

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components

Chemical name	CAS-No.	Concentration (%)
Distillates (petroleum), hydrotreated light naphthenic	64742-53-6	>= 50 - < 70 %
Distillates (petroleum), hydrotreated middle	64742-46-7	>= 20 - < 30 %
Distillates (petroleum), hydrotreated light	64742-47-8	>= 5 - < 10 %
NJTS# 136411-5778P Polyolefins		>= 1 - < 5 %
Phenol, isobutyleneated, phosphate [Triphenyl phosphate > 25%]	68937-40-6	>= 0.1 - < 1 %
2,6-di-tert-butyl-p-cresol	128-37-0	>= 0.1 - < 1 %

SECTION 4. FIRST AID MEASURES

- If inhaled : If inhaled
Move to fresh air.
If not breathing, give artificial respiration.
If breathing is difficult, give oxygen.
In case of bluish discoloration (lips, ear lobes, fingernails), give oxygen as quickly as possible.
Call a physician or poison control centre immediately.
- In case of skin contact : In case of skin contact
Wash off with soap and water.
Remove contaminated clothing and shoes.
Wash contaminated clothing before re-use.
Get medical attention if irritation develops and persists.
- In case of eye contact : In case of eye contact
Flush with plenty of water.
If eye irritation persists, consult a specialist.
- If swallowed : If swallowed, DO NOT induce vomiting.
Call a physician or poison control centre immediately.
- Most important symptoms and effects, both acute and delayed : Aspiration may cause pulmonary oedema and pneumonitis.
- Notes to physician : For specialist advice physicians should contact the Poisons Information Service.

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Carbon dioxide (CO₂)
Dry powder



SAFETY DATA SHEET

ROYCO 756 MIL-PRF-5606H

Version: 1.3

Revision Date: 08/31/2017

Print Date: 11/14/2017

Foam
Alcohol-resistant foam
Water mist

Unsuitable extinguishing media

: Water

Specific hazards during firefighting

: Burning produces noxious and toxic fumes.

Specific extinguishing methods

: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use a water spray to cool fully closed containers.

Special protective equipment for firefighters

: In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

: Use personal protective equipment.
Ensure adequate ventilation.

Environmental precautions

: Do not contaminate water.
Do not flush into surface water or sanitary sewer system.
Discharge into the environment must be avoided.

Methods and materials for containment and cleaning up

: Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).

SECTION 7. HANDLING AND STORAGE

Advice on safe handling

: Keep container closed when not in use.

Conditions for safe storage

: Keep container tightly closed in a dry and well-ventilated place.

Materials to avoid

: Strong acids and strong bases, Oxidizing agents

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION



SAFETY DATA SHEET

ROYCO 756 MIL-PRF-5606H

Version: 1.3

Revision Date: 08/31/2017

Print Date: 11/14/2017

Components with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
Distillates (petroleum), hydrotreated light naphthenic	64742-53-6	TWA (Mist)	5 mg/m3	OSHA Z-1
		TWA (Inhalable fraction)	5 mg/m3	ACGIH
		TWA (Mist)	5 mg/m3	NIOSH REL
		ST (Mist)	10 mg/m3	NIOSH REL
		TWA (Mist)	5 mg/m3	OSHA P0
		PEL (particulate)	5 mg/m3	CAL PEL
Distillates (petroleum), hydrotreated middle	64742-46-7	TWA	500 ppm 2,000 mg/m3	OSHA Z-1
		TWA (Mist)	5 mg/m3	OSHA Z-1
		TWA	400 ppm 1,600 mg/m3	OSHA P0
		TWA (Mist)	5 mg/m3	NIOSH REL
		ST (Mist)	10 mg/m3	NIOSH REL
		TWA (Mist)	5 mg/m3	OSHA P0
Distillates (petroleum), hydrotreated light	64742-47-8	TWA	500 ppm 2,000 mg/m3	OSHA Z-1
		TWA	200 mg/m3	ACGIH
		TWA	400 ppm 1,600 mg/m3	OSHA P0
		TWA (Mist)	5 mg/m3	OSHA Z-1
		TWA (Mist)	5 mg/m3	OSHA P0
		TWA (Mist)	5 mg/m3	NIOSH REL
NJTS# 136411-5778P Polyolefins		ST (Mist)	10 mg/m3	NIOSH REL
		PEL (particulate)	5 mg/m3	CAL PEL
		TWA (Mist)	5 mg/m3	OSHA Z-1
		TWA (Mist)	5 mg/m3	NIOSH REL
		ST (Mist)	10 mg/m3	NIOSH REL
		TWA (Mist)	5 mg/m3	OSHA P0
2,6-di-tert-butyl-p-cresol	128-37-0	TWA	10 mg/m3	OSHA P0
		TWA (Inhalable fraction and vapor)	2 mg/m3	ACGIH
		TWA	2 mg/m3	ACGIH



SAFETY DATA SHEET

ROYCO 756 MIL-PRF-5606H

Version: 1.3

Revision Date: 08/31/2017

Print Date: 11/14/2017

		(Inhalable fraction and vapor)		
		TWA	10 mg/m3	NIOSH REL
		PEL	10 mg/m3	CAL PEL

Engineering measures : Ensure that eyewash stations and safety showers are close to the workstation location.
Effective exhaust ventilation system

Personal protective equipment

Respiratory protection : not required under normal use
When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Hand protection
Remarks : Neoprene gloves

Eye protection : Safety glasses with side-shields
or
Tightly fitting safety goggles

Skin and body protection : Impervious clothing

Hygiene measures : Avoid contact with skin, eyes and clothing.
Handle in accordance with good industrial hygiene and safety practice.
Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Color : red

Odor : aromatic

Odour Threshold : No data available

pH : Not applicable

pour point : < -60 °C

Boiling point/boiling range : No data available

Evaporation rate : No data available

Flash point : > 93.3 °C
Method: ASTM D 93



SAFETY DATA SHEET

ROYCO 756 MIL-PRF-5606H

Version: 1.3

Revision Date: 08/31/2017

Print Date: 11/14/2017

Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Relative density	: ca. 0.86
<u>Solubility(ies)</u>	
Water solubility	: No data available
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available
Auto-ignition temperature	: No data available
Viscosity	
Viscosity, kinematic	: 13.9 mm ² /s (40 °C)

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: No dangerous reaction known under conditions of normal use.
Chemical stability	: No decomposition if stored and applied as directed.
Possibility of hazardous reactions	: Hazardous polymerisation does not occur. Stable under normal conditions.
Conditions to avoid	: Heat, flames and sparks. Contamination
Incompatible materials	: Strong acids and strong bases Oxidizing agents
Hazardous decomposition products	: Carbon oxides

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Components:



SAFETY DATA SHEET

ROYCO 756 MIL-PRF-5606H

Version: 1.3

Revision Date: 08/31/2017

Print Date: 11/14/2017

2,6-di-tert-butyl-p-cresol:

Acute oral toxicity : LD50 (Rat, male and female): > 2,930 mg/kg
Method: OECD Test Guideline 401
GLP: yes

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Method: OECD Test Guideline 402
GLP: yes

Skin corrosion/irritation

Components:

NJTS# 136411-5778P Polyolefins:

Result: No skin irritation

2,6-di-tert-butyl-p-cresol:

Species: Rabbit

Result: No skin irritation

Serious eye damage/eye irritation

Components:

NJTS# 136411-5778P Polyolefins:

Result: No eye irritation

2,6-di-tert-butyl-p-cresol:

Species: Rabbit

Result: No eye irritation

Respiratory or skin sensitisation

Components:

2,6-di-tert-butyl-p-cresol:

Species: Guinea pig

Assessment: Did not cause sensitisation on laboratory animals.

Germ cell mutagenicity

Components:

NJTS# 136411-5778P Polyolefins:

Genotoxicity in vitro : Test Type: Ames test
Metabolic activation: with and without metabolic activation
Result: negative

Genotoxicity in vivo : Test Type: In vivo micronucleus test
Species: Rat (male and female)
Cell type: Bone marrow
Result: negative

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.



SAFETY DATA SHEET

ROYCO 756 MIL-PRF-5606H

Version: 1.3

Revision Date: 08/31/2017

Print Date: 11/14/2017

2,6-di-tert-butyl-p-cresol:

Genotoxicity in vitro

- : Test Type: Ames test
Metabolic activation: with and without metabolic activation
Result: negative
- : Test Type: Chromosome aberration test in vitro
Result: Conflicting results have been seen in different studies.
- : Test Type: Unscheduled DNA synthesis (UDS)
Result: negative
- : Test Type: In Vitro mammalian Cell Gene Mutation Test
Result: negative

Genotoxicity in vivo

- : Test Type: In vivo micronucleus test
Species: Mouse (male and female)
Cell type: Bone marrow
Method: Mutagenicity (micronucleus test)
Result: negative
- : Test Type: in vivo assay
Species: Rat (male)
Cell type: Bone marrow
Application Route: Oral
Method: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)
Result: negative

Germ cell mutagenicity -
Assessment

- : Animal testing did not show any mutagenic effects.

Carcinogenicity

Components:

NJTS# 136411-5778P Polyolefins:

Carcinogenicity -
Assessment

- : Animal testing did not show any carcinogenic effects.

IARC

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

Group 3: Not classifiable as to its carcinogenicity to humans

Distillates (petroleum),
hydrotreated middle 64742-46-7

Distillates (petroleum),
hydrotreated light 64742-47-8

2,6-di-tert-butyl-p-cresol 128-37-0



SAFETY DATA SHEET

ROYCO 756 MIL-PRF-5606H

Version: 1.3

Revision Date: 08/31/2017

Print Date: 11/14/2017

OSHA

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

NTP

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Components:

NJTS# 136411-5778P Polyolefins:

Reproductive toxicity - Assessment : No toxicity to reproduction
No effects on or via lactation, Did not show teratogenic effects in animal experiments.

2,6-di-tert-butyl-p-cresol:

Reproductive toxicity - Assessment : No toxicity to reproduction
No effects on or via lactation

STOT - repeated exposure

Components:

NJTS# 136411-5778P Polyolefins:

Exposure routes: Oral
Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

2,6-di-tert-butyl-p-cresol:

Exposure routes: Oral
Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration toxicity

Components:

Distillates (petroleum), hydrotreated light naphthenic:

May be fatal if swallowed and enters airways.

Further information

Product:



SAFETY DATA SHEET

ROYCO 756 MIL-PRF-5606H

Version: 1.3

Revision Date: 08/31/2017

Print Date: 11/14/2017

Remarks: No data is available on the product itself.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity effects

Toxicity to fish (Product) : Remarks:
No data available

Toxicity to daphnia and other aquatic invertebrates

NJTS# 136411-5778P : EC50: 190 mg/l
Polyolefins (Component) Exposure time: 48 h
Species: Daphnia magna (Water flea)

Phenol, isobutyleneated, : EC50: 0.202 mg/l
phosphate [Triphenyl Exposure time: 48 h
phosphate > 25%] Species: Daphnia magna (Water flea)
(Component)

Toxicity to fish (Chronic toxicity)
Phenol, isobutyleneated, : NOEC: 0.093 mg/l
phosphate [Triphenyl Exposure time: 90 d
phosphate > 25%]
(Component)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)
Phenol, isobutyleneated, : NOEC: 0.0399 mg/l
phosphate [Triphenyl Exposure time: 21 d
phosphate > 25%]
(Component)

Elimination information (persistence and degradability)

Bioaccumulation (Product) : Remarks:
No data available

Mobility (Product) : Remarks:
No data available

Biodegradability (Product) : Result: No data available

Ecotoxicology Assessment

Results of PBT assessment (Product)

This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT).

Additional ecological : The product itself has not been tested.



SAFETY DATA SHEET

ROYCO 756 MIL-PRF-5606H

Version: 1.3

Revision Date: 08/31/2017

Print Date: 11/14/2017

information (Product)

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of waste material in compliance with all federal, state, and local regulations.

Contaminated packaging : Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

49 CFR

Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
xylene	1330-20-7	100	*

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA304 Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.



SAFETY DATA SHEET

ROYCO 756 MIL-PRF-5606H

Version: 1.3

Revision Date: 08/31/2017

Print Date: 11/14/2017

- SARA 311/312 Hazards** : Acute Health Hazard
- SARA 302** : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
- SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

US State Regulations

California Prop 65

WARNING! This product contains a chemical known to the State of California to cause cancer.

formaldehyde

50-00-0

Please note that Section 3 of this document lists only the hazardous components required by the specific country or region hazard communication regulations. The chemical identifiers listed in Section 3 are used globally for hazard communication purposes and may not reflect those used for chemical inventory coverage in a particular country or region. The chemical inventory information given in Section 15 of this document applies to the product as a whole and should be used when evaluating inventory compliance.

The components of this product are reported in the following inventories:

DSL	All components of this product are on the Canadian DSL
AICS	On the inventory, or in compliance with the inventory
NZIoC	Not in compliance with the inventory
ENCS	On the inventory, or in compliance with the inventory
KECI	On the inventory, or in compliance with the inventory
PICCS	On the inventory, or in compliance with the inventory
IECSC	On the inventory, or in compliance with the inventory
TCSI	On the inventory, or in compliance with the inventory
US.TSCA	On TSCA Inventory

SECTION 16. OTHER INFORMATION

Further information

Other Emergency Phone Number

<u>Latin America:</u>	Brazil	+55 113 711 9144
	All other countries	+44 (0) 1235 239 670
<u>Mexico:</u>		+52 555 004 8763

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as



SAFETY DATA SHEET

ROYCO 756 MIL-PRF-5606H

Version: 1.3

Revision Date: 08/31/2017

Print Date: 11/14/2017

a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.