

SAFETY DATA SHEET

1. Identification

1. Identification		
Product identifier	LPS® LST	
Other means of identification		
Part Number	01928, 01905, 01955	
Recommended use	An industrial penetrant designed to penetrate rust and loosen seized bolts and other equipment damaged by corrosion.	
Recommended restrictions	None known.	
Manufacturer/Importer/Supplier/	Distributor information	
Manufacturer		
Manufacturer		
Company name	ITW Pro Brands	
Address	4647 Hugh Howell Rd.	
	Tucker, GA 30084	
Country	(U.S.A.)	
	Tel: +1 770-243-8800	
In Case of Emergency	1-800-424-9300 (inside U.S.)	
	+001 703-527-3887 (outside U.S.)	
Website	www.lpslabs.com	
E-mail	lpssds@itwprobrands.com	
2. Hazard(s) identification		
Physical hazards	Flammable liquids	Category 4
Health hazards	Aspiration hazard	Category 1
Environmental hazards	Not classified.	
OSHA defined hazards	Not classified.	
Label elements		
Signal word	Danger	
Hazard statement	Combustible liquid. May be fatal if swallowed a	and enters airways.
Precautionary statement		

Hazard statement	Combustible liquid. May be fatal if swallowed and enters airways.
Precautionary statement	
Prevention	Keep away from flames and hot surfaces-No smoking. Wear protective gloves/eye protection/face protection.
Response	If swallowed: Immediately call a poison center/doctor. Do NOT induce vomiting. In case of fire: Use appropriate media to extinguish.
Storage	Store in a well-ventilated place. Keep cool. Store locked up.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	Combustible.
Supplemental information	None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Distillates Petroleum Hydrotreated Light		64742-47-8	80 - 90

Chemical name	Common name and synonyms	CAS number	%
Distillates Petroleum Hydrotreat Med	ed	64742-46-7	5 - 15
Benzenesulfonic acid, mono-C16-24-alkyl derivatives, Calcium salts		-	0.1 - 1
4. First-aid measures			
nhalation	Move to fresh air. Call a physician if symptom	ns develop or persist.	
Skin contact	Wash off with soap and water. Get medical a	ttention if irritation develops an	d persists.
Eye contact	Rinse with water. Get medical attention if irrita	ation develops and persists.	
ngestion	Call a physician or poison control center imm vomiting occurs, keep head low so that stoma		
Most important symptoms/effects, acute and delayed	Aspiration may cause pulmonary edema and pneumonitis. Direct contact with eyes may cause temporary irritation.		
ndication of immediate medical attention and special reatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation Symptoms may be delayed.		
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.		ke precautions to
5. Fire-fighting measures			
Buitable extinguishing media	Water fog. Alcohol resistant foam. Dry chemi	cal powder. Dry chemicals. Ca	rbon dioxide (CO2).
Jnsuitable extinguishing nedia	Do not use water jet as an extinguisher, as th	is will spread the fire.	
Specific hazards arising from he chemical	The product is combustible, and heating may mixtures. During fire, gases hazardous to heat		rm explosive vapor/
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full p	rotective clothing must be worr	n in case of fire.
Fire fighting equipment/instructions	In case of fire and/or explosion do not breath so without risk. Cool containers exposed to h is involved.		
Specific methods	Use standard firefighting procedures and consider the hazards of other involved mater		lved materials.
General fire hazards	Combustible liquid.		
6. Accidental release meas	sures		
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. E ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear approprotective equipment and clothing during clean-up. Ensure adequate ventilation. Local should be advised if significant spillages cannot be contained. Use personal protection recommended in Section 8 of the SDS.		Vear appropriate tion. Local authoritie
Methods and materials for containment and cleaning up	Use water spray to reduce vapors or divert va smoking, flares, sparks, or flames in immedia away from spilled material.		
	Large Spills: Stop the flow of material, if this i possible. Use a non-combustible material like and place into a container for later disposal.	e vermiculite, sand or earth to s	oak up the product
	Small Spills: Absorb with earth, sand or other for later disposal. Clean surface thoroughly to		
Environmental precautions	Never return spills to original containers for re Avoid discharge into drains, water courses or	•	section 13 of the SE
7 Handling and storage	č , the second	5	

7. Handling and storage

Precautions for safe handling

Keep away from open flames, hot surfaces and sources of ignition. When using do not smoke. Avoid prolonged or repeated contact with skin. Avoid prolonged exposure. Use only in well-ventilated areas. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices. Store locked up. Keep away from heat and sources of ignition. Store in a cool, dry place out of direct sunlight. Store in original tightly closed container. Store in a well-ventilated place. Keep in an area equipped with sprinklers. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

Appropriate engineering Good controls shou or oth expo	PEL Type TWA iological exposure limits noted f	5 mg/m3 Value 5 mg/m3	Oil mist Form Oil mist
Components Distillates Petroleum Hydrotreated Light (CAS 64742-47-8) Biological limit values No b Appropriate engineering Good controls shou Individual protection measures, such a Eye/face protection	TWA		-
Distillates Petroleum Hydrotreated Light (CAS 64742-47-8) Biological limit values Appropriate engineering controls Individual protection measures, such a Eye/face protection Wea	TWA		-
Hydrotreated Light (CAS 64742-47-8) Biological limit values No b Appropriate engineering Good controls shou or oth expo Individual protection measures, such a Eye/face protection Wea		5 mg/m3	Oil mist
Appropriate engineering controlsGood shou or oth expoIndividual protection measures, Eye/face protectionWea	iological exposure limits noted f		
controlsshou or oth expoIndividual protection measures, such a Eye/face protectionWea		for the ingredient(s).	
Eye/face protection Wea	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.		
, ,	as personal protective equipn	nent	
Skin protection	r safety glasses with side shield	ls (or goggles).	
-	r appropriate chemical resistant	t gloves.	
Other Wea	Wear suitable protective clothing.		
limits	If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn.		
Thermal hazards Wea	Wear appropriate thermal protective clothing, when necessary.		
considerations after	When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.		

9. Physical and chemical properties

Appearance	
Physical state	Liquid.
Form	Liquid.
Color	Clear.
Odor	Vanilla.
Odor threshold	Not available.
рН	Not applicable
Melting point/freezing point	Not established
Initial boiling point and boiling range	383 °F (195 °C)
Flash point	174.2 °F (79.0 °C) Tag Closed Cup
Evaporation rate	< 0.7 BuAc
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or expl	losive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.

Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	< 0.1 mm Hg @ 20°C
Vapor density	4.7
Relative density	Not available.
Solubility(ies)	
Solubility (water)	< 0.1 %
Partition coefficient (n-octanol/water)	> 1
Auto-ignition temperature	Not established
Decomposition temperature	Not established
Viscosity	Not established
Other information	
Explosive properties	Not explosive.
Heat of combustion	> 30 kJ/g
Oxidizing properties	Not oxidizing.
Percent volatile	96 - 99 %
Specific gravity	0.79 - 0.81 @ 20°C
VOC	0 % per US State and Federal Consumer Product Regulations

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	Carbon oxides.

11. Toxicological information

Information on likely routes of exposure

	chpoculo		
Inhalation	Prolonged inhalation may be harmful.		
Skin contact	No adverse effects due to skin contact are expected.		
Eye contact	Direct contact with eyes may cause temporary irrita	ation.	
Ingestion	Droplets of the product aspirated into the lungs through ingestion or vomiting may cause a serious chemical pneumonia.		
Symptoms related to the physical, chemical and toxicological characteristics	Aspiration may cause pulmonary edema and pneu	monitis.	
Information on toxicological ef	fects		
Acute toxicity	May be fatal if swallowed and enters airways.		
Components	Species	Test Results	
Distillates Petroleum Hydrotreate	d Light (CAS 64742-47-8)		
<u>Acute</u>			
Dermal			
LD50	Rabbit	> 2000 mg/kg	
Inhalation Vapor			
	Rat	> 4.5 mg/l, 4 Hours	

	•		
Distillates Petroleum Hydrotreated	Med (CAS 647	742-46-7)	
Acute			
Dermal LD50	Rabbit		> 2000 mg/kg, 24 Hours
		in contact may cause tomperate	
Skin corrosion/irritation Serious eye damage/eye	-	in contact may cause temporary i t with eyes may cause temporary:	
irritation	Diroot oontao	a with eyes may sudde temporary	
Respiratory or skin sensitizatior	ı		
Respiratory sensitization	-	tory sensitizer.	
Skin sensitization	This product is not expected to cause skin sensitization.		
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.		
Carcinogenicity	-	-	gen by IARC, ACGIH, NTP, or OSHA.
IARC Monographs. Overall	Evaluation of C	Carcinogenicity	
Not listed.		····	
OSHA Specifically Regulate	d Substances	(29 CFR 1910.1001-1050)	
Not regulated. US. National Toxicology Pro	ogram (NTP) Re	eport on Carcinogens	
Not listed.			
Reproductive toxicity	This product	is not expected to cause reproduc	ctive or developmental effects.
Specific target organ toxicity - single exposure	Not classified	1.	
Specific target organ toxicity - repeated exposure	Not classified	J.	
Aspiration hazard	May be fatal if swallowed and enters airways.		
Chronic effects	Prolonged inhalation may be harmful.		
Further information	None known.		
12. Ecological information	1		
Ecotoxicity	The product i possibility that	is not classified as environmentall at large or frequent spills can have	y hazardous. However, this does not exclude the a harmful or damaging effect on the environment
Components		Species	Test Results
Distillates Petroleum Hydrotre	ated Light (CAS	S 64742-47-8)	
Aquatic			
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	2.9 mg/l, 96 hours
Persistence and degradability Bioaccumulative potential	Not inherently	y biodegradable.	
Partition coefficient n-octan	ol / water (log	Kow)	
LPS® LST	. 0	< 1	
Mobility in soil	No data avail	> 1	
Mobility in soil Other adverse effects	None known.		
13. Disposal consideration		- define an alternation of the defined of the	
Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.		
Local disposal regulations	-	ccordance with all applicable regu	
Hazardous waste code			sion between the user, the producer and the waste
Waste from residues / unused products	disposal company. Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).		

Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

DOT

Not regulated as dangerous goods.

ΙΑΤΑ

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not established. Annex II of MARPOL 73/78 and

the IBC Code

15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard. 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D) Not regulated. CERCLA Hazardous Substance List (40 CFR 302.4) Not listed. SARA 304 Emergency release notification Not regulated. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) Not regulated. Superfund Amendments and Reauthorization Act of 1986 (SARA) Hazard categories Immediate Hazard - Yes Delayed Hazard - No Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No SARA 302 Extremely hazardous substance Not listed. SARA 311/312 Hazardous Yes chemical SARA 313 (TRI reporting) Not regulated. Other federal regulations Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List Not regulated. Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130) Not regulated. Safe Drinking Water Act Not regulated. (SDWA) California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material US state regulations is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a)) Distillates Petroleum Hydrotreated Med (CAS 64742-46-7) International Inventories Country(s) or region Inventory name On inventory (yes/no)* Australia Australian Inventory of Chemical Substances (AICS) Yes Canada Domestic Substances List (DSL) Yes Canada Non-Domestic Substances List (NDSL) No China Inventory of Existing Chemical Substances in China (IECSC) No

Country(s) or region	Inventory name	On inventory (yes/no)*
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date Revision date Version #	02-01-2016 09-21-2017 03
Disclaimer	ITW Pro Brands cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.
Revision information	This document has undergone significant changes and should be reviewed in its entirety.