SAFETY DATA SHEET



Halocarbon R-410A

Section 1. Identif	ication
GHS product identifier	: Halocarbon R-410A
Other means of identification	: ASPEN R410A
Product use	: Synthetic/Analytical chemistry.
Synonym SDS #	: ASPEN R410A : 00410A
Supplier's details	: ASPEN Refrigerants, Inc. 38-18 33rd Street Long Island City, NY 11101 1-800-473-3766
Emergency telephone number (with 24 hours of operation)	:1-800-424-9300
Section 2. Hazard	Is identification
OSHA/HCS status	: This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Classification of the substance or mixture	: GASES UNDER PRESSURE - Liquefied gas
GHS label elements	
Hazard pictograms	
Signal word	: Warning
Hazard statements	 Contains gas under pressure; may explode if heated. May cause frostbite. May displace oxygen and cause rapid suffocation.
Precautionary statements	
General	: Read and follow all Safety Data Sheets (SDS'S) before use. Read labelbefore use. Keep out of reach of children. If medical advice is needed, have product container or label at hand. Close valve after each use and when empty. Use equipment rated for cylinder pressure. Do not open valve until connected to equipment prepared for use. Use a back-flow preventative device in the piping. Use only equipment of compatible

Use a back-flow preventative device in the piping. Use only equipment of compatible
materials of construction. Always keep container in upright position.Prevention: Use and store only outdoors or in a well-ventilated place.Response: Not applicable.Storage: Protect from sunlight. Protect from sunlight when ambient temperature exceeds
52°C/125°F. Store in a well-ventilated place.Disposal: Not applicable.Hazards not otherwise
classified: Liquid can cause burns similar to frostbite.

:12/5/2017

Section 3. Composition/information on ingredients

Substance/mixture Other means of

: Mixture

identification

: ASPEN R410A

CAS number/other identifiers

CAS number	: Not applicable.
Product code	: 00410A

Ingredient name	%	CAS number
Difluoromethane	50	75-10-5
Pentafluoroethane	50	354-33-6

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necess	ary first aid measures
Eye contact	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs.
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Skin contact	: Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. In case of contact with liquid, warm frozen tissues slowly with lukewarm water and get medical attention. Do not rub affected area. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if adverse health effects persist or are severe. Ingestion of liquid can cause burns similar to frostbite. If frostbite occurs, get medical attention. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. As this product rapidly becomes a gas when released, refer to the inhalation section.

Most important symptoms/effects. acute and delayed

Potential acute health eff	ects			
Eye contact	: Liquid can cau	use burns similar to frost	bite.	
Inhalation	: No known sig	nificant effects or critical	hazards.	
Skin contact	: Dermal contact frostbite.	ct with rapidlyevaporating	g liquid could resul	It in freezing of the tissues or
Frostbite	: Try to warm u	p the frozen tissues and	seek medical atter	ntion.
Ingestion	: Ingestion of lig	quid can cause burns sim	nilar to frostbite.	
<u>Over-exposure signs/sym</u>	nptoms			
Eye contact	: Adverse symp frostbite	otoms may include the fo	llowing:	
Date of issue/Date of revision	:2/12/2019	Date of previous issue	:12/5/2017	Version : 0.01 2 /12

Section 4. First aid measures

Inhalation	: No specific data.
Skin contact	: Adverse symptoms may include the following: frostbite
Ingestion	: Adverse symptoms may include the following: frostbite

Indication of immediate me	dical attention and special treatment needed. if necessary
Notes to physician	 Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	: No specific treatment.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

See toxicological information (Section 11)

Section 5. Fire-fighting measures		
Extinguishing media		
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.	
Unsuitable extinguishing media	: None known.	
Specific hazards arising from the chemical	: Contains gas under pressure. In a fire or if heated, a pressure increase will occur and the container may burst or explode.	
Hazardous thermal decomposition products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide halogenated compounds	
Special protective actions for fire-fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Contact supplier immediately for specialist advice. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.	
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. For incidents involving large quantities, thermally insulated undergarments and thick textile or leather gloves should be worn.	

Section 6. Accidental release measures

Personal precautions. protect	tive equipment and emergency procedures
For non-emergency personnel	: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing gas. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	: If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

Date of issue/Date of revision :2/12/2019 Date of previous issue :12/5/2017 Version : 0.01 3/12	Date of issue/Date of revision	:2/12/2019	Date of previous issue	:12/5/2017	Version : 0.01	3/12
---	--------------------------------	------------	------------------------	------------	----------------	------

Section 6. Accidental release measures

Environmental precautions	: Ensure emergency procedures to deal with accidental gas releases are in place to avoid contamination of the environment. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
	contact with soil, waterways, drains and sewers. Inform the relevant authorities if the

Methods and materials for containment and cleaning up

Small spill	: Immediately contact emergency personnel. Stop leak if without risk.
Large spill	: Immediately contact emergency personnel. Stop leak if without risk. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling	L
Protective measures	: Put on appropriate personal protective equipment (see Section 8). Contains gas under pressure. Do not get in eyes or on skin or clothing. Avoid breathing gas. Empty containers retain product residue and can be hazardous. Do not puncture or incinerate container. Use equipment rated for cylinder pressure. Close valve after each use and when empty. Protect cylinders from physical damage; do not drag, roll, slide, or drop. Use a suitable hand truck for cylinder movement.
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	: Store in accordance with local regulations. Store in a segregated and approved area. Store away from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10). Keep container tightly closed and sealed until ready for use. Cylinders should be stored upright, with valve protection cap in place, and firmly secured to prevent falling or being knocked over. Cylinder temperatures should not exceed 52 °C (125 °F).

Section 8. Exposure controls/personal protection

<u>iits</u>
: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
<u>res</u>
: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Section 8. Exposure controls/personal protection

•	· ·
Eye/face protection	: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection	
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. If contact with the liquid is possible, insulated gloves suitable for low temperatures should be worn. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Body protection	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	: Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Section 9. Physical and chemical properties

Physical state:Gas. [Liquefied gas]Color:Colorless.Boiling/condensation point:-48.5 °C (-55.3 °F)Melting/freezing point:-48.5 °C (-153.4°F) This is based on data for the following ingredient: Pentafluoroethane. Weighted average: -119.5°C (-183.1°F)Critical temperature:Lowest known value: 72.4°C (162.3°F) (Pentafluoroethane).Odor:Not available.Odor:Not available.Odor threshold:Not available.opH:Neutral.Flash point:Not applicable.Burning time:Not applicable.Evaporation rate:Not available.Flammability (solid, gas):Not available.Vapor pressure::: <th> jj</th> <th></th>	jj	
Color: Colorless.Boiling/condensation point: -48.5 °C (-55.3 °F)Melting/freezing point: -103°C (-153.4°F) This is based on data for the following ingredient: Pentafluoroethane. Weighted average: -119.5°C (-183.1°F)Critical temperature: Lowest known value: 72.4°C (162.3°F) (Pentafluoroethane).Odor: Not available.Odor threshold: Not available.Odor threshold: Not available.PH: Neutral.Flash point: Not available.Burning time: Not applicable.Evaporation rate: Not available.Evaporation rate: Not available.Clower and upper explosive: Not available.(flammable) limits: Not available.Vapor pressure: 33,798 hPa at 54.4 °C (129.9 °F)Vapor density: Highest known value: 4.2 (Air = 1) (Pentafluoroethane).Gas Density (Ib/ft ³): Weighted average: 0.47Relative density: Not available.Solubility in water: Not available.	Appearance	
Boiling/condensation point : -48.5 °C (-55.3 °F) Melting/freezing point : -103°C (-153.4°F) This is based on data for the following ingredient: Pentafluoroethane. Weighted average: -119.5°C (-183.1°F) Critical temperature : Lowest known value: 72.4°C (162.3°F) (Pentafluoroethane). Odor : Not available. Odor threshold : Not available. Od threshold : Not available. PH : Neutral. Flash point : Not available. Burning time : Not available. Burning time : Not available. Evaporation rate : Not available. Lower and upper explosive : Not available. (finamabile) limits : Not available. Vapor pressure : 33,798 hPa at 54.4 °C (129.9 °F) Vapor density : Highest known value: 4.2 (Air = 1) (Pentafluoroethane). Gas Density (lb/ft ³) : Weighted average: 0.47 Relative density : Not available. Solubility in water : Not available.	Physical state	: Gas. [Liquefied gas]
Melting/freezing point : -103°C (-153.4°F) This is based on data for the following ingredient: Pentafluoroethane. Weighted average: -119.5°C (-183.1°F) Critical temperature : Lowest known value: 72.4°C (162.3°F) (Pentafluoroethane). Odor : Not available. Odor threshold : Not available. Odor threshold : Not available. PH : Neutral. Flash point : Not available. Burning time : Not applicable. Burning rate : Not available. Evaporation rate : Not available. Flammability (solid, gas) : Not available. Lower and upper explosive : Not available. (flammable) limits : 33,798 hPa at 54.4 °C (129.9 °F) Vapor density : Highest known value: 4.2 (Air = 1) (Pentafluoroethane). Gas Density (Ib/ft *) : Weighted average: 0.47 Relative density : Not available. Solubility : Not available. Solubility : Not available.	Color	: Colorless.
Weighted average: -119.5°C (-183.1°F)Critical temperature: Lowest known value: 72.4°C (162.3°F) (Pentafluoroethane).Odor: Not available.Odor threshold: Not available.Odor threshold: Not available.Odor threshold: Not available.PH: Neutral.Flash point: Not available.Burning time: Not applicable.Burning rate: Not available.Evaporation rate: Not available.Flammability (solid, gas): Not available.Lower and upper explosive: Not available.(flammable) limits: 33,798 hPa at 54.4 °C (129.9 °F)Vapor density: Highest known value: 4.2 (Air = 1) (Pentafluoroethane).Gas Density (lb/f ³): Weighted average: 0.47Relative density: Not available.Solubility: Not available.	Boiling/condensation point	: -48.5 °C (-55.3 °F)
Odor : Not available. Odor threshold : Not available. pH : Neutral. Flash point : Not available. Burning time : Not available. Burning rate : Not applicable. Evaporation rate : Not available. Flammability (solid, gas) : Not available. Lower and upper explosive : Not available. (flammable) limits : Not available. Vapor pressure : 33,798 hPa at 54.4 °C (129.9 °F) Vapor density : Highest known value: 4.2 (Air = 1) (Pentafluoroethane). Gas Density (Ib/ft ³) : Weighted average: 0.47 Relative density : Not available. Solubility in water : Not available.	Melting/freezing point	
Odor threshold : Not available. Odd : Not available. PH : Neutral. Flash point : Not available. Burning time : Not applicable. Burning rate : Not available. Evaporation rate : Not available. Flammability (solid, gas) : Not available. Lower and upper explosive : Not available. (flammable) limits : Vapor pressure : 33,798 hPa at 54.4 °C (129.9 °F) Vapor density : Highest known value: 4.2 (Air = 1) (Pentafluoroethane). Gas Density (lb/ft ³) : Weighted average: 0.47 Relative density : Not available. Solubility : Not available.	Critical temperature	: Lowest known value: 72.4°C (162.3°F) (Pentafluoroethane).
pH: Neutral.Flash point: Not available.Burning time: Not applicable.Burning rate: Not applicable.Evaporation rate: Not available.Flammability (solid, gas): Not available.Lower and upper explosive (flammable) limits: Not available.Vapor pressure: 33,798 hPa at 54.4 °C (129.9 °F)Vapor density: Highest known value: 4.2 (Air = 1) (Pentafluoroethane).Gas Density (Ib/ft ³): Weighted average: 0.47Relative density: Not available.Solubility: Not available.	Odor	: Not available.
Flash point: Not available.Burning time: Not applicable.Burning rate: Not applicable.Evaporation rate: Not available.Flammability (solid, gas): Not available.Lower and upper explosive (flammable) limits: Not available.Vapor pressure: 33,798 hPa at 54.4 °C (129.9 °F)Vapor density: Highest known value: 4.2 (Air = 1) (Pentafluoroethane).Gas Density (Ib/ft ³): Weighted average: 0.47Relative density: Not available.Solubility: Not available.Solubility in water: Not available.	Odor threshold	: Not available.
Burning time: Not applicable.Burning rate: Not applicable.Evaporation rate: Not available.Flammability (solid, gas): Not available.Cower and upper explosive: Not available.Lower and upper explosive: Not available.(flammable) limits: Not available.Vapor pressure: 33,798 hPa at 54.4 °C (129.9 °F)Vapor density: Highest known value: 4.2 (Air = 1) (Pentafluoroethane).Gas Density (lb/ft ³): Weighted average: 0.47Relative density: Not available.Solubility: Not available.Solubility in water: Not available.	рН	: Neutral.
Burning rate : Not applicable. Evaporation rate : Not available. Flammability (solid, gas) : Not available. Lower and upper explosive : Not available. (flammable) limits : Vapor pressure : 33,798 hPa at 54.4 °C (129.9 °F) Vapor density : Highest known value: 4.2 (Air = 1) (Pentafluoroethane). Gas Density (lb/ft ³) : Weighted average: 0.47 Relative density : Not applicable. Solubility : Not available.	Flash point	: Not available.
Evaporation rate : Not available. Flammability (solid, gas) : Not available. Lower and upper explosive : Not available. (flammable) limits : Not available. Vapor pressure : 33,798 hPa at 54.4 °C (129.9 °F) Vapor density : Highest known value: 4.2 (Air = 1) (Pentafluoroethane). Gas Density (lb/ft ³) : Weighted average: 0.47 Relative density : Not available. Solubility : Not available. Solubility in water : Not available.	Burning time	: Not applicable.
Flammability (solid, gas) : Not available. Lower and upper explosive : Not available. (flammable) limits : Not available. Vapor pressure : 33,798 hPa at 54.4 °C (129.9 °F) Vapor density : Highest known value: 4.2 (Air = 1) (Pentafluoroethane). Gas Density (lb/ft ³) : Weighted average: 0.47 Relative density : Not applicable. Solubility : Not available. You available. : Not available.	Burning rate	: Not applicable.
Lower and upper explosive (flammable) limits: Not available.Vapor pressure: 33,798 hPa at 54.4 °C (129.9 °F)Vapor density: Highest known value: 4.2 (Air = 1) (Pentafluoroethane).Gas Density (lb/ft ³): Weighted average: 0.47Relative density: Not applicable.Solubility: Not available.Solubility in water: Not available.	Evaporation rate	: Not available.
(flammable) limits Vapor pressure : 33,798 hPa at 54.4 °C (129.9 °F) Vapor density : Highest known value: 4.2 (Air = 1) (Pentafluoroethane). Gas Density (lb/ft ³) : Weighted average: 0.47 Relative density : Not applicable. Solubility : Not available. Yapor density : Not available.	Flammability (solid, gas)	: Not available.
at 54.4 °C (129.9 °F)Vapor density: Highest known value: 4.2 (Air = 1) (Pentafluoroethane).Gas Density (lb/ft ³): Weighted average: 0.47Relative density: Not applicable.Solubility: Not available.Solubility in water: Not available.	Lower and upper explosive (flammable) limits	: Not available.
Gas Density (lb/ft ³): Weighted average: 0.47Relative density: Not applicable.Solubility: Not available.Solubility in water: Not available.	Vapor pressure	
Relative density: Not applicable.Solubility: Not available.Solubility in water: Not available.	Vapor density	: Highest known value: 4.2 (Air = 1) (Pentafluoroethane).
Solubility : Not available. Solubility in water : Not available.	Gas Density (lb/ft 3)	: Weighted average: 0.47
Solubility in water : Not available.	Relative density	: Not applicable.
·	Solubility	: Not available.
Date of issue/Date of revision : 2/12/2019 Date of previous issue :12/5/2017 Version : 0.01 5/12	Solubility in water	: Not available.
	Date of issue/Date of revision	:2/12/2019 Date of previous issue :12/5/2017 Version : 0.01 5/12

Section 9. Physical and chemical properties

Partition coefficient: n- octanol/water	: Not available.
Auto-ignition temperature	: Not available.
Decomposition temperature	: Not available.
SADT	: Not available.
Viscosity	: Not applicable.
Physical/chemical properties comments	: Partition coefficient: n-octanol/water: log Pow: 1.48

Section 10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: No specific data.
Incompatibility with various substances	: Highly reactive with acids.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Hazardous polymerization : Under normal conditions of storage and use, hazardous polymerization will not occur.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Not available.

Irritation/Corrosion

Not available.

Sensitization

Not available.

Mutagenicity

Not available.

Carcinogenicity

Not available.

Reproductive toxicity

Not available.

Teratogenicity

Not available.

Section 11. Toxicological information

Specific target organ toxici Not available.	<u>ty (single exposure)</u>
Specific target organ toxici Not available.	tv (repeated exposure)
Aspiration hazard Not available.	
Information on the likely routes of exposure	: Not available.
Potential acute health effects	<u>2</u>
Eye contact	: Liquid can cause burns similar to frostbite.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: Dermal contact with rapidly evaporating liquid could result in freezing of the tissues or frostbite.
Ingestion	: Ingestion of liquid can cause burns similar to frostbite.
	vsical, chemical and toxicological characteristics
Eye contact	: Adverse symptoms may include the following: frostbite
Inhalation	: No specific data.
Skin contact	: Adverse symptoms may include the following: frostbite
Ingestion	: Adverse symptoms may include the following: frostbite
Delaved and immediate effect	cts and also chronic effects from short and long term exposure
Short term exposure	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Long term exposure Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Potential chronic health eff	ects
Not available.	
General	: No known significant effects or critical hazards.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Teratogenicity	: No known significant effects or critical hazards.
Developmental effects	: No known significant effects or critical hazards.
Fertility effects	: No known significant effects or critical hazards.
Numerical measures of toxic Acute toxicity estimates Not available.	:ity_

Section 11. Toxicological information

Section 12. Ecological information

Toxicity

Not available.

Persistence and degradability

Not available.

Bioaccumulative potential

Not available.

<u>Mobility in soil</u>

Soil/water partition : Not available. coefficient (Koc)

Other adverse effects : No known significant effects or critical hazards.

. . .

. .

Section 13. Disposal considerations

Disposal methods

. .

: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Empty ASPEN-owned pressure vessels should be returned to ASPEN. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Do not puncture or incinerate container.

DOT	TDG	Mexico	IMDG	IATA
UN3163	UN3163	UN3163	UN3163	UN3163
Liquefied Gas, N.O.S. (Pentafluoroethane, Difluoromethane R410A)	Liquefied Gas, N.O.S. (Pentafluoroethane, Difluoromethane R410A)	Liquefied Gas, N.O.S. (Pentafluoroethane, Difluoromethane R410A)	Liquefied Gas, N.O.S. (Pentafluoroethane, Difluoromethane R410A)	Liquefied Gas, N.O.S (Pentafluoroethane, Difluoromethane R410A)
2.2	2.2	2.2	2.2	2.2
-	-	-	-	-
No.	No.	No.	No.	No.
	UN3163 Liquefied Gas, N.O.S. (Pentafluoroethane, Difluoromethane R410A) 2.2 2.2	UN3163UN3163Liquefied Gas, N.O.S. (Pentafluoroethane, Difluoromethane R410A)Liquefied Gas, N.O.S. (Pentafluoroethane, Difluoromethane R410A)2.22.22.22.222222222223344444444544444544	UN3163UN3163UN3163Liquefied Gas, N.O.S. (Pentafluoroethane, Difluoromethane R410A)Liquefied Gas, N.O.S. (Pentafluoroethane, Difluoromethane R410A)Liquefied Gas, N.O.S. (Pentafluoroethane, Difluoromethane R410A)2.22.22.2\$2.2\$\$2.3\$\$2.3\$\$2.3\$ </td <td>UN3163UN3163UN3163UN3163Liquefied Gas, N.O.S. (Pentafluoroethane, Difluoromethane R410A)Liquefied Gas, N.O.S. (Pentafluoroethane, Difluoromethane R410A)Liquefied Gas, N.O.S. (Pentafluoroethane, Difluoromethane R410A)Liquefied Gas, N.O.S. (Pentafluoroethane, Difluoromethane R410A)Liquefied Gas, N.O.S. (Pentafluoroethane, Difluoromethane R410A)2.22.22.22.2$\checkmark$$\checkmark2.2\checkmark$$\checkmark$$\checkmark$</td>	UN3163UN3163UN3163UN3163Liquefied Gas, N.O.S. (Pentafluoroethane, Difluoromethane R410A)Liquefied Gas, N.O.S. (Pentafluoroethane, Difluoromethane R410A)Liquefied Gas, N.O.S. (Pentafluoroethane, Difluoromethane R410A)Liquefied Gas, N.O.S. (Pentafluoroethane, Difluoromethane R410A)Liquefied Gas, N.O.S. (Pentafluoroethane, Difluoromethane R410A)2.22.22.22.2 \checkmark \checkmark 2.2 \checkmark \checkmark \checkmark

Halocarbon R-410A					
Section 14	. Transport i	nformation			
Additional information	-	Explosive Limit and Limited Quantity Index 0.125 Passenger Carrying Road or Rail Index 75		-	-

"Refer to CFR 49 (or authority having jurisdiction) to determine the information required for shipment of the product."

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according : Not available. to Annex II of MARPOL 73/78 and the IBC Code

Section 15. Regulatory information

U.S. Federal regulations	: TSCA 8(a) CDR Exempt/Partial exemption: Not determined				
	United States inventory (TSCA 8b): All components are listed or exempted.				
Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs)	: Not listed				
Clean Air Act Section 602 Class I Substances	: Not listed				
Clean Air Act Section 602 Class II Substances	: Not listed				
DEA List I Chemicals (Precursor Chemicals)	: Not listed				
DEA List II Chemicals (Essential Chemicals)	: Not listed				
<u>SARA 302/304</u>					
Composition/information	on ingredients				
No products were found.					
SARA 304 RQ	: Not applicable.				
SARA 311/312 Classification	: Sudden release of pressure				
Composition/information	·				
No products were found.					
State regulations					
Massachusetts	: None of the components are listed.				
New York	: None of the components are listed.				
New Jersey	: None of the components are listed.				
Pennsylvania	: None of the components are listed.				
Canada inventory	: All components are listed or exempted.				
International regulations					
Date of issue/Date of revision	:2/12/2019 Date of previous issue :12/5/2017 Version : 0.01 9/12				

Section 15. Regulatory information

International lists	: Australia inventory (AICS): All components are listed or exempted. China inventory (IECSC): All components are listed or exempted.
	Japan inventory: All components are listed or exempted.
	Korea inventory: All components are listed or exempted.
	Malaysia Inventory (EHS Register): Not determined.
	New Zealand Inventory of Chemicals (NZIoC): All components are listed or exempted Philippines inventory (PICCS): All components are listed or exempted. Taiwan inventory (CSNN): Not determined.
Chemical Weapons Convention List Schedule I Chemicals	: Not listed
Chemical Weapons Convention List Schedule II Chemicals	: Not listed
Chemical Weapons Convention List Schedule III Chemicals	: Not listed
<u>Canada</u>	
WHMIS (Canada)	: Class A: Compressed gas.
	CEPA Toxic substances : The following components are listed: Volatile organic compounds; Volatile organic compounds Canadian ARET : None of the components are listed.
	Canadian NPRI : The following components are listed: Volatile organic compounds; Volatile organic compounds
	Alberta Designated Substances: None of the components are listed. Ontario Designated Substances: None of the components are listed. Quebec Designated Substances: None of the components are listed.

California Prop. 65

: This product does not contain any chemicals known to the State of California to cause cancer, birth defects or other reproductive harm.

Section 16. Other information

Canada Label requirements : Class A: Compressed gas.

Hazardous Material Information System (U.S.A.)



Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although HMIS® ratings are not required on SDSs under 29 CFR 1910. 1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material.

National Fire Protection Association (U.S.A.)



Section 16. Other information

Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

<u>History</u>

<u>History</u>	
Date of printing	: 2/11/2019
Date of issue/Date of revision	: 2/11/2019
Date of previous issue	<u>:</u> 12/5/2017
Version	<mark>:</mark> 0.01
Key to abbreviations	 ATE = Acute ToxicityEstimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL 73/78 = International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations ACGIH – American Conference of Governmental Industrial Hygienists AIHA – American Industrial Hygiene Association CAS – Chemical Abstract Services CEPA – Canadian Environmental Protection Act CERCLA – Comprehensive Environmental Response, Compensation, and Liability Act (EPA) CFR – United States Code of Federal Regulations CPR – Controlled Products Regulations DSL – Domestic Substances List GWP – Global Warming Potential IARC – International Agency for Research on Cancer ICAO – International Agency for Research on Cancer ICAO – International Civil Aviation Organization Inh – Inhalation LC – Lethal concentration LD – Lethal dosage NDSL – Non-Domestic Substances List NIOSH – National Institute for Occupational Safety and Health TDG – Canadian Transportation of Dangerous Goods Act and Regulations TLV – Threshold Limit Value TSCA – Toxic Substances Control Act WEEL – Workplace Environmental Exposure Level WHMIS – Canadian Workplace Hazardous Material Information System
References	: Not available.
Indicates information the	at has changed from previously issued version

Indicates information that has changed from previously issued version.
<u>Notice to reader</u>

Section 16. Other information

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.