

# SAFETY DATA SHEET

**Print date:** 09/11/2019 **Revision Date:** 09/11/2019 **Revision Number:** 3

### 1. IDENTIFICATION

Product identifier

**Product Name:** CHRISTO-LUBE MCG 117

**Product code:** 016282-01

Other means of identification

Synonyms No information available

Application

Recommended Use Lubricating Grease
Uses advised against For industrial use only

Supplier/Manufacturer:

Supplier:

ENGINEERED CUSTOM LUBRICANTS (ECL)

3851 Exchange Avenue Aurora, IL 60504 USA Phone: (630)449-5000

Email: she@quakerhoughton.com

Emergency telephone number:

\* 24 HOUR TRANSPORTATION: \*\*CHEMTREC: 1-800-424-9300

+703-527-3887 (Call collect outside of US)
\* 24 HOUR EMERGENCY HEALTH & SAFETY:

\*\*(800) 523-7010 (Within US only) Outside of US call (703)

527-3887

## 2. HAZARDS IDENTIFICATION

#### **GHS Classification**

#### **OSHA Regulatory Status**

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

### **Label Elements**

#### **Emergency Overview**

The product contains no substances which at their given concentration, are considered to be hazardous to health

#### Hazards not otherwise classified (HNOC)

None known

#### Other Information

May be harmful if swallowed. May be harmful in contact with skin. Harmful to aquatic life.

**Unknown acute toxicity** 2.01% of the mixture consists of ingredient(s) of unknown toxicity

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight-%
1,3-Dioxolan-2-one, 4-methyl-	108-32-7	1 - 5%
Sodium nitrite	7632-00-0	<1%

The exact percentage (concentration) of composition has been withheld as a trade secret.

### 4. FIRST AID MEASURES

**General advice:** Show this safety data sheet to the doctor in attendance. Remove contaminated

clothing and shoes. Wash contaminated clothing before re-use. Wash off with soap

and water. If symptoms persist, call a physician

**Eye contact:** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

**Skin contact:** Remove and wash contaminated clothing before re-use. Wash off immediately with

soap and plenty of water.

Ingestion: If swallowed, seek medical advice immediately and show this container or label. Do

not induce vomiting without medical advice. Never give anything by mouth to an

unconscious person

**Inhalation:** Move to fresh air in case of accidental inhalation of vapors. If not breathing, give

artificial respiration. If breathing is difficult, give oxygen. Consult a physician.

**Note to physician:** Treat symptomatically.

Medical condition

aggravated by exposure:

None known.

## 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media: Use dry chemical, CO2, water spray or `alcohol` foam. Do not use water with full jet.

**Specific hazards:** Do not allow material to contaminate ground water system.

**Special protective equipment for** As in any fire, wear self-contained breathing apparatus pressure-demand,

**016282-01** - **CHRISTO-LUBE MCG 2/9 Revision Date**: 09/11/2019

fire-fighters: MSHA/NIOSH (approved or equivalent) and full protective gear

**Explosion data** Water mist may be used to cool closed containers

## **6. ACCIDENTAL RELEASE MEASURES**

**Personal precautions:** Ensure adequate ventilation. Do not breathe vapour/dust. Use personal protective

equipment. Avoid contact with skin, eyes and clothing. Wash thoroughly after handling.

**Environmental precautions:** Do not flush into surface water or sanitary sewer system. Prevent further leakage or

spillage if safe to do so. Avoid subsoil penetration.

**Methods for cleaning up:** Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal

binder, sawdust). Sweep up and shovel into suitable containers for disposal.

## 7. HANDLING AND STORAGE

Handling

**Technical** Provide sufficient air exchange and/or exhaust in work rooms.

measures/precautions:

Safe handling advice: In case of insufficient ventilation, wear suitable respiratory equipment. Do not breathe

vapors or spray mist. Wear personal protective equipment. Avoid contact with skin and

Revision Date: 09/11/2019

eyes. Wash thoroughly after handling.

Storage

Technical measures/storage

conditions:

Store at room temperature in the original container.

**Incompatible products:** See Section 10, Materials to avoid

Safe storage temperature: 40 - 100 ° F

Shelf life: 60 months

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Exposure Guidelines** . This product does not contain any hazardous materials with occupational exposure

limits established by the region specific regulatory bodies.

**Engineering measures:** Ensure adequate ventilation

**Personal Protective Equipment:** 

**General:** Provide easy access to eyewash/safety shower facilities.

**Respiratory protection:** If engineering controls do not maintain airborne concentrations to a level which is

adequate to protect worker health, respiratory protection may be required. Contact

your site safety representative for proper respirator selection.

**Eye protection:** Wear safety glasses with side shields (or goggles)

**Hand protection:** Wear chemical-resistant gloves as appropriate for the risk of exposure. Contact your

safety department for specific recommendations

**Skin and body protection:** Wear protective clothing and appropriate footwear necessary for the risk of exposure.

Contact your health and safety department for specific recommendations

**Hygiene measures:** Handle in accordance with sound chemical hygiene practices. Wear the appropriate

PPE. Avoid contact with skin, eyes and clothing. Remove and wash contaminated

clothing before re-use. Do not eat, drink, or smoke while using chemicals.



### 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State Semi-Solid

**Appearance** Tan

**Odor** None

Odor Threshold No information available

**pH concentrate:**No information available

**pH Dilution**No information available

Melting/freezing point

No information available

Boiling Point/Range No information available

Flash Point No information available

Method No information available

Evaporation rate No information available

Flammability Limits in Air

upper flammability limitNo information availablelower flammability limitNo information available

VOC Content Product (lb/gal) No information available

Vapor pressure No information available

Vapor density No information available

Specifc Gravity (g/cc, 15 °C)

No information available

**Density @ 25 ° C. (g/cc):** 1.90

Water Solubility Insoluble in water

Solubility in other solvents

No information available

Partition coefficient: n-octanol/water No information available

Autoignition temperature No information available

**Decomposition Temperature**No information available

Kinematic viscosity

No information available

Dynamic viscosity

No information available

Molecular Weight No information available

## **10. STABILITY AND REACTIVITY**

**Stability:** Stable under recommended storage conditions.

Conditions to avoid: None known.

Materials to avoid: Alkali metals, powdered metals, strong bases and Lewis Acids above 100° C.

Hazardous decomposition products: Thermal decomposition of this product will generate gaseous hydrogen fluoride (HF),

which is corrosive and can cause burns and other fluorinated compounds. Carbon

Revision Date: 09/11/2019

oxides.

**Hazardous Polymerization:** No information available.

## 11. TOXICOLOGICAL INFORMATION

No toxicological information is available on the product. Data obtained on components are summarized below.

Information on likely routes of exposure

**Inhalation** May cause irritation of respiratory tract.

**Eye Contact** Contact with eyes may cause irritation.

**Skin Contact** Prolonged contact may cause redness and irritation.

**Ingestion** Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
1,3-Dioxolan-2-one, 4-methyl-	= 29000 mg/kg (Rat) > 3000 mg/kg (Rabbit)		-
	Oral LD50 Rat 29000	Dermal LD50 Rabbit	
	mg/kg (Source: NLM_CIP)	>3000 mg/kg (no deaths	
		occurred, Source:	
		EPA_HPV)	
Sodium nitrite	= 85 mg/kg (Rat)	-	= 5.5 mg/L (Rat) 4 h
	Oral LD50 Rat 85 mg/kg		Inhalation LC50 Rat 5.5
	(Source: JAPAN_GHS)		mg/L 4 h (Source:
			NLM_CIP)

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a

carcinogen

Chemical Name	IARC Carcinogens	NTP	OSHA - Select Carcinogens
1,3-Dioxolan-2-one, 4-methyl-	Not listed	Not listed	Not listed
Sodium nitrite	Group 2A	Not listed	Present

**Sensitization** No information available.

Mutagenic effects: No information available.

**Reproductive Toxicity** No information available.

**Developmental Toxicity**No information available.

**Teratogenic** No information available.

Specific target organ systemic

toxicity (single exposure)

No information available.

Specific target organ systemic

toxicity (repeated exposure)

No information available.

**Aspiration hazard** Based on viscosity and/or components, not expected to be an aspiration hazard.

#### Additional information on toxicological effects

No information available

## 12. ECOLOGICAL INFORMATION

Harmful to aquatic life

Revision Date: 09/11/2019

Chemical Name	Toxicity to Fish	Daphnia Magna (Water Flea)	Toxicity to Algae
1,3-Dioxolan-2-one, 4-methyl-	5300: 96 h Leuciscus idus	500: 48 h Daphnia magna	500: 72 h Desmodesmus
	mg/L LC50 static 1000:	mg/L EC50	subspicatus mg/L EC50
	96 h Cyprinus carpio mg/L		
	LC50 semi-static		
Sodium nitrite	0.092 - 0.13: 96 h	No data	No data
	Oncorhynchus mykiss		
	mg/L LC50 flow-through		
	0.4 - 0.6: 96 h		
	Oncorhynchus mykiss		
	mg/L LC50 semi-static		
	0.65 - 1: 96 h		
	Oncorhynchus mykiss		
	mg/L LC50 static 0.19: 96		
	h Oncorhynchus mykiss		
	mg/L LC50 flow-through		
	2.3: 96 h Pimephales		
	promelas mg/L LC50		
	flow-through 20: 96 h		
	Pimephales promelas		
	mg/L LC50 static		

2.1% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Persistence and Degradability No information available.

No information available. Bioaccumulation

Chemical Name	Octanol/water partition coefficient
1,3-Dioxolan-2-one, 4-methyl-	0.48
Sodium nitrite	-3.7

No data available Mobility: Ozone: No data available

## 13. DISPOSAL CONSIDERATIONS

Waste from residues/unused

products:

Waste disposal must be in accordance with appropriate Federal, State, and local regulations. This product, if unaltered by use, may be disposed of by treatment at a permitted facility or as advised by your local hazardous waste regulatory authority.

**Revision Date:** 09/11/2019

Contaminated packaging: Do not re-use empty containers

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal Methods for cleaning up:

binder, sawdust) Sweep up and shovel into suitable containers for disposal

# 14. TRANSPORT INFORMATION

U. S. DEPARTMENT OF TRANSPORTATION:

Not regulated Proper shipping name:

TDG (CANADA):

Proper shipping name: Not regulated

IMDG/IMO:

Proper shipping name: Not regulated

IATA/ICAO:

Proper shipping name: Not regulated

## 15. REGULATORY INFORMATION

### **Federal Regulations**

### **CERCLA/SARA Information:**

See GHS Classification in Section 2 for hazard class information. SARA (311, 312) hazard class:

Chemical Name	Hazardous Substances and RQs	Extremely Hazardous Substances and TPQs	SARA 313 Emission Reporting
1,3-Dioxolan-2-one, 4-methyl-	Not listed	Not listed	Not listed
Sodium nitrite	100 lb	Not listed	1.0 %

#### Clean Air and Clean Water Acts:

Chemical Name	Hazardous Air Pollutants	CWA - Hazardous Substances	CWA - Toxic Pollutants	CWA - Priority Pollutants
1,3-Dioxolan-2-one, 4-methyl-	Not listed	Not listed	Not listed	Not listed
Sodium nitrite	Not listed	Listed	Not listed	Not listed

### U.S. STATE REGULATIONS (RTK):

Chemical Name	California	PARTK	MI Critical	NJRTK	MARTK
	Proposition 65		Materials		
1,3-Dioxolan-2-one, 4-methyl-	Not Listed	Not Listed	Not Listed	Not Listed	Not Listed
Sodium nitrite	Not Listed	Environmental hazard	Not Listed	2258	Present

California Proposition 65 Status: May contain trace amounts of listed chemicals: .?

#### **CANADIAN REGULATIONS:**

Chemical Name	CEPA Schedule I	Challenge Substances
1,3-Dioxolan-2-one, 4-methyl-	Listed	Not listed
Sodium nitrite	Not listed	Not listed

### **INVENTORY STATUS:**

United States TSCA Inventory: This product complies with TSCA

Canada DSL/NDSL Inventory List

All components except one are on the DSL Inventory List. The remaining ingredient is listed on the NDSL Inventory List.

Revision Date: 09/11/2019

## **16. OTHER INFORMATION**

**Sources of key data used to compile** Material safety data sheets of the ingredients. **the data sheet:** 

Prepared by: Safety, Health and Environmental Department

**Revision Date:** 09/11/2019 Reason for revision: New Logo.

Personal protection recommendations should be reviewed by purchasers. Workplace conditions are important factors in specifying adequate protection.

#### Disclaimer

This product's safety information is provided to assist our customers in assessing compliance with safety/health/environmental regulations. The information contained herein is based on data available to us and is believed to be accurate. However, no warranty of merchantability, fitness for any use, or any other warranty is expressed or implied regarding the accuracy of this data, the results to be obtained from the use thereof, or the hazards connected with the use of the product. Since the use of this product is within the exclusive control of the user, it is the user's obligation to determine the conditions for safe use of the product. Such conditions should comply with all regulations concerning the product. The company referenced in this Safety Data Sheet assumes no liability for any injury or damage, direct or consequential, resulting from the use of this product unless such injury or damage is attributable to the gross negligence of such company.

#### **End of Safety Data Sheet**

Chemical Name		U.S. DOT - Appendix A Table 1 - Reportable Quantities	 	Japan - Specified Chemical Substances
Sodium nitrite 7632-00-0	<1%	100 lbs RQ 45.4 kg RQ		