

# SAFETY DATA SHEET

Revision Date: 8/21/2020  
Revision Number: 001.6



## 1. PRODUCT AND COMPANY INFORMATION

<b>Product:</b>	Molybdenum Disulfide Petrolatum Meeting MIL-PRF-83483	<b>Item number(s):</b>	08-00B, 08-00H, 08-01, 08-02, 08-03, 08-04, 08-06
<b>Product Type/Use:</b>	Lubricant / Anti-Seize	<b>NSN(s) Included:</b>	8030-00-243-3285 8030-00-087-8630
<b>Restriction of Use:</b>	None Identified	<b>Region(s):</b>	U.S.A
<b>Company Address:</b>	Armite Laboratories Inc. dba Armite Lubricants 1218 Commerce Court Suite B Lafayette, CO 80026	<b>Telephone:</b>	949 646-9035
		<b>Product Emergency:</b>	<b>CHEM-TEL 800-225-3924</b>

## 2. HAZARD IDENTIFICATION

### EMERGENCY OVERVIEW

Although this material contains quartz, the Respirable fraction is less than 0.1%. Do not breathe dust. Do not get in eyes. Keep container closed. Wash after handling. Use with adequate ventilation.

Signal Word	Hazard Class	Hazard Category	Pictogram(s)
WARNING	Eye Irritant	2B	None Required

**Hazard Statement:** Causes eye irritation.

### Precautionary Statement(s)

**Prevention:** Wash hands thoroughly after handling. Wear protective gloves. Wear protective eyewear.

**Response:** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

**Storage:** Not prescribed

**Disposal:** Not prescribed

Classification complies with OSHA Hazard Communication Standard (29 CFR 1910.1200 and is consistent with the provisions of the United Nations Globally Harmonized System of Classification and Labeling of chemicals (GHS).

## 3. COMPOSITION / INFORMATION ON INGREDIENTS

Component(s)	CAS Number	Percentage*
Petrolatum	8009-03-8	48-52
Molybdenum Disulfide (>99%)	1317-33-5	Balance

## 4. FIRST AID MEASURES

**Inhalation:** Move to fresh air, if breathing is difficult. If not breathing, give artificial respiration. If symptoms develop and persist, get medical attention.

**Skin contact:** Wash with soap and water. If molten material contacts the skin, immediately cool before attempting removal. If symptoms develop and persist, seek medical attention.

**Eye contact:** Immediately flush eyes with plenty of water or normal saline, occasionally lifting eyelids until no material remains. If irritation persists, seek medical attention.

**Ingestion:** Do not induce vomiting. Keep head lower than hips to prevent aspiration. Get medical attention if necessary.

**Symptoms:** May cause nausea, vomiting, and diarrhea. Inhalation of oil mist may cause coughing, wheezing or shortness of breath.

# SAFETY DATA SHEET

Revision Date: 8/21/2020  
Revision Number: 001.6



## 5. FIRE FIGHTING MEASURES

**Extinguishing media:** Water spray (fog), foam, dry chemical or carbon dioxide.

**Special firefighting procedures:** Water Jet spray may be ineffective. Oil will float on water and can spread fire.

**Unusual fire or explosion hazard:** No acute hazard. Move container from fire area if possible. Avoid breathing vapors.

**Hazardous combustion products:** Thermal decomposition may release toxic and /or hazardous gases of molybdenum and sulfur.

## 6. ACCIDENTAL RELEASE MEASURES

**Use personal protection recommended in Section 8, isolate the hazard area and deny entry to unnecessary and unprotected personnel.**

**Environmental precautions:** Prevent further leakage or spillage if safe to do so. Do not allow product to enter sewer or waterways.

**Clean-up method:** Contaminated surfaces will be extremely slippery. Scrape up as much material as possible. Clean residue with soap & water.

## 7. HANDLING AND STORAGE

**Handling:** Prevent contact with eyes, skin and clothing. Do not breathe vapor and mist. Wash thoroughly after handling. Keep container closed.

**Storage:** Keep in a cool, well ventilated area.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Employers should complete an assessment of all workplaces to determine the need for, and selection of, proper exposure controls and protective equipment for each task performed.

Hazardous Component(s)	ACGIH TLV	OSHA PEL	NIOSH
Molybdenum Disulfide* * (as Mo insoluble compounds)	10 mg/m3 TWA	15 mg/m3 TWA (total dust)	5 mg/m3 TWA* (Total dust) *soluble compounds as Mo

**Skin Protection:** Use appropriate gloves and protective clothing and equipment to reduce skin contact for sensitive persons.

**Eye/Face Protection:** Safety glasses or goggles with side shields should be worn to prevent eye contamination.

**Respirator Protection:** None required unless potential for mist is generated. Use approved respirator if there is a potential to exceed exposure limit(s).

**Engineering controls:** Local exhaust ventilation is recommended when general ventilation is not sufficient to control airborne contamination below occupational exposure limits.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

These are typical values and not necessarily batch/specification specific.

<b>Physical state:</b>	Paste	<b>Flash point:</b>	>220°C / 428°F
<b>Color :</b>	Dark Grey	<b>VOC content:</b>	Virtually nil
<b>Odor:</b>	Mild petroleum	<b>Boiling point / range:</b>	<316°C / 600°F
<b>Odor threshold:</b>	Not available	<b>Melting point /range:</b>	55° / 131°F
<b>pH:</b>	Neutral	<b>Evaporation rate:</b>	<0.01

# SAFETY DATA SHEET

Revision Date: 8/21/2020  
Revision Number: 001.6



<b>Vapor Pressure:</b> <0.01	<b>Solubility in water:</b> Negligible	
<b>Specific gravity:</b> Not available	<b>Partition coefficient (n-octanol/water):</b> N/A	
<b>Vapor density:</b> Heavier than air	<b>Flammable/Explosive limits:</b> not flammable at ambient temp.	
<b>Viscosity:</b> Not available	Lower limits: 0.9%	
<b>Auto ignition temp:</b> > 260° / 500°F	Upper limits: 7%	

## 10. STABILITY AND REACTIVITY

<p><b>Stability:</b> Chemically stable at normal conditions. <b>Reactivity:</b> Not available. <b>Conditions to avoid:</b> powerful sources of ignition &amp; extreme temperatures</p>	<p><b>Incompatible materials:</b> Strong inorganic &amp; organic acids, oxidizing agents. <b>Hazardous decomposition products:</b> burning generates smoke, airborne soot, hydrocarbon &amp; oxides of carbon &amp; sulfur.</p>
--	---

## 11. TOXICOLOGICAL INFORMATION

**Acute Toxicity:** Tests conducted in 1990 at levels up to 750 mg/l powdered MoS<sub>2</sub> resulted in 0 mortality to rainbow trout (*Salmo gairdneri*). **Target Effects:** No data available.

**Health Effects:**

**Inhalation – Acute exposure:** No specific data available. Insoluble molybdenum compounds are characterized by low toxicity.

**Chronic Exposure:** 25 one-hour exposures to 490 mg/m<sup>3</sup> caused no effects in all the animals tested except one which died after third exposure.

**Skin Contact – Acute exposure:** Dermatitis has not been reported in exposed workers. **Chronic Exposure:** No data available.

**Eye contact – Acute exposure:** No specific data available. Some insoluble molybdenum compounds are irritating to the eyes. **Chronic Exposure:** No data available.

**Ingestion – Acute exposure:** No data available. **Chronic Exposure:** Rats fed up to 500 mg daily for 44 days showed no toxic signs and all gained weight.

Hazardous Component(s)	LD50s and LC50s	Immediate and Delayed Effects
Molybdenum Disulfide (as Mo)	None	Irritant

Hazardous Component(s)	NTP Carcinogen	IARC Carcinogen	OSHA Carcinogen (Specifically Regulated)
Molybdenum Disulfide (as Mo)	No	No	No

## 12. ECOLOGICAL INFORMATION

**Ecological Information:** Highly unlikely to cause notable environmental contamination. Non toxic to marine or land organisms.

**Possible Effects:** May generate oil fractions that could act as marine pollutant in extreme cases, but highly unlikely.

**Bioaccumulation:** Potentially nil. Relatively well behaved.

# SAFETY DATA SHEET

Revision Date: 8/21/2020  
Revision Number: 001.6



## 13. DISPOSAL CONSIDERATIONS

Information provided is for unused product only.

**Recommended method of disposal:** Follow all local, state, federal and provincial regulations for disposal.  
**Hazardous waste number:** Not a RCRA hazardous waste.

## 14. TRANSPORTATION INFORMATION

**US Dept of Transportation (49 CFR)** Not regulated

**Int'l Air Transportation (ICSO/IATA)** Not regulated

**Water Transportation (IMO/IMDG)** Not regulated

Proper shipping name: Not Regulated  
Hazard class or division: None  
Identification number: None  
Packing group: None

## 15. REGULATORY INFORMATION

### United States Regulatory Information

**TSCA:** All components listed or are exempt from listing on the Toxic Substance Control Act Inventory.

**CERCLA –** Not listed

**SARA Section 302 EHS:** Not listed

**SARA Section 311/312:** Not listed

**SARA Section 313:** Not listed

**California Proposition 65:** No California Proposition 65 listed chemicals are known to be present.

### Canada Regulatory Information

**CEPA DSL/NDL Status:** All components are listed on or are exempt from listing on the Canadian Domestic Substance List.

## 16. OTHER INFORMATION

Prepared by: Armite Laboratories Inc.

Original Issue date: April 1, 2015

**Disclaimer:** The information contained herein is believed to be reliable. However, Armite Laboratories does not assume responsibility for any results obtained by anyone over whose methods Armite has no control. It is the user's responsibility to determine the suitability of any of Armite's products or any production method mentioned herein for a particular use or purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any of Armite's products. As such, Armite Laboratories specifically disclaims all warranties or guarantees, expressed or implied, as to the suitability of a particular purpose, arising from the sales or use of any Armite product. Armite Laboratories Inc. further disclaims any liability for consequential or incidental damages of any, including loss of profits.