

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Name B&B™ CONTACT X

Other means of identification

Product Code CONTACTX

UN-No NA1993

Recommended use of the chemical and restrictions on use

Recommended Use Technical cleaning solvent.

Uses advised against FOR INDUSTRIAL USE ONLY

Details of the supplier of the safety data sheet

Manufacturer Address Vantage Specialties, Inc.
3938 Porett Drive
Gurnee, IL 60031 USA
847-244-3410

Emergency Telephone Number

Emergency Telephone Number CHEMTREC International: +1-703-527-3887

CHEMTREC US: 1-800-424-9300

2. HAZARDS IDENTIFICATION

Classification

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2B
Carcinogenicity	Category 2B
Specific target organ toxicity (single exposure)	Category 3
Aspiration toxicity	Category 1
Flammable Liquid	Category 4

Label Elements

EMERGENCY OVERVIEW

DANGER

Hazard statements

Suspected of causing cancer
May be fatal if swallowed and enters airways
Causes skin irritation
Causes eye irritation
May cause drowsiness or dizziness
Combustible liquid



Color Opaque White to off-white	Physical State Viscous liquid	Odor Solvent
----------------------------------------	--------------------------------------	---------------------

Precautionary Statements - Prevention

Obtain special instructions before use
 Do not handle until all safety precautions have been read and understood
 Wear protective gloves/protective clothing/eye protection/face protection
 Wash face, hands and any exposed skin thoroughly after handling
 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
 Avoid breathing vapors/mist.
 Use only outdoors or in a well ventilated area

Precautionary Statements - Response

If exposed or concerned: Get medical advice/attention
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
 If eye irritation persists: Get medical advice/attention
 IF ON SKIN: Wash with plenty of water and soap
 If skin irritation occurs: Get medical advice/attention
 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
 Call a POISON CENTER or doctor/physician if you feel unwell
 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician
 Do NOT induce vomiting
 INCASE OF FIRE USE: dry chemical. foam. carbon dioxide. water spray, class ABC fire extinguisher.

Precautionary Statements - Storage

Store locked up
 Keep container tightly closed
 Store in a well-ventilated place. Keep cool

Precautionary Statements - Disposal

Dispose of contents/container in accordance with applicable regulations.

Other hazards

- Harmful to aquatic life

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight-%
Petroleum distillates, hydrotreated light	64742-47-8	15-45
Naphtha (petroleum), Heavy, Aromatic	64742-94-5	< 20
Naphthalene	91-20-3	< 1
1,2,4 - Trimethylbenzene	95-63-6	< 1

4. FIRST AID MEASURES

FIRST AID MEASURES

General Advice	If exposed or concerned: Get medical advice/attention.
Eye contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, consult a physician.
Skin contact	IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: get medical advice/attention. Wash contaminated clothing before re-use.
Inhalation	IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.
Ingestion	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Do NOT induce vomiting.

Self-protection of the first aider Use personal protective equipment.

Most important symptoms and effects, both acute and delayed

Symptoms Headache/dizziness. Potential for aspiration if swallowed.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media Dry chemical. Foam. Carbon dioxide. Water. Class ABC/BC fire extinguisher.

Unsuitable extinguishing media Do not use a solid water stream as it may scatter and spread fire.

Specific hazards arising from the chemical Thermal decomposition may yield CO and/or CO₂. Avoid breathing vapours, mist or gas. Keep product and empty container away from heat and sources of ignition.

Hazardous combustion products Carbon oxides.

Explosion Data

Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Use personal protective equipment. Ensure adequate ventilation. Avoid contact with eyes, skin and clothing. Avoid inhalation of vapors. Wash hands before eating, drinking, smoking or using toilet. Wash contaminated clothing before reuse.

For emergency responders Use personal protection recommended in Section 8.

Environmental precautions

Environmental precautions Prevent release to surface water.

Methods and material for containment and cleaning up

Methods for Containment Dike to collect large liquid spills.

Methods for Cleaning Up Absorb with inert material and transfer to containers for disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling Wear personal protective equipment. Avoid contact with eyes, skin and clothing. Do not eat, drink or smoke when using this product. Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Storage Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up. Keep away from open flames, hot surfaces and sources of ignition.

Incompatible materials Strong oxidizing agents. Strong acids.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Naphthalene 91-20-3	TWA: 10 ppm	50 mg/m ³ (10 ppm)	IDLH: 250 ppm TWA: 10 ppm TWA: 50 mg/m ³ STEL: 15 ppm STEL: 75 mg/m ³
1,2,4 - Trimethylbenzene 95-63-6	n/a	n/a	TWA: 25 ppm TWA: 125 mg/m ³

Appropriate engineering controls

Engineering Measures Safety Shower
Eyewash station
Ventilation system.

Individual protection measures, such as personal protective equipment

- Eye/Face Protection** Safety glasses with side-shields.
- Skin and Body Protection** Wear protective gloves/clothing.
- Respiratory Protection** If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State	Viscous liquid	Color	Opaque White to off-white
Odor	Solvent		
Odor threshold	Not determined		
Property	Values	Remarks • Method	
pH	10-11	5% aqueous Not determined	
Melting point / freezing point			
Boiling point / boiling range	> 140 °F		
Flash Point	160 °F	Pensky-Martens closed cup ASTM D 93	
Evaporation Rate		Not determined	
Flammability (solid, gas)		Not Applicable	
Flammability Limit in Air		Not determined	
Upper flammability limit			
Lower Flammability Limit			
Vapor pressure	< 0.05	mm Hg@ 20 °C	
Vapor Density		Not determined	
Specific Gravity	1.07	@ 25°C	
Water Solubility	Soluble		
Solubility in other solvents		Not determined	
Partition coefficient		Not Applicable	
Autoignition Temperature		Not determined	
Decomposition temperature		Not determined	
Kinematic viscosity		Not determined	
Dynamic viscosity	-		
Explosive Properties	None		

Oxidizing Properties None

Other Information

10. STABILITY AND REACTIVITY

Reactivity Not reactive
Remarks

Chemical stability Stable under recommended storage conditions.

Possibility of Hazardous Reactions

Hazardous Reactions None under normal processing.
Hazardous Polymerization Hazardous polymerization does not occur.

Conditions to Avoid Keep away from open flames, hot surfaces and sources of ignition.

Incompatible materials Strong oxidizing agents. Strong acids.

Hazardous Decomposition Products

Thermal decomposition may yield CO and/or CO₂.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation May cause drowsiness and dizziness.
Eye contact Irritating to eyes.
Skin contact Irritating to skin.
Ingestion Potential for aspiration if swallowed.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Petroleum distillates, hydrotreated light 64742-47-8	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 5.2 mg/L (Rat) 4 h
Naphtha (petroleum), Heavy, Aromatic 64742-94-5	> 5000 mg/kg (rat)	> 2 mL/kg (Rabbit)	> 590 mg/m ³ (Rat) 4 h
Naphthalene 91-20-3	= 1110 mg/kg (Rat) = 490 mg/kg (Rat)	(= 1120 mg/kg (Rabbit) > 20 g/kg (Rabbit)	> 340 mg/m ³ (Rat) 1 h
1,2,4 - Trimethylbenzene 95-63-6	= 3280 mg/kg (Rat)	> 3160 mg/kg (Rabbit)	= 18 g/m ³ (Rat) 4 h

Information on toxicological effects

Symptoms Irritation or pain in contact with skin or eyes. Inhalation of vapors may cause dizziness and drowsiness.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Irritating to skin.
Serious eye damage/eye irritation Irritating to eyes.
Sensitization No known hazard.
Mutagenic Effects No known hazard.

Carcinogenicity This product contains one or more substances which are classified by IARC as probably carcinogenic to humans (Group 2A) or possibly carcinogenic to humans (Group 2B).

Chemical Name	ACGIH	IARC	NTP	OSHA
Naphthalene 91-20-3		Group 2B	RAHC - Reasonably anticipated to be a Human Carcinogen	X

Reproductive Toxicity No known hazard.

Developmental Toxicity No known hazard.

Teratogenic No known hazard.

STOT - single exposure Inhalation of vapors may cause dizziness and drowsiness.

Aspiration hazard May be fatal if swallowed and enters airways.

Numerical measures of toxicity-Product Information Not determined

12. ECOLOGICAL INFORMATION

Ecotoxicity

Harmful to aquatic life

Chemical Name	Toxicity to Algae	Toxicity to Fish	Microtox	Daphnia Magna (Water Flea)
Petroleum distillates, hydrotreated light 64742-47-8		LC50= 45 mg/L Pimephales promelas 96 h LC50= 2.4 mg/L Oncorhynchus mykiss 96 h LC50= 2.2 mg/L Lepomis macrochirus 96 h		EL0: 1000 mg/l
Naphtha (petroleum), Heavy, Aromatic 64742-94-5	EC50 = 2.5 mg/L 72 h	LC50= 1740 mg/L Lepomis macrochirus 96 h LC50= 41 mg/L Pimephales promelas 96 h LC50= 19 mg/L Pimephales promelas 96 h LC50= 2.34 mg/L Oncorhynchus mykiss 96 h LC50= 45 mg/L Pimephales promelas 96 h		LC50: 1 - 10 mg/l
Naphthalene 91-20-3	EC50 = 0.4 mg/L 72 h	LC50= 1.99 mg/L Pimephales promelas 96 h LC50 0.91 - 2.82 mg/L Oncorhynchus mykiss 96 h LC50 5.74 - 6.44 mg/L Pimephales promelas 96 h LC50= 31.0265 mg/L Lepomis macrochirus 96 h LC50= 1.6 mg/L Oncorhynchus mykiss 96 h		
1,2,4 - Trimethylbenzene 95-63-6		LC50 7.19 - 8.28 mg/L Pimephales promelas 96 h		

Persistence and degradability

No data available.

Bioaccumulation/Accumulation

Not determined

Mobility

Not determined.

Other Adverse Effects

None identified

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste Disposal Method Dispose of in accordance with applicable regulations.

Contaminated Packaging Dispose of in accordance with applicable regulations.

14. TRANSPORT INFORMATION

DOT

UN-No NA1993
Proper Shipping Name Combustible Liquid, N.O.S. (Contains Petroleum distillates).
Packing Group III
Special Provisions Exempt from regulation by US DOT when shipped in the USA solely by land in containers less than 119 gallons, refer to 49 CFR 173.150(f).

IATA Not regulated

IMDG / IMO Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA Complies
DSL Complies
ENCS Complies
IECSC Complies
KECL Complies
PICCS Complies
AICS Complies

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
AICS - Australian Inventory of Chemical Substances

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product is not a chemical which is subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS No.	Weight-%	SARA 313 - Threshold Values %
Naphthalene - 91-20-3	91-20-3	< 1	RQ - 100 lbs

SARA 311/312 Hazard Categories

Acute health hazard Yes
Chronic Health Hazard No
Fire hazard Yes
Sudden release of pressure hazard No
Reactive Hazard No

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Naphthalene 91-20-3	100 lb 1 lb		RQ - 100 lbs.

U.S. State Regulations

Chemical Name	California Prop. 65
Naphthalene - 91-20-3	Carcinogen

U.S. State Right-to-Know Regulations

This product contains the following right to know chemicals:

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Naphthalene 91-20-3	X	X	X
1,2,4 - Trimethylbenzene 95-63-6	X	X	X

16. OTHER INFORMATION

NFPA	Health Hazard 1	Flammability 2	Instability 0	Physical and Chemical Hazards n/a
HMIS	Health Hazard 1	Flammability 2	Physical hazards 0	Personal Precautions B

Prepared by Regulatory Specialist
 Issuing Date 14-Feb-2020
 Revision Date 08-Apr-2020
 Reason for Revision Periodic review and update

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet