



Revision Number: 003.0

Issue date: 03/17/2022

1. PRODUCT AND COMPANY IDENTIFICATION

Product name: LOCTITE EF 562 50M AERO
Product type/use: Adhesive for the Aerospace Industry
Restriction of Use: None identified
Company address:
 Henkel Corporation
 One Henkel Way
 Rocky Hill, Connecticut 06067

IDH number: 1777010
Item number: CF3130527
Region: United States
Contact information:
 Telephone: +1 (860) 571-5100
 MEDICAL EMERGENCY Phone: Poison Control Center
 1-877-671-4608 (toll free) or 1-303-592-1711
 TRANSPORT EMERGENCY Phone: CHEMTREC
 1-800-424-9300 (toll free) or 1-703-527-3887
 Internet: www.henkelna.com

2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

DANGER: CAUSES SKIN IRRITATION.
 MAY CAUSE AN ALLERGIC SKIN REACTION.
 CAUSES SERIOUS EYE IRRITATION.
 MAY CAUSE CANCER.
 MAY CAUSE DAMAGE TO ORGANS THROUGH PROLONGED OR
 REPEATED EXPOSURE.

| HAZARD CLASS | HAZARD CATEGORY |
|--|-----------------|
| SKIN IRRITATION | 2 |
| EYE IRRITATION | 2A |
| SKIN SENSITIZATION | 1 |
| CARCINOGENICITY | 1A |
| SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE | 2 |

PICTOGRAM(S)



Precautionary Statements

Prevention: Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dust or fumes. Wash affected area thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves, clothing, eye and face protection.

Response: IF ON SKIN: Wash with plenty of water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed or concerned: Get medical attention. If skin irritation or rash occurs: Get medical attention. If eye irritation persists: Get medical attention. Take off contaminated clothing.

Storage: Store locked up.

Disposal: Dispose of contents and/or container according to Federal, State/Provincial and local governmental regulations.

Classification complies with OSHA Hazard Communication Standard (29 CFR 1910.1200) and is consistent with the provisions of the United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

See Section 11 for additional toxicological information.

3. COMPOSITION / INFORMATION ON INGREDIENTS

| Hazardous Component(s) | CAS Number | Percentage* |
|------------------------|------------|-------------|
|------------------------|------------|-------------|

IDH number: 1777010

Product name: LOCTITE EF 562 50M AERO

| | | |
|---|-------------|---------|
| Phenol polymer with formaldehyde, glycidyl ether | 28064-14-4 | 10 - 30 |
| Formaldehyde, polymer with (chloromethyl)oxirane and phenol | 9003-36-5 | 10 - 30 |
| Formaldehyde-phenol polymer diglycidyl ether | 28064-14-4 | 10 - 30 |
| Formaldehyde, polymer with epichlorohydrin and o-cresol | 29690-82-2 | 10 - 30 |
| Aluminium hydroxide | 21645-51-2 | 5 - 10 |
| Quaternary ammonium compounds, benzyl(hydrogenated tallow alkyl)dimethyl, stearates, salts with bentonite | 121888-68-4 | 1 - 5 |
| Glass, oxide, chemicals | 65997-17-3 | 1 - 5 |
| 4,4'-Oxydi(benzenesulphonohydrazide) | 80-51-3 | 1 - 5 |
| 1,4-Phenylenediamine-terephthaloyl chloride copolymer | 26125-61-1 | 1 - 5 |
| Triglycidyl-p-aminophenol | 5026-74-4 | 0.1 - 1 |
| Quartz (SiO ₂) respirable particulates (RCS) ≥10% | 14808-60-7 | 0.1 - 1 |

* Exact percentages may vary or are trade secret. Concentration range is provided to assist users in providing appropriate protections.

4. FIRST AID MEASURES

| | |
|----------------------|--|
| Inhalation: | Move to fresh air, consult doctor if complaint persists. |
| Skin contact: | Rinse immediately with plenty of running water, seek medical advice if necessary. |
| Eye contact: | Immediately flush eyes with water for at least 15 minutes, while holding eyelids open. Seek medical attention at once. |
| Ingestion: | Rinse mouth, do not induce vomiting, consult a doctor. |
| Symptoms: | See Section 11. |

5. FIRE FIGHTING MEASURES

| | |
|---|--|
| Extinguishing media: | Water spray (fog), foam, dry chemical or carbon dioxide. |
| Special firefighting procedures: | Wear full protective clothing. Wear self-contained breathing apparatus. |
| Unusual fire or explosion hazards: | May liberate large quantities of dense, foul-smelling smoke which may contain unidentified toxic gasses. |
| Hazardous combustion products: | Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons. Oxides of nitrogen. |

6. ACCIDENTAL RELEASE MEASURES

Use personal protection recommended in Section 8, isolate the hazard area and deny entry to unnecessary and unprotected personnel.

| | |
|-----------------------------------|---|
| Environmental precautions: | Prevent further leakage or spillage if safe to do so. Wear appropriate protective equipment and clothing during clean-up. Do not allow product to enter sewer or waterways. |
| Clean-up methods: | Scrape up spilled material and place in a closed container for disposal. Dispose of according to Federal, State and local governmental regulations. |

7. HANDLING AND STORAGE

Handling:

Avoid contact with eyes, skin and clothing. Wash thoroughly after handling. Do not breathe fumes or dust from this material. For industrial use only.

Storage:

For safe storage, store at or below -18 °C (0.4 °F)
Keep container tightly closed and in a cool, well-ventilated place away from incompatible materials.

For information on product shelf life, please review labels on container or check the Technical Data Sheet.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Employers should complete an assessment of all workplaces to determine the need for, and selection of, proper exposure controls and protective equipment for each task performed.

| Hazardous Component(s) | ACGIH TLV | OSHA PEL | AIHA WEEL | OTHER |
|---|---|--|-----------|-------|
| Phenol polymer with formaldehyde, glycidyl ether | None | None | None | None |
| Formaldehyde, polymer with (chloromethyl)oxirane and phenol | None | None | None | None |
| Formaldehyde-phenol polymer diglycidyl ether | None | None | None | None |
| Formaldehyde, polymer with epichlorohydrin and o-cresol | None | None | None | None |
| Aluminium hydroxide | 1 mg/m3 TWA Respirable fraction. 10 mg/m3 TWA (as Al) Total dust. 3 mg/m3 TWA Respirable particles. 10 mg/m3 TWA Inhalable particles. | 15 mg/m3 TWA (as Al) Total dust. 5 mg/m3 TWA (as Al) Respirable fraction. 15 MPPCF TWA Respirable fraction. 15 mg/m3 TWA Total dust. 5 mg/m3 TWA Respirable fraction. 50 MPPCF TWA Total dust. | None | None |
| Quaternary ammonium compounds, benzyl(hydrogenated tallow alkyl)dimethyl, stearates, salts with bentonite | None | None | None | None |
| Glass, oxide, chemicals | 5 mg/m3 TWA Inhalable fraction. 10 mg/m3 TWA Inhalable dust. 3 mg/m3 TWA Respirable fraction. | 15 mg/m3 TWA Total dust. 5 mg/m3 TWA Respirable fraction. | None | None |
| 4,4'-Oxydi(benzenesulphonohydrazide) | 0.1 mg/m3 TWA Inhalable fraction. | None | None | None |
| 1,4-Phenylenediamine-terephthaloyl chloride copolymer | None | None | None | None |
| Triglycidyl-p-aminophenol | None | None | None | None |
| Quartz (SiO ₂) respirable particulates (RCS) ≥10% | 0.025 mg/m3 TWA Respirable fraction. | 0.05 mg/m3 TWA (Respirable dust.) (Respirable dust.) 0.025 mg/m3 OSHA_ACT (Respirable dust.) 0.05 mg/m3 PEL Respirable dust. 2.4 MPPCF TWA Respirable. 0.1 mg/m3 TWA Respirable. | None | None |

Engineering controls:

Ventilation should effectively remove and prevent buildup of any dust generated from the handling of this product.

| | |
|--------------------------------|---|
| Respiratory protection: | When dusts or thermal processing fumes are generated and ventilation is not sufficient to effectively remove them, appropriate NIOSH/MSHA approved respiratory protection must be provided. |
| Eye/face protection: | Safety goggles or safety glasses with side shields. |
| Skin protection: | Wear impervious gloves for prolonged contact. Use of impervious apron and boots are recommended. |

9. PHYSICAL AND CHEMICAL PROPERTIES

| | |
|---|-------------------------------------|
| Physical state: | Solid |
| Color: | Amber |
| Odor: | Slight |
| Odor threshold: | Not available. |
| pH: | Not available. |
| Vapor pressure: | Not available. |
| Boiling point/range: | Not applicable |
| Melting point/ range: | Not applicable |
| Specific gravity: | 1.2 |
| Vapor density: | Not applicable, Product is a solid. |
| Flash point: | Product is a solid. |
| Flammable/Explosive limits - lower: | Not available. |
| Flammable/Explosive limits - upper: | Not available. |
| Autoignition temperature: | Not applicable |
| Flammability: | Not applicable |
| Evaporation rate: | Not applicable |
| Solubility in water: | Negligible |
| Partition coefficient (n-octanol/water): | Not available. |
| VOC content: | Not applicable |
| Viscosity: | Not available. |
| Decomposition temperature: | Not available. |

10. STABILITY AND REACTIVITY

| | |
|--|--|
| Stability: | Stable at normal conditions. |
| Hazardous reactions: | May occur. |
| Hazardous decomposition products: | Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons. Oxides of nitrogen. |
| Incompatible materials: | Keep away from strong oxidizing agents, strong Lewis or mineral acids. |
| Reactivity: | Not available. |
| Conditions to avoid: | Avoid heating masses of film greater than 1 pound (0.454 kg) total. Avoid heating unless curing surfaces to be bonded. Failure to observe these precautions may result in excessive heat build-up causing an exotherm. |

11. TOXICOLOGICAL INFORMATION

| | |
|-------------------------------------|-----------------------------------|
| Relevant routes of exposure: | Skin, Inhalation, Eyes, Ingestion |
|-------------------------------------|-----------------------------------|

Potential Health Effects/Symptoms

| | |
|----------------------|---|
| Inhalation: | May cause respiratory tract irritation. |
| Skin contact: | Causes skin irritation. May cause allergic skin reaction. |
| Eye contact: | Causes serious eye irritation. |
| Ingestion: | Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. |

| Hazardous Component(s) | LD50s and LC50s | Immediate and Delayed Health Effects |
|---|---|--|
| Phenol polymer with formaldehyde, glycidyl ether | None | Allergen, Irritant |
| Formaldehyde, polymer with (chloromethyl)oxirane and phenol | None | No Data |
| Formaldehyde-phenol polymer diglycidyl ether | None | No Data |
| Formaldehyde, polymer with epichlorohydrin and o-cresol | None | Irritant, Allergen |
| Aluminium hydroxide | Oral LD50 (Rat) = > 5,000 mg/kg Inhalation LC50 (Rat, 4 h) = > 0.888 mg/l Inhalation LC50 (Rat, 4 h) = > 2.3 mg/l | Irritant, Lung, Respiratory |
| Quaternary ammonium compounds, benzyl(hydrogenated tallow alkyl)dimethyl, stearates, salts with bentonite | None | No Records |
| Glass, oxide, chemicals | None | Allergen, Respiratory |
| 4,4'-Oxydi(benzenesulphonohydrazide) | None | Adrenals, Irritant, Kidney, Liver, Mutagen, Nervous System |
| 1,4-Phenylenediamine-terephthaloyl chloride copolymer | None | Irritant, Lung |
| Triglycidyl-p-aminophenol | None | Allergen, Irritant, Mutagen |
| Quartz (SiO ₂) respirable particulates (RCS) ≥10% | None | No Data |

| Hazardous Component(s) | NTP Carcinogen | IARC Carcinogen | OSHA Carcinogen (Specifically Regulated) |
|---|--|-----------------|--|
| Phenol polymer with formaldehyde, glycidyl ether | No | No | No |
| Formaldehyde, polymer with (chloromethyl)oxirane and phenol | No | No | No |
| Formaldehyde-phenol polymer diglycidyl ether | No | No | No |
| Formaldehyde, polymer with epichlorohydrin and o-cresol | No | No | No |
| Aluminium hydroxide | No | No | No |
| Quaternary ammonium compounds, benzyl(hydrogenated tallow alkyl)dimethyl, stearates, salts with bentonite | No | No | No |
| Glass, oxide, chemicals | Reasonably Anticipated to be a Human Carcinogen. | No | No |
| 4,4'-Oxydi(benzenesulphonohydrazide) | No | No | No |
| 1,4-Phenylenediamine-terephthaloyl chloride copolymer | No | No | No |
| Triglycidyl-p-aminophenol | No | No | No |
| Quartz (SiO ₂) respirable particulates (RCS) ≥10% | Known To Be Human Carcinogen. | Group 1 | Yes |

12. ECOLOGICAL INFORMATION

Ecological information: Not available.

13. DISPOSAL CONSIDERATIONS

Information provided is for unused product only.

Recommended method of disposal: Dispose of according to Federal, State and local governmental regulations.

14. TRANSPORT INFORMATION

The transport information provided in this section only applies to the material/formulation itself, and is not specific to any package/configuration.

U.S. Department of Transportation Ground (49 CFR)

| | |
|----------------------------------|---------------|
| Proper shipping name: | Not regulated |
| Hazard class or division: | None |
| Identification number: | None |
| Packing group: | None |

International Air Transportation (ICAO/IATA)

| | |
|----------------------------------|---------------|
| Proper shipping name: | Not regulated |
| Hazard class or division: | None |
| Identification number: | None |
| Packing group: | None |

Water Transportation (IMO/IMDG)

| | |
|----------------------------------|---------------|
| Proper shipping name: | Not regulated |
| Hazard class or division: | None |
| Identification number: | None |
| Packing group: | None |

15. REGULATORY INFORMATION

United States Regulatory Information

| | |
|---|---|
| TSCA 8 (b) Inventory Status: | All components are listed as active or are exempt from listing on the Toxic Substances Control Act (TSCA) inventory. |
| TSCA 12 (b) Export Notification: | None above reporting de minimis |
| CERCLA/SARA Section 302 EHS: | None above reporting de minimis. |
| CERCLA/SARA Section 311/312: | Immediate Health, Delayed Health |
| CERCLA/SARA Section 313: | None above reporting de minimis. |
| California Proposition 65: | This product contains a chemical known in the State of California to cause cancer. This product contains a chemical known to the State of California to cause birth defects or other reproductive harm. |

Canada Regulatory Information

| | |
|------------------------------|---|
| CEPA DSL/NDSL Status: | Contains one or more components listed on the Non-Domestic Substances List. All other components are listed on or are exempt from listing on the Domestic Substances List. Components listed on the NDSL must be tracked by all Canadian Importers of Record as required by Environment Canada. They may be imported into Canada in limited quantities. Please contact Regulatory Affairs for additional details. |
|------------------------------|---|

16. OTHER INFORMATION

This safety data sheet contains changes from the previous version in sections: 2,3,7,8,11,13,15

Prepared by: Regulatory Affairs

Issue date: 03/17/2022

DISCLAIMER: The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Corporation and its affiliates ("Henkel") does not assume responsibility for any results obtained by persons over whose methods Henkel has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any Henkel's products. In light of the foregoing, Henkel specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel's products. Henkel further disclaims any liability for consequential or incidental damages of any kind, including lost profits.

This Safety Data Sheet has been generated based on OSHA Hazard Communication Standard (29 CFR 1910.1200) and provides information in accordance with U.S. federal law only. No warranty or representation of any kind is given with respect to the substantive or export laws of any other jurisdiction or country. Please confirm that the information provided herein conforms to the substantive export or other law of any other jurisdiction prior to export. Please contact Henkel Product Safety and Regulatory Affairs for additional assistance.