

Bioact™ SC-22

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 8/31/2022 Version: 1.0

SECTION 1: Identification	
1.1. Identification	
Product form Product name Product code	: Mixture : Bioact™ SC-22 : SC22
1.2. Recommended use and restrict	tions on use
Recommended use Restrictions on use	Technical cleaning solventProduct for industrial use only
1.3. Supplier	
Vantage Specialties, Inc. 3938 Porett Drive Gurnee, IL 60031 USA T +1 847-244-3410 msds.pm.us@vantagegrp.com	
1.4. Emergency telephone number	
Emergency number	: For Chemical Emergency Call CHEMTREC 24hr/day 7days/week Within USA and Canada: 1-800-424-9300 Outside USA and Canada: 1-703-527-3887 (collect calls accepted)
SECTION 2: Hazard(s) identifica	ition

2.1. Classification of the substance or mixture

GHS US classification

Flammable liquids Category 4	H227	Combustible liquid
Skin corrosion/irritation Category 2	H315	Causes skin irritation
Serious eye damage/eye irritation Category 2B	H320	Causes eye irritation
Full text of H statements : see section 16		

2.2. GHS Label elements, including precautionary statements

GHS US labeling

Hazard pictograms (GHS US)

Signal word (GHS US) Hazard statements (GHS US)

Precautionary statements (GHS US)

- : Warning
- : H227 Combustible liquid
 - H315 Causes skin irritation
 - H320 Causes eye irritation
- : P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
 - P264 Wash hands, forearms and face thoroughly after handling.
 - P280 Wear protective gloves/protective clothing/eye protection/face protection.
 - P302+P352 If on skin: Wash with plenty of water.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

contact lenses, if present and easy to do. Continue rinsing.

P321 - Specific treatment (see supplemental first aid instruction on this label).

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS US classification
1-Butoxy-2-propanol	CAS-No.: 5131-66-8	60 - 100	Skin Irrit. 2, H315 Eye Irrit. 2, H319

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures	
4.1. Description of first aid measures	
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Call a poison center/doctor/physician if you feel unwell.
4.2. Most important symptoms and ef	fects (acute and delayed)
Symptoms/effects after skin contact	: Irritation.
Symptoms/effects after eye contact	: Mild eye irritation.
4.3. Immediate medical attention and	special treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures		
5.1. Suitable (and unsuitable) extin	guishing media	
Suitable extinguishing media Unsuitable extinguishing media	Water spray. Dry powder. Foam. Carbon dioxide.Do not use a solid water stream as it may scatter and spread fire.	
5.2. Specific hazards arising from t	he chemical	
Fire hazard	: Combustible liquid.	

File Hazalu	
Hazardous decomposition products in case of fire	: Carbon dioxide. Carbon monoxide.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

5.3. Special protective equipment and precautions for fire-fighters Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. SECTION 6: Accidental release measures 6.1. Personal precautions, protective equipment and emergency procedures 6.1.1. For non-emergency personnel

eyes. 6.1.2. For emergency responders

Protective equipment

Emergency procedures

: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

: Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with skin and

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up	
Methods for cleaning up	: Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.
Other information	: Dispose of materials or solid residues at an authorized site.
6.4. Reference to other sections	

For further information refer to section 13.

SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
Precautions for safe handling	: Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear personal protective equipment. Avoid contact with skin and eyes.	
Hygiene measures 7.2. Conditions for safe storage, ir	: Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.	
Storage conditions	: Store in a well-ventilated place. Keep cool.	

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Bioact™ SC-22

No additional information available

1-Butoxy-2-propanol (5131-66-8)

No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

8.2. Appropriate engineering controls

Appropriate engineering controls Environmental exposure controls : Ensure good ventilation of the work station.

onmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

and protection:	
otective gloves	
re protection:	
fety glasses	
in and body protection:	
ear suitable protective clothing	
espiratory protection:	
case of insufficient ventilation, wear suitable respiratory equipment	

Personal protective equipment symbol(s):



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	Liquid
Physical state	: Liquid : Colorless
Color	
Odor	: characteristic
Odor threshold	: No data available
рН	: 6 – 8 (5% aqueous)
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: 170 – 229 °C
Flash point	: 62 °C (Closed cup)
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: May burn if exposed to open flames.
Vapor pressure	: 0.5 mm Hg
Relative vapor density at 20 °C	: >1 (air = 1)
Relative density	: 0.88 @ 25°C
Solubility	: Partially soluble.
	Water: %
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: 3 cP @25°C
Explosion limits	: No data available
Explosive properties	: None reported.
Oxidizing properties	: None reported.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Direct sunlight. extreme temperatures. Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Carbon dioxide. Carbon monoxide.

SECTION 11: Toxicological information	
11.1. Information on toxicological effects	
Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (inhalation)	 Not classified Not classified Not classified
1-Butoxy-2-propanol (5131-66-8)	
LD50 oral rat	1900 mg/kg
LD50 dermal rat	> 2000 mg/kg
LD50 dermal rabbit	3100 mg/kg Source: NLM;chemIDplus, TOMES;LOLI;
Skin corrosion/irritation Serious eye damage/irritation	 Causes skin irritation. pH: 6 – 8 (5% aqueous) Causes eye irritation.
Respiratory or skin sensitization Germ cell mutagenicity	pH: 6 – 8 (5% aqueous) : Not classified : Not classified
Carcinogenicity	: Not classified
Reproductive toxicity STOT-single exposure	: Not classified : Not classified
STOT-repeated exposure 1-Butoxy-2-propanol (5131-66-8)	: Not classified
LOAEL (oral,rat,90 days)	1000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents), Guideline: EU Method B.26 (Sub-Chronic Oral Toxicity Test: Repeated Dose 90-Day Oral Toxicity Study in Rodents)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

1-Butoxy-2-propanol (5131-66-8)	
NOAEL (oral,rat,90 days)	350 mg/kg body weight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents), Guideline: EU Method B.26 (Sub-Chronic Oral Toxicity Test: Repeated Dose 90-Day Oral Toxicity Study in Rodents)
NOAEL (dermal,rat/rabbit,90 days)	880 mg/kg body weight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study)
Aspiration hazard	: Not classified
Viscosity, kinematic	: No data available
Symptoms/effects after skin contact	: Irritation.
Symptoms/effects after eye contact	: Mild eye irritation.

SECTION 12: Ecological information				
12.1. Toxicity				
Ecology - general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.			
1-Butoxy-2-propanol (5131-66-8)				
LC50 - Fish [1]	560 – 1000 mg/l Test organisms (species): Poecilia reticulata			
EC50 - Crustacea [1]	> 1000 mg/l Test organisms (species): Daphnia magna			
12.2. Persistence and degradability				
No additional information available				
12.3. Bioaccumulative potential				
1-Butoxy-2-propanol (5131-66-8)				
Partition coefficient n-octanol/water (Log Pow)	0.98 Source: EPISUITE			
12.4. Mobility in soil				

1-Butoxy-2-propanol (5131-66-8)	
Mobility in soil	9.228

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

In accordance with DOT / TDG / IMDG / IATA				
DOT	TDG	IMDG	ΙΑΤΑ	
14.1. UN number				
Not regulated for transport				
-				

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT	TDG	IMDG	IATA
14.2. Proper Shipping Name			
Not applicable	Not applicable	Not applicable	Not applicable
Transport document description			I
Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(e	s)		
Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group			
Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards			
Not applicable	Not applicable	Not applicable	Not applicable

14.6. Special precautions for user

DOT

No data available

TDG

No data available

IMDG

No data available

ΙΑΤΑ

No data available

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

15.2. International regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of H-phr	ases		
H227	Combustible liquid		
H315	Causes skin irritation		
H319	Causes serious eye irritation		
H320	Causes eye irritation		
NFPA health hazar	d	: 1 - Materials that, under emergency conditions, can cause significant irritation.	
NFPA fire hazard		 initiation. : 2 - Materials that must be moderately heated or exposed to relatively high ambient temperatures before ignition can occur. 	
NFPA reactivity		: 0 - Material that in themselves are normally stable, even under fire conditions.	
Hazard Rating			
Health			
Flammability		 2 Moderate Hazard - Materials which must be moderately heated or exposed to high ambient temperatures before ignition will occur. Includes liquids having a flash point at or above 100 F but below 200 F. (Classes II & IIIA) 	
Physical			
Personal protection		: B - Safety glasses, Gloves	

Vantage - Safety Data Sheet (SDS), USA

The information in this safety data sheet (SDS) is believed to be accurate and is given in good faith but no representation or warranty as to its completeness or accuracy is made. Suggestions for uses or applications are only opinions. Users are responsible for determining the suitability of these products for their own particular purpose. No representation or warranty, express or implied, is made with respect to information or products including without limitation warranties of merchantability or fitness for a particular purpose or non-infringement of any third-party patent or other intellectual property rights including without limit copyright, trademark and designs. Any trademarks identified herein are trademarks of Vantage Specialties, Inc.