

RTV157 3TG-Tube (0.198LBS-0.090KG)

SAFETY DATA SHEET

Classified in accordance with 29 CFR 1910.1200

1. Identification

Product identifier: RTV157 3TG-Tube (0.198LBS-0.090KG)

Other means of identification

Synonyms: POLYSILOXANE COMPOUND

Recommended use and restriction on use

Recommended use: Silicone Elastomer

Restrictions on use: For industrial use only.

Manufacturer/Importer/Distributor Information : Momentive Performance Materials USA LLC
2750 Balltown Road,
Niskayuna, NY 12309

Contact person : commercial.services@momentive.com

Telephone : General information
+1-800-295-2392

Emergency telephone number
Supplier : CHEMTREC
1-800-424-9300

2. Hazard(s) identification

Hazard Classification
Not classified

Label Elements

Hazard Symbol: No symbol

Signal Word: No signal word.

Hazard Statement: Not applicable

Precautionary Statements Not applicable

Hazard(s) not otherwise classified (HNOC): None.

RTV157 3TG-Tube (0.198LBS-0.090KG)

Substance(s) formed under the conditions of use: Generates acetic acid during cure.

3. Composition/information on ingredients**Mixtures**

Composition Comments: The components are not hazardous or are below required disclosure limits.

4. First-aid measures

Ingestion: If swallowed, do NOT induce vomiting. Give a glass of water.

Inhalation: If inhaled, remove to fresh air. If not breathing give artificial respiration using a barrier device. If breathing is difficult give oxygen. Get medical attention.

Skin Contact: To clean from skin, remove completely with a dry cloth or paper towel, before washing with detergent and water. If skin irritation occurs: Get medical advice/attention.

Eye contact: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Most important symptoms/effects, acute and delayed

Symptoms: Treatment is symptomatic and supportive.

Hazards: No data available.

Indication of immediate medical attention and special treatment needed

Treatment: Treat symptomatically

5. Fire-fighting measures

General Fire Hazards: Use standard firefighting procedures and consider the hazards of other involved materials.

Suitable (and unsuitable) extinguishing media

Suitable extinguishing media: Extinguish with foam, carbon dioxide or dry powder.

Unsuitable extinguishing media: water jet

RTV157 3TG-Tube (0.198LBS-0.090KG)

Specific hazards arising from the chemical: In case of fire, carbon monoxide and carbon dioxide may be formed. Acute overexposure to the products of combustion may result in irritation of the respiratory tract. Pay attention to the corrosive effects arising from contact with water. Measurements at temperatures above 150°C in presence of air (oxygen) have shown that small amounts of formaldehyde are formed due to oxidative degradation.

Special protective equipment and precautions for fire-fighters

Special fire-fighting procedures: Use water spray to keep fire-exposed containers cool.

Special protective equipment for fire-fighters: Firefighters must wear NIOSH/MSHA approved positive pressure self-contained breathing apparatus with full face mask and full protective clothing.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: Avoid contact with skin and eyes. Use only in well-ventilated areas. Remove contact lenses before using sealant. Do not handle lenses until all sealant has been cleaned from the finger and hands. Product releases acetic acid during application and curing. Attention: Not for injection into humans. Keep out of reach of children. See Section 8 of the SDS for Personal Protective Equipment.

Methods and material for containment and cleaning up: Wipe, scrape or soak up in an inert material and put in a container for disposal. Wash walking surfaces with detergent and water to reduce slipping hazard. Wear proper protective equipment as specified in the protective equipment section.

7. Handling and storage

Precautions for safe handling: Sensitivity to static discharge is not expected.

Conditions for safe storage, including any incompatibilities: Keep away from heat, sparks and open flame.

8. Exposure controls/personal protection

Control Parameters

Occupational Exposure Limits

None of the components have assigned exposure limits.

Appropriate Engineering Controls

Eye wash facilities and emergency shower must be available when handling this product. Use only in well-ventilated areas.

Individual protection measures, such as personal protective equipment

General information: Wear suitable gloves and eye/face protection.

Eye/face protection: Safety glasses with side shields

RTV157 3TG-Tube (0.198LBS-0.090KG)

Skin Protection

Hand Protection: Rubber gloves are recommended.

Other: Wear suitable protective clothing and eye/face protection.

Respiratory Protection: If inhalation exposure is expected, NIOSH/MSHA approved respiratory protection should be worn. Supplied air respirators may be required for non-routine or emergency situations. Respiratory protection must be provided in accordance with OSHA regulations (see 29CFR 1910.134).

Hygiene measures: Avoid contact with eyes, skin, and clothing. Ensure adequate ventilation, especially in confined areas. Observe good industrial hygiene practices. Wash hands before breaks and immediately after handling the product. When using do not eat, drink or smoke.

9. Physical and chemical properties

Appearance

Physical state: solid

Form: Paste

Color: Gray

Odor: Acetic acid.

Odor threshold: No data available.

pH: Not applicable

Melting point/freezing point: No data available.

Initial boiling point and boiling range: No data available.

Flash Point: > 94 °C (estimated) Product does not flash below 93.3C (200F) during test; no actual flash point >93.3 C was determined.

Evaporation rate: < 1

Flammability (solid, gas): No data available.

Upper/lower limit on flammability or explosive limits

Flammability limit - upper (%): No data available.

Flammability limit - lower (%): No data available.

Explosive limit - upper: No data available.

Explosive limit - lower: No data available.

Heat of combustion: No data available.

Vapor pressure: No data available.

Vapor density: No data available.

Density: ca. 1.1 g/cm³

Relative density: ca. 1.1

Solubility(ies)

Solubility in water: Insoluble

Solubility (other): Insoluble

Partition coefficient (n-octanol/water) Log

Pow:

Auto-ignition temperature: No data available.

SDS_US

RTV157 3TG-Tube (0.198LBS-0.090KG)

| | |
|-----------------------------------|--------------------|
| Decomposition temperature: | No data available. |
| SADT: | No data available. |
| Viscosity, dynamic: | No data available. |
| Viscosity, kinematic: | No data available. |
| VOC: | 36 g/l ; |

10. Stability and reactivity

| | |
|--|--|
| Reactivity: | No dangerous reaction if used as recommended. |
| Chemical Stability: | Material is stable under normal conditions. |
| Possibility of hazardous reactions: | Hazardous polymerization does not occur. |
| Conditions to avoid: | Keep away from moisture. |
| Incompatible Materials: | Strong Acids, Strong Bases Water. |
| Hazardous Decomposition Products: | Carbon dioxide Oxides of silicon. Acetic acid. Measurements at temperatures above 150°C in presence of air (oxygen) have shown that small amounts of formaldehyde are formed due to oxidative degradation. |

11. Toxicological information

Information on likely routes of exposure

| | |
|----------------------|--------------------|
| Ingestion: | No data available. |
| Inhalation: | No data available. |
| Skin Contact: | No data available. |
| Eye contact: | No data available. |

Symptoms related to the physical, chemical and toxicological characteristics

| | |
|----------------------|--------------------|
| Ingestion: | No data available. |
| Inhalation: | No data available. |
| Skin Contact: | No data available. |
| Eye contact: | No data available. |

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

| | |
|-----------------|------------------------|
| Oral | |
| Product: | ATEmix: 7,278.04 mg/kg |

| | |
|-----------------|--|
| Dermal | |
| Product: | Not classified for acute toxicity based on available data. |

RTV157 3TG-Tube (0.198LBS-0.090KG)

Inhalation

Product: Not classified for acute toxicity based on available data.

Repeated dose toxicity

Product: No data available.

Skin Corrosion/Irritation

Product: No data available.

Serious Eye Damage/Eye Irritation

Product: No data available.

Respiratory or Skin Sensitization

Product: No data available.

Carcinogenicity

Product: No data available.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

US. National Toxicology Program (NTP) Report on Carcinogens:

No carcinogenic components identified

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended:

No carcinogenic components identified

Germ Cell Mutagenicity

In vitro

Product: No data available.

In vivo

Product: No data available.

Reproductive toxicity

Product: No data available.

Specific Target Organ Toxicity - Single Exposure

Product: No data available.

Specific Target Organ Toxicity - Repeated Exposure

Product: No data available.

Aspiration Hazard

Product: No data available.

Other effects: Acetic acid released during curing. None.

RTV157 3TG-Tube (0.198LBS-0.090KG)

12. Ecological information

Ecotoxicity:

Acute hazards to the aquatic environment:

Fish

Product: No data available.

Aquatic Invertebrates

Product: No data available.

Chronic hazards to the aquatic environment:

Fish

Product: No data available.

Aquatic Invertebrates

Product: No data available.

Toxicity to Aquatic Plants

Product: No data available.

Persistence and Degradability

Biodegradation

Product: No data available.

BOD/COD Ratio

Product: No data available.

Bioaccumulative potential

Bioconcentration Factor (BCF)

Product: No data available.

Partition Coefficient n-octanol / water (log Kow)

Product: No data available.

Mobility in soil: No data available.

Other adverse effects: No data available.

13. Disposal considerations

General information:

The generation of waste should be avoided or minimized wherever possible. See Section 8 for information on appropriate personal protective equipment. Do not discharge into drains, water courses or onto the ground.

Disposal instructions:

Disposal should be made in accordance with federal, state and local regulations.

Contaminated Packaging:

Dispose of as unused product.

RTV157 3TG-Tube (0.198LBS-0.090KG)

14. Transport information

DOT

Not regulated.

IMDG

Not regulated.

IATA

Not regulated.

Special precautions for user:

This product is not regarded as dangerous goods according to the national and international regulations on the transport of dangerous goods.

15. Regulatory information

US Federal Regulations

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

None present or none present in regulated quantities.

US. Toxic Substances Control Act (TSCA) Section 5(a)(2) Final Significant New Use Rules (SNURs) (40 CFR 721, Subpt E)

None present or none present in regulated quantities.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended

Chemical Identity

OSHA hazard(s)

Dimethylpolysiloxane
Siloxanes and Silicones,
di-Me, polymers with Me
silsesquioxanes, hydroxy-
terminated

CERCLA Hazardous Substance List (40 CFR 302.4):

None present or none present in regulated quantities.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Not classified

SARA 302 Extremely Hazardous Substance

None present or none present in regulated quantities.

RTV157 3TG-Tube (0.198LBS-0.090KG)

SARA 304 Emergency Release Notification

None present or none present in regulated quantities.

SARA 311/312 Hazardous Chemical

None present or none present in regulated quantities.

US. EPCRA (SARA Title III Section 313 Toxic Chemical Release Inventory (TRI) Reporting

None present or none present in regulated quantities.

Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

None present or none present in regulated quantities.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):

None present or none present in regulated quantities.

US State Regulations

US. California Proposition 65



WARNING: This product can expose you to chemicals including (1) TITANIUM DIOXIDE, (1) Carbon Black, which is [are] known to the State of California to cause cancer.

For more information go to www.P65Warnings.ca.gov.

US. New Jersey Worker and Community Right-to-Know Act

Chemical Identity

Dimethylpolysiloxane

Silanamine, 1,1,1-trimethyl-N-(trimethylsilyl) -, reaction products with ammonia, octamethylcyclotetrasiloxane and silica

Siloxanes and Silicones, di-Me, polymers with Me silsesquioxanes, hydroxy-terminated

Methyltriacetoxysilane

METHYLDIACETOXYISOPROPOXYSILANE

US. Massachusetts RTK - Substance List

No ingredient regulated by MA Right-to-Know Law present.

US. Pennsylvania RTK - Hazardous Substances

No ingredient regulated by PA Right-to-Know Law present.

US. Rhode Island RTK

No ingredient regulated by RI Right-to-Know Law present.

RTV157 3TG-Tube (0.198LBS-0.090KG)
Inventory Status:

| | | |
|--|--|---|
| Australia Industrial Chem. Act (AIC): | On or in compliance with the inventory | Remarks: None. |
| Canada DSL Inventory List: | Q (quantity restricted) | Remarks: Please contact your supplier for further information on the inventory status of this material. |
| Canada NDSL Inventory: | Not in compliance with the inventory. | Remarks: None. |
| China Inv. Existing Chemical Substances: | On or in compliance with the inventory | Remarks: None. |
| Japan (ENCS) List: | On or in compliance with the inventory | Remarks: None. |
| Korea Existing Chemicals Inv. (KECI): | On or in compliance with the inventory | Remarks: None. |
| New Zealand Inventory of Chemicals: | On or in compliance with the inventory | Remarks: None. |
| Philippines PICCS: | On or in compliance with the inventory | Remarks: None. |
| Taiwan Chemical Substance Inventory: | On or in compliance with the inventory | Remarks: None. |
| US TSCA Inventory: | On or in compliance with the inventory | Remarks: Commercial Status: Active |
| REACH: | If purchased from Momentive Performance Materials GmbH in Leverkusen, Germany, all substances in this product have been registered by Momentive Performance Materials GmbH or upstream in our supply chain or are exempt from registration under Regulation (EC) No 1907/2006 (REACH). For polymers, this includes the constituent monomers and other reactants. | Remarks: None. |

16. Other information, including date of preparation or last revision
HMIS Hazard ID

| | |
|----------------------------|--------------------------------|
| Health | <input type="text" value="0"/> |
| Flammability | <input type="text" value="0"/> |
| Physical Hazards | <input type="text" value="1"/> |
| PERSONAL PROTECTION | <input type="text"/> |

Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; RNP - Rating not possible; *Chronic health effect

Issue Date: 07/05/2023

SDS_US

10/11

RTV157 3TG-Tube (0.198LBS-0.090KG)

Revision Date: No data available.

Version #: 5.3

Further Information: No data available.

Disclaimer:

Notice to reader

Unless otherwise specified in section 1, Momentive products are intended for use in the manufacture and/or formulation of products and are not intended for direct consumer use. These products are not intended for long-lasting (> 30 days) implantation, injection or direct ingestion into the human body, nor for use in the manufacture of multiple use contraceptives. Keep out of the reach of children.

Further Information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

® and TM indicate trademarks owned by or licensed to Momentive.