

Revision Date: 09/17/2024

RTV664

SAFETY DATA SHEET

Classified in accordance with 29 CFR 1910.1200

1. Identification

Product identifier: RTV664

Other means of identification

Synonyms: Curing Agent

Recommended use and restriction on use

Recommended use: Silicone Elastomer (B) Restrictions on use: For industrial use only.

Manufacturer/Importer/Distr :

ibutor Information

: Momentive Performance Materials USA LLC

2750 Balltown Road,

Niskayuna, NY 12309

Contact person : commercial.services@momentive.com

Telephone : General information

+1-800-295-2392

Emergency telephone

number

Supplier : CHEMTREC

1-800-424-9300

2. Hazard(s) identification

Hazard Classification

Physical Hazards

Flammable liquids Category 4

Health Hazards

Toxic to reproduction Category 1B

Label Elements

Hazard Symbol:

SDS_US 1/15



Revision Date: 09/17/2024

RTV664



Signal Word: Danger

Hazard Statement: H227; Combustible liquid.

H360Fd; May damage fertility. Suspected of damaging the unborn child.

Precautionary Statements

Prevention: Obtain special instructions before use. Do not handle until all safety

precautions have been read and understood. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear protective gloves/ eye protection/ face protection. Use personal

protective equipment as required.

Response: IF exposed or concerned: Get medical advice/attention. In case of fire: Use

alcohol resistant foam for extinction.

Storage: Store in a well-ventilated place. Keep cool. Store locked up.

Disposal: Dispose of contents/ container to an approved facility in accordance with

local, regional, national and international regulations.

Hazard(s) not otherwise

classified (HNOC):

Static accumulating flammable liquid can become electrostatically charged even in bonded and grounded equipment. Sparks may ignite liquid and

vapor. May cause flash fire or explosion.

Substance(s) formed under the

conditions of use:

Reacts with water or alcohol in presence of acids or bases to release

hydrogen (flammable gas).

3. Composition/information on ingredients

SDS_US 2/15



Revision Date: 09/17/2024

RTV664

Mixtures

Chemical Identity	CAS number	Content in percent (%)*	Notes
Cyclotetrasiloxane, 2,4,6,8-tetraethenyl-2,4,6,8-tetramethyl-	2554-06-5	0.3 - <1%	No data available.
Silicic acid (H4SiO4), tetraethyl ester, reaction products with chlorodimethylsilane	68988-57-8	47.0508%	No data available.
Toluene	108-88-3	0.1 - <1%	# This substance has workplace exposure limit(s).

^{*} All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

General information: No action shall be taken involving any personal risk or without suitable

training.

Ingestion: Rinse mouth thoroughly. Get medical attention.

Inhalation: Move to fresh air. Get medical attention if symptoms occur.

Skin Contact: After contact with skin, remove product mechanically. Wash area with soap

and water.

Eye contact: Rinse the eye with water immediately. If eye irritation persists: Get medical

advice/attention.

Most important symptoms/effects, acute and delayed

Symptoms: No data available.

Hazards: No data available.

Indication of immediate medical attention and special treatment needed

Treatment: Treatment is symptomatic and supportive.

5. Fire-fighting measures

General Fire Hazards: Promptly isolate the scene by removing all persons from the vicinity of the

incident if there is a fire. Move containers from fire area if you can do so

without risk.

SDS_US 3/15



Revision Date: 09/17/2024

RTV664

Suitable (and unsuitable) extinguishing media

Suitable extinguishing

media:

Extinguish with foam, carbon dioxide or dry powder.

Unsuitable extinguishing

media:

Water.

Specific hazards arising from

the chemical:

This product may generate the flammable gas (hydrogen) when exposed to acidic or basic water and will intensify the fire, or possibly explode if

confined in a container.

If contamination occurs, pressure build up caused by hydrogen gas generation in sealed containers can cause bulging, rupture, or even violent explosion. In case of fire, carbon monoxide and carbon dioxide may be formed. Acute overexposure to the products of combustion may result in

irritation of the respiratory tract.

Special protective equipment and precautions for fire-fighters

Special fire-fighting

procedures:

Use water spray to keep fire-exposed containers cool.

Special protective equipment

for fire-fighters:

Firefighters must wear NIOSH/MSHA approved positive pressure selfcontained breathing apparatus with full face mask and full protective

clothing.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Use personal protective equipment. Avoid contact with eyes, skin, and clothing. See Section 8 of the SDS for Personal Protective Equipment.

Wipe, scrape or soak up in an inert material and put in a container for

Methods and material for containment and cleaning

disposal. Wear proper protective equipment as specified in the protective equipment section.

up:

Notification Procedures: ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). See Section 8 of the SDS for Personal Protective

Equipment.

Environmental Precautions:

Do not allow runoff to sewer, waterway or ground.

SDS_US 4/15



Revision Date: 09/17/2024

7. Handling and storage

Precautions for safe handling:

Product may charge electrostatically during pouring or filling. Pack only into unbreakable packing materials (no glass containers!) to avoid contact with substances mentioned in Section 10. Wear appropriate personal protective equipment. When using do not eat, drink or smoke. This product may generate hydrogen gas. Keep away from ignition source. Empty container after use should be stored in separate area, and be disposed after degassing completely. Keep away from sources of ignition - No smoking.

Conditions for safe storage, including any incompatibilities:

Keep away from heat, sparks, and open flame. Small amounts of hydrogen may be evolved during shipping and storage, creating a potential for container swelling. Excessive swelling may result in rupturing of the container. Accordingly, if containers swell, vent containers to relieve pressure. Take appropriate precautionary measures when opening to prevent ignition of any hydrogen present.

Use original container or packaging of similar material of construction

8. Exposure controls/personal protection

Control Parameters

Occupational Exposure Limits

Chemical Identity	Туре	Exposure Lim	nit Values	Source
Toluene	TWA	20 ppm		US. ACGIH Threshold Limit Values, as amended (03 2015)
	TWA	100 ppm	375 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended (1989)
	STEL	150 ppm	560 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended (1989)
	TWA	200 ppm		US. OSHA Table Z-2 (29 CFR 1910.1000), as amended (02 2006)
	Ceiling	300 ppm		US. OSHA Table Z-2 (29 CFR 1910.1000), as amended (02 2006)
	MAX. CONC	500 ppm		US. OSHA Table Z-2 (29 CFR 1910.1000), as amended (02 2006)
	Ceiling	500 ppm		US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants, as amended (01 2015)
	STEL	150 ppm	560 mg/m3	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants, as amended (01 2015)
	TWA PEL	10 ppm	37 mg/m3	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants, as amended (01 2015)

RTV664

SDS_US 5/15



Revision Date: 09/17/2024

RTV664

Biological Limit Values

Exposure Limit Values	Source
0.3 mg/g (Creatinine in urine)	ACGIH BEI (03 2015)
0.02 mg/l (Blood)	ACGIH BEI (03 2015)
0.03 mg/l (Urine)	ACGIH BEI (03 2015)
	0.3 mg/g (Creatinine in urine) 0.02 mg/l (Blood)

Appropriate Engineering

Controls

Eye wash facilities and emergency shower must be available when

handling this product.

Individual protection measures, such as personal protective equipment

General information: Eyewash bottle with clean water. Use only in well-ventilated areas. Do not

eat, drink or smoke when using the product. Wash hands after handling.

Avoid contact with skin and eyes.

Eye/face protection: Safety glasses with side shields

Skin Protection

Hand Protection: Use chemical-resistant, impervious gloves.

Other: Wear suitable protective clothing, gloves and eye/face protection.

Respiratory Protection: If inhalation exposure is expected, NIOSH/MSHA approved respiratory

protection should be worn. Supplied air respirators may be required for non-routine or emergency situations. Respiratory protection must be provided in

accordance with OSHA regulations (see 29CFR 1910.134).

Hygiene measures: Avoid contact with eyes, skin, and clothing. Wear suitable gloves and

eye/face protection. Wash hands after handling. When using do not eat,

drink or smoke.

9. Physical and chemical properties

Appearance

Physical state: liquid
Form: liquid
Color: Dark blue
Odor: Faint

Odor threshold:

pH:

No data available.

Not applicable

No data available.

No data available.

Initial boiling point and boiling range:

ca. 260.00 °C

Flash Point: ca. 71.00 °C (Closed Cup)

SDS_US 6/15



Revision Date: 09/17/2024

RTV664

ca. 1.05

No data available.

Evaporation rate:No data available.
Flammability (solid, gas):
No data available.

Upper/lower limit on flammability or explosive limits

Flammability limit - upper (%):

Flammability limit - lower (%):

Explosive limit - upper:

Explosive limit - lower:

No data available.

Vapor pressure: No data available.

Vapor density:No data available.Density:ca. 1.05 g/cm3

Relative density:

Solubility(ies)

Solubility in water: Insoluble Solubility (other): Insoluble

Partition coefficient (n-octanol/water) Log

Pow:

Auto-ignition temperature:

Decomposition temperature:

No data available.

VOC: 5 g/l ;

10. Stability and reactivity

Reactivity: No dangerous reaction if used as recommended.

Chemical Stability: Material is stable under normal conditions.

Possibility of hazardous

reactions:

Product generates flammable gas on contact with acids, bases or oxidizing

substances.

Conditions to avoid: Keep away from moisture. Keep away from heat, sparks and open flame.

Incompatible Materials: Strong Acids, Strong Bases Oxidizing agents.

Hazardous Decomposition

Products:

Flammable hydrogen gas. Carbon oxides Oxides of silicon. Measurements at temperatures above 150°C in presence of air (oxygen) have shown that small amounts of formaldehyde are formed due to oxidative degradation.

SDS_US 7/15



Revision Date: 09/17/2024

RTV664

11. Toxicological information

Information on likely routes of exposure

Ingestion: No data available.

Inhalation: No data available.

Skin Contact: No data available.

Eye contact: No data available.

Symptoms related to the physical, chemical and toxicological characteristics

Ingestion: No data available.

Inhalation: No data available.

Skin Contact: No data available.

Eye contact: No data available.

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral

Product: Not classified for acute toxicity based on available data.

Specified substance(s):

Toluene LD 50 (Rat): > 5,000 mg/kg

Dermal

Product: Not classified for acute toxicity based on available data.

Specified substance(s):

Toluene LD 50 (Rabbit): 12,124 mg/kg

Inhalation

Product: Not classified for acute toxicity based on available data.

Specified substance(s):

Toluene LC50 (Rat): 30.6 mg/l

Repeated dose toxicity

Product: No data available.

SDS_US 8/15



Revision Date: 09/17/2024

RTV664

Skin Corrosion/Irritation

Product: No data available.

Serious Eye Damage/Eye Irritation

Product: (Rabbit): No eye irritation

Respiratory or Skin Sensitization

Product: Magnusson-Kligmann (Guinea Pig): In tests with guinea-pigs, the product did

not show a sensitising effect (OECD 406; GPMT according to Magnusson-

Kligman).

Carcinogenicity

Product: No data available.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053), as amended:

No carcinogenic components identified

Germ Cell Mutagenicity

In vitro

Product: No data available.

In vivo

Product: No data available.

Reproductive toxicity

Product: No data available.

Specific Target Organ Toxicity - Single Exposure

Product: No data available.

Specific Target Organ Toxicity - Repeated Exposure

Product: No data available.

Aspiration Hazard

Product: No data available.

Other effects: No data available.

12. Ecological information

Ecotoxicity:

Acute hazards to the aquatic environment:

SDS_US 9/15



Revision Date: 09/17/2024

RTV664

Fish

Product: LC0 (Leuciscus idus, 96 h): 200 mg/l

Aquatic Invertebrates

Product: No data available.

Specified substance(s):

Toluene LC0 (Daphnia magna): 93 mg/l

(Daphnia magna): 270 mg/l

Chronic hazards to the aquatic environment:

Fish

Product: No data available.

Aquatic Invertebrates

Product: No data available.

Toxicity to Aquatic Plants

Product: No data available.

Persistence and Degradability

Biodegradation

Product: No data available.

BOD/COD Ratio

Product: No data available.

Bioaccumulative potential

Bioconcentration Factor (BCF)

Product: No data available.

Partition Coefficient n-octanol / water (log Kow)

Product: No data available.

Mobility in soil: No data available.

Known or predicted distribution to environmental compartments

SDS_US 10/15



Revision Date: 09/17/2024

RTV664

Cyclotetrasiloxane, 2,4,6,8-

tetraethenyl-2,4,6,8-

tetramethyl-

Silicic acid (H4SiO4), tetraethyl ester, reaction

products with chlorodimethylsilane

chlorodimethylsilane Toluene

No data available.

Other adverse effects: No data available.

13. Disposal considerations

General information: The generation of waste should be avoided or minimized wherever

possible. See Section 8 for information on appropriate personal protective equipment. Do not discharge into drains, water courses or onto the ground.

Disposal instructions: Disposal should be made in accordance with federal, state and local

regulations.

No data available.

No data available.

Contaminated Packaging: Dispose of as unused product.

14. Transport information

DOT

UN number or ID number: NA 1993

UN Proper Shipping Name: Combustible liquid, n.o.s. (Silicic acid (H4SiO4), tetraethyl

ester, reaction products with chlorodimethylsilane)

Transport Hazard Class(es): CBL Packing Group:

Environmental Hazards

Environmentally Hazardous: No Marine Pollutant: No

IATA

Not Regulated.

IMDG Code

Not Regulated.

SDS_US 11/15



Revision Date: 09/17/2024

RTV664

Special precautions for user:

This product is not prohibited for air shipment by national or international regulations on the transport of dangerous goods. However, as a result of the potential formation of hydrogen gas under certain conditions, Momentive Performance Materials recommends that this product should be shipped using a mode of transportation other than air (IATA-C, IATA-P).

This product is Combustible as defined by the US Department of Transportation (DOT). It is regulated for transport in the US in container > 119 gallons. The product is not regulated for transport by the IATA, ADR/RID, ADNR or the IMDG regulations.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Product is not transported in bulk.

15. Regulatory information

US Federal Regulations

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

None present or none present in regulated quantities.

US. Toxic Substances Control Act (TSCA) Section 5(a)(2) Final Significant New Use Rules (SNURs) (40 CFR 721, Subpt E)

None present or none present in regulated quantities.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053), as amended

Chemical Identity

OSHA hazard(s)

Silicic acid (H4SiO4), tetraethyl ester, reaction products with chlorodimethylsilane polyvinylsiloxane Polyalkylalkenylsiloxane C.I. PIGMENT BLUE 29

CERCLA Hazardous Substance List (40 CFR 302.4):

None present or none present in regulated quantities.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Flammable (gases, aerosols, liquids, or solids) Reproductive toxicity Hazards Not Otherwise Classified (HNOC)

SDS_US 12/15



Revision Date: 09/17/2024

RTV664

US. EPCRA (SARA Title III) Section 304 Extremely Hazardous Substances Reporting Quantities and the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) Hazardous Substances

None present or none present in regulated quantities.

US. EPCRA (SARA Title III Section 313 Toxic Chemical Release Inventory (TRI) Reporting None present or none present in regulated quantities.

Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

None present or none present in regulated quantities.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):

None present or none present in regulated quantities.

US State Regulations

US. California Proposition 65



WARNING: This product can expose you to chemicals including Toluene, which is [are] known to the State of California to cause birth defects or other reproductive harm.

For more information go to www.P65Warnings.ca.gov.

US. Massachusetts RTK - Substance List

No ingredient regulated by MA Right-to-Know Law present.

US. Pennsylvania RTK - Hazardous Substances

No ingredient regulated by PA Right-to-Know Law present.

US. Rhode Island RTK

No ingredient regulated by RI Right-to-Know Law present.

SDS_US 13/15



Revision Date: 09/17/2024

RTV664

Inventory Status:

Australia Industrial Chem. Act (AIIC):	On or in compliance with the inventory	Remarks: None.
Canada DSL Inventory List:	On or in compliance with the inventory Remarks: None.	
Canada NDSL Inventory:	Not in compliance with the inventory.	Remarks: None.
China Inv. Existing Chemical Substances:	On or in compliance with the inventory	Remarks: None.
Japan (ENCS) List:	On or in compliance with the inventory	Remarks: None.
Korea Existing Chemicals Inv. (KECI):	On or in compliance with the inventory	Remarks: None.
New Zealand Inventory of Chemicals:	On or in compliance with the inventory	Remarks: None.
Philippines PICCS:	On or in compliance with the inventory	Remarks: None.
Taiwan Chemical Substance Inventory:	On or in compliance with the inventory	Remarks: None.
US TSCA Inventory:	On or in compliance with the inventory	Remarks: Commercial Status: Active

16.Other information, including date of preparation or last revision

HMIS Hazard ID

Health	*	0
Flammability		1
Physical Hazards		0
PERSONAL PROTECTION	DN	

Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; RNP - Rating not possible; *Chronic health effect

Issue Date: 09/17/2024

Revision Date: No data available.

Version #: 6.1

Further Information: No data available.

SDS_US 14/15



Revision Date: 09/17/2024

RTV664

Disclaimer:

Notice to reader

Unless otherwise specified in section 1, Momentive products are intended for use in the manufacture and/or formulation of products and are not intended for direct consumer use. These products are not intended for long-lasting (> 30 days) implantation, injection or direct ingestion into the human body, nor for use in the manufacture of multiple use contraceptives. Keep out of the reach of children.

Further Information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warrantyor quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

® and TM indicate trademarks owned by or licensed to Momentive.

SDS_US 15/15



Revision Date: 10/08/2024

RTV664

SAFETY DATA SHEET

Classified in accordance with 29 CFR 1910.1200

1. Identification

Product identifier: RTV664

Other means of identification

RTV SILICONE RUBBER Synonyms:

Recommended use and restriction on use

Recommended use: Silicone Elastomer (A)

Restrictions on use: Not known.

Manufacturer/Importer/Distr

ibutor Information

Momentive Performance Materials USA LLC

2750 Balltown Road,

Niskayuna, NY 12309

Contact person commercial.services@momentive.com

Telephone General information

+1-800-295-2392

Emergency telephone

number

Supplier CHEMTREC

1-800-424-9300

2. Hazard(s) identification

Hazard Classification

Not classified

Label Elements

Hazard Symbol: No symbol

Signal Word: No signal word.

Hazard Statement: Not applicable

Precautionary Statements

Not applicable

SDS_US 1/13



Revision Date: 10/08/2024

RTV664

Hazard(s) not otherwise classified (HNOC):

None.

3. Composition/information on ingredients

Mixtures

Chemical Identity	CAS number	Content in percent (%)*	Notes
(1) QUARTZ	14808-60-7	20 - <50%	# This substance has workplace exposure limit(s).
(1) Calcium Carbonate	471-34-1	1 - <5%	# This substance has workplace exposure limit(s).

^{*} All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

Ingestion: If swallowed, do NOT induce vomiting. Give a glass of water. Do not give

victim anything to drink if he is unconscious. Get medical attention.

Inhalation: Move the exposed person to fresh air at once. Provide fresh air, warmth

and rest, preferably in comfortable upright sitting position. Get medical

attention if symptoms persist.

Skin Contact: Wash with soap and water. Get medical attention if symptoms persist.

Eye contact: In case of contact with eyes, rinse immediately with plenty of water and

seek medical advice.

Most important symptoms/effects, acute and delayed

Symptoms: No data available.

Hazards: No data available.

Indication of immediate medical attention and special treatment needed

Treatment: Treatment is symptomatic and supportive.

5. Fire-fighting measures

SDS_US 2/13

⁽¹⁾ The respirable particle(s) listed above are inextricably bound within the polymer matrix, and therefore does not present an inhalation hazard during normal use of this product. Tooling or machining of the cured product (sanding, cutting, milling) may release hazardous, respirable substances.



Revision Date: 10/08/2024

RTV664

General Fire Hazards: Use standard firefighting procedures and consider the hazards of other

involved materials.

Suitable (and unsuitable) extinguishing media

Suitable extinguishing

media:

All standard extinguishing agents are suitable.

Unsuitable extinguishing

media:

Avoid water in straight hose stream; will scatter and spread fire.

Specific hazards arising from

the chemical:

No data available.

Special protective equipment and precautions for fire-fighters

Special fire-fighting

procedures:

No data available.

Special protective equipment

for fire-fighters:

Firefighters must wear NIOSH/MSHA approved positive pressure selfcontained breathing apparatus with full face mask and full protective

clothing.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: Keep container closed. Avoid contact with eyes, skin, and clothing. Keep out of reach of children. See Section 8 of the SDS for Personal Protective Equipment.

Methods and material for containment and cleaning up:

Wipe, scrape or soak up in an inert material and put in a container for disposal. Wash walking surfaces with detergent and water to reduce slipping hazard. Wear proper protective equipment as specified in the protective equipment section.

7. Handling and storage

Precautions for safe handling: Sensitivity to static discharge is not expected. Wear appropriate personal

protective equipment.

Conditions for safe storage,

including any incompatibilities:

Keep container closed.

8. Exposure controls/personal protection

Control Parameters

Occupational Exposure Limits

SDS_US 3/13



Revision Date: 10/08/2024

RTV664

Chemical Identity	Туре	Exposure Limit Values	Source
(1) QUARTZ - Respirable dust.	TWA	0.05 mg/m3	US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053), as amended (03 2016)
	OSHA_AC T	0.025 mg/m3	US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053), as amended (03 2016)
(1) QUARTZ - Respirable dust.	PEL	0.05 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (03 2016)
	TWA	0.1 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended (1989)
	TWA PEL	0.05 mg/m3	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants, as amended (10 2016)
(1) QUARTZ - Respirable	TWA	2.4 millions of particles per cubic foot of air	US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (2000)
	TWA	0.1 mg/m3	US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (2000)
(1) QUARTZ - Respirable fraction.	TWA	0.025 mg/m3	US. ACGIH Threshold Limit Values, as amended (01 2022)
(1) Calcium Carbonate - Inhalable particles.	TWA	10 mg/m3	US. ACGIH Threshold Limit Values, as amended (01 2021)
(1) Calcium Carbonate - Respirable particles.	TWA	3 mg/m3	US. ACGIH Threshold Limit Values, as amended (01 2021)
(1) Calcium Carbonate - Total dust.	PEL	15 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (01 2017)
(1) Calcium Carbonate - Respirable fraction.	PEL	5 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (01 2017)
(1) Calcium Carbonate - Total dust.	TWA	15 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended (1989)
(1) Calcium Carbonate - Respirable fraction.	TWA	5 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended (1989)
	TWA PEL	5 mg/m3	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants, as amended (12 2017)
(1) Calcium Carbonate - Total dust.	TWA PEL	10 mg/m3	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants, as amended (12 2017)
(1) Calcium Carbonate - Respirable fraction.	TWA	5 mg/m3	US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (09 2016)
	TWA	15 millions of particles per cubic foot of air	US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (09 2016)
(1) Calcium Carbonate - Total dust.	TWA	15 mg/m3	US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (09 2016)
	TWA	50 millions of particles per cubic foot of air	US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (09 2016)
	PEL	15 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (01 2017)
(1) Calcium Carbonate - Respirable fraction.	PEL	5 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (01 2017)
(1) Calcium Carbonate -	TWA	15 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000),

SDS_US 4/13



Revision Date: 10/08/2024

RTV664

Total dust.		as amended (1989)	
(1) Calcium Carbonate -	TWA	5 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000),
Respirable fraction.			as amended (1989)

This product contains one or more substances with an occupational exposure limit. However, the respirable particle(s) of this/these substance(s) are inextricably bound within the polymer matrix. Therefore, we do not expect an exposure to this/these substance(s) during normal use of this product. Tooling or machining of the cured product (sanding, cutting, milling) may release hazardous, respirable substances.

Appropriate Engineering

Controls

Eye washes and showers for emergency use.

Individual protection measures, such as personal protective equipment

General information: Ventilation and other forms of engineering controls are preferred for

controlling exposures. Respiratory protection may be needed for non-

routine or emergency situations.

Eye/face protection: Safety glasses with side shields

Skin Protection

Hand Protection: Use chemical-resistant, impervious gloves.

Other: Wear suitable protective clothing and eye/face protection.

Respiratory Protection: If inhalation exposure is expected, NIOSH/MSHA approved respiratory

protection should be worn. Supplied air respirators may be required for non-routine or emergency situations. Respiratory protection must be provided in

accordance with OSHA regulations (see 29CFR 1910.134).

Hygiene measures: Avoid contact with eyes, skin, and clothing. Wear suitable gloves and

eye/face protection.

9. Physical and chemical properties

Appearance

Physical state: liquid
Form: liquid
Color: Pale yellow
Odor: Odorless

Odor threshold:

pH:

No data available.

No data available.

No data available.

Not applicable

Initial boiling point and boiling range:

> 260 °C

Flash Point: > 204 °C (Closed Cup)

Evaporation rate: < 1

Flammability (solid, gas): No data available.

SDS_US 5/13



Revision Date: 10/08/2024

RTV664

Upper/lower limit on flammability or explosive limits

Flammability limit - upper (%):

Flammability limit - lower (%):

Explosive limit - upper:

Explosive limit - lower:

No data available.

No data available.

No data available.

No data available.

Vapor pressure: Negligible

Vapor density: 1.0

Density: ca. 1.28 g/cm3

Relative density: 1.28

Solubility(ies)

Solubility in water: Insoluble

Solubility (other): No data available.

Partition coefficient (n-octanol/water) Log No data available.

Pow:

Auto-ignition temperature: No data available.

Decomposition temperature:Material is stable under normal conditions.

SADT:

Viscosity, dynamic:

No data available.

Not applicable

VOC: 7 g/l ;

10. Stability and reactivity

Reactivity: No dangerous reaction if used as recommended.

Chemical Stability: Material is stable under normal conditions.

Possibility of hazardous

reactions:

Hazardous polymerization does not occur.

Conditions to avoid: Heat, sparks, flames.

Incompatible Materials: Strong Acids, Strong Bases

Hazardous Decomposition

Products:

Carbon Monoxide. Carbon dioxide Silicon dioxide. Measurements at temperatures above 150°C in presence of air (oxygen) have shown that small amounts of formaldehyde are formed due to oxidative degradation.

11. Toxicological information

SDS_US 6/13



Revision Date: 10/08/2024

RTV664

Information on likely routes of exposure

Ingestion: No data available.

Inhalation: No data available.

Skin Contact: No data available.

Eye contact: No data available.

Symptoms related to the physical, chemical and toxicological characteristics

Ingestion: No data available.

Inhalation: No data available.

Skin Contact: No data available.

Eye contact: No data available.

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral

Product: Not classified for acute toxicity based on available data.

Dermal

Product: Not classified for acute toxicity based on available data.

Inhalation

Product: Not classified for acute toxicity based on available data.

Repeated dose toxicity

Product: No data available.

Skin Corrosion/Irritation

Product: No data available.

Serious Eye Damage/Eye Irritation

Product: No data available.

Respiratory or Skin Sensitization

Product: No data available.

Carcinogenicity

Product: No data available.

SDS_US 7/13



Revision Date: 10/08/2024

RTV664

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053), as amended:

No carcinogenic components identified

Germ Cell Mutagenicity

In vitro

Product: No data available.

In vivo

Product: No data available.

Reproductive toxicity

Product: No data available.

Specific Target Organ Toxicity - Single Exposure
Product:

No data available.

Specific Target Organ Toxicity - Repeated Exposure

Product: No data available.

Aspiration Hazard

Product: No data available.

Other effects: No data available.

12. Ecological information

Ecotoxicity:

Acute hazards to the aquatic environment:

Fish

Product: No data available.

Aquatic Invertebrates

Product: No data available.

Chronic hazards to the aquatic environment:

Fish

Product: No data available.

Aquatic Invertebrates

Product: No data available.

SDS_US 8/13



Revision Date: 10/08/2024

RTV664

Toxicity to Aquatic Plants

Product: No data available.

Persistence and Degradability

Biodegradation

Product: No data available.

BOD/COD Ratio

Product: No data available.

Bioaccumulative potential

Bioconcentration Factor (BCF)

Product: No data available.

Partition Coefficient n-octanol / water (log Kow)
Product:
No data available.

Mobility in soil: No data available.

Known or predicted distribution to environmental compartments

(1) QUARTZ No data available.(1) Calcium Carbonate No data available.

Other adverse effects: No data available.

13. Disposal considerations

General information: The generation of waste should be avoided or minimized wherever

possible. See Section 8 for information on appropriate personal protective equipment. Do not discharge into drains, water courses or onto the ground.

Disposal instructions: Disposal should be made in accordance with federal, state and local

regulations.

Contaminated Packaging: Dispose of as unused product.

14. Transport information

DOT

Not Regulated.

SDS_US 9/13



Revision Date: 10/08/2024

RTV664

IATA

Not Regulated.

IMDG Code

Not Regulated.

Special precautions for user: This product is not regarded as dangerous goods according to the

national and international regulations on the transport of

dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Product is not transported in bulk.

15. Regulatory information

US Federal Regulations

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

None present or none present in regulated quantities.

US. Toxic Substances Control Act (TSCA) Section 5(a)(2) Final Significant New Use Rules (SNURs) (40 CFR 721, Subpt E)

None present or none present in regulated quantities.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053), as amended

None present or none present in regulated quantities.

CERCLA Hazardous Substance List (40 CFR 302.4):

None present or none present in regulated quantities.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Not classified

US. EPCRA (SARA Title III) Section 304 Extremely Hazardous Substances Reporting Quantities and the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) Hazardous Substances

None present or none present in regulated quantities.

US. EPCRA (SARA Title III Section 313 Toxic Chemical Release Inventory (TRI) Reporting None present or none present in regulated quantities.

Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

None present or none present in regulated quantities.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):

None present or none present in regulated quantities.

SDS_US 10/13



Revision Date: 10/08/2024

RTV664

US State Regulations

US. California Proposition 65



WARNING: This product can expose you to chemicals including Ethylbenzene, which is [are] known to the State of California to cause cancer.

For more information go to www.P65Warnings.ca.gov.

US. Massachusetts RTK - Substance List

Chemical Identity

(1) QUARTZ

US. Pennsylvania RTK - Hazardous Substances

Chemical Identity

- (1) QUARTZ
- (1) Calcium Carbonate

US. Rhode Island RTK

No ingredient regulated by RI Right-to-Know Law present.

SDS_US 11/13



Revision Date: 10/08/2024

RTV664

Inventory Status:

niveritory etatas:		
Australia AICS:	y (positive listing)	Remarks: None.
Canada DSL Inventory List:	y (positive listing)	Remarks: None.
Japan (ENCS) List:	y (positive listing)	Remarks: None.
China Inventory of Existing	y (positive listing)	Remarks: None.
Chemical Substances:		
Korea Existing Chemicals Inv.	y (positive listing)	Remarks: None.
(KECI):		
Canada NDSL Inventory:	n (negative listing)	Remarks: None.
Philippines PICCS:	y (positive listing)	Remarks: None.
US TSCA Inventory:	y (positive listing)	Remarks: None.
New Zealand Inventory of	y (positive listing)	Remarks: None.
Chemicals:		
Taiwan Chemical Substance	y (positive listing)	Remarks: None.
Inventory:		
REACH:	If purchased from Momentive	Remarks: None.
	Performance Materials GmbH in	
	Leverkusen, Germany, all	
	substances in this product have	
	been registered by Momentive	
	Performance Materials GmbH or	
	upstream in our supply chain or are	
	exempt from registration under	
	Regulation (EC) No 1907/2006	
	(REACH). For polymers, this	
	includes the constituent monomers	
	and other reactants.	

16.Other information, including date of preparation or last revision

HMIS Hazard ID

Health	0
Flammability	1
Physical Hazards	0
PERSONAL PROTECTION	

Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; RNP - Rating not possible; *Chronic health effect

Issue Date: 10/08/2024

Revision Date: No data available.

Version #: 4.0

SDS_US 12/13



Revision Date: 10/08/2024

RTV664

Further Information: No data available.

Disclaimer:

Notice to reader

Unless otherwise specified in section 1, Momentive products are intended for use in the manufacture and/or formulation of products and are not intended for direct consumer use. These products are not intended for long-lasting (> 30 days) implantation, injection or direct ingestion into the human body, nor for use in the manufacture of multiple use contraceptives.

Keep out of the reach of children.

Further Information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warrantyor quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

® and TM indicate trademarks owned by or licensed to Momentive.

SDS_US 13/13