



## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product form : Mixture  
Trade name : NYCO GREASE GN 3058  
Product code : GN3058-1

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Main use category : Industrial use, Professional use  
Use of the substance/mixture : Grease  
Function or use category : Lubricant

#### 1.2.2. Uses advised against

No additional information available

### 1.3. Details of the supplier of the safety data sheet

NYCO  
66 Avenue des Champs Elysées - BP414  
75366 Paris Cedex 08  
France  
T +33 (0)1 45 61 50 00  
[info@nyco-group.com](mailto:info@nyco-group.com), [www.nyco-group.com](http://www.nyco-group.com)

### 1.4. Emergency telephone number

Emergency number : +33 (0)1 45 42 59 59  
INRS/ORFILA (France) : 33 1 45 42 59 59

Country/Area	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH	0344 892 0111	Only for healthcare professionals

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin Sens. 1 H317  
Full text of hazard classes, H- and EUH-statements: see section 16

#### Adverse physicochemical, human health and environmental effects

No additional information available

### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS07

Signal word (CLP) : Warning  
Contains : Naphthenic acids, zinc salts, basic  
Hazard statements (CLP) : H317 - May cause an allergic skin reaction.

# NYCO GREASE GN 3058

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Precautionary statements (CLP) : P261 - Avoid breathing vapours.  
P280 - Wear protective gloves, protective clothing, eye protection.  
P302+P352 - IF ON SKIN: Wash with plenty of soap and water.  
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.  
P362+P364 - Take off contaminated clothing and wash it before reuse.

### 2.3. Other hazards

Contains no PBT and/or vPvB substances  $\geq 0.1\%$  assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Dilithium azelate	CAS-No.: 38900-29-7 EC-No.: 254-184-4 REACH-no: 01-2120119814-57	0 – 5	Acute Tox. 4 (Oral), H302 (ATE=300 mg/kg bodyweight)
methylenebis(dibutyldithiocarbamate)	CAS-No.: 10254-57-6 EC-No.: 233-593-1 REACH-no: 01-2119969655-20	0 – 5	Aquatic Chronic 4, H413
Calcium Carbonate substance with national workplace exposure limit(s) (GB)	CAS-No.: 1317-65-3 EC-No.: 215-279-6 REACH-no: Exempted	0 – 5	Not classified
Naphthenic acids, zinc salts, basic	CAS-No.: 84418-50-8 EC-No.: 282-762-6 REACH-no: 01-2119988500-34	0 - 5	Skin Sens. 1, H317 Aquatic Chronic 3, H412
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	CAS-No.: 68411-46-1 EC-No.: 270-128-1 REACH-no: 01-2119491299-23	0 – 2	Repr. 2, H361f Aquatic Chronic 3, H412
diphenylamine substance with national workplace exposure limit(s) (GB)	CAS-No.: 122-39-4 EC-No.: 204-539-4 EC Index-No.: 612-026-00-5	0 - 0.1	Acute Tox. 3 (Oral), H301 (ATE=100 mg/kg bodyweight) Acute Tox. 3 (Dermal), H311 (ATE=300 mg/kg bodyweight) Acute Tox. 3 (Inhalation), H331 (ATE=0,5 mg/l/4h) STOT RE 2, H373 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Full text of H- and EUH-statements: see section 16

# NYCO GREASE GN 3058

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

First-aid measures general	: To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice.
First-aid measures after inhalation	: To our knowledge, the product does not present any particular risk, under normal conditions of use.
First-aid measures after skin contact	: IF ON SKIN: Wash with plenty of soap and water. Seek medical advice (show the label where possible).
First-aid measures after eye contact	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice (show the label where possible).
First-aid measures after ingestion	: IF SWALLOWED: rinse mouth. Do NOT induce vomiting. Seek medical advice (show the label where possible).

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation	: To our knowledge, the product does not present any particular risk, under normal conditions of use.
Symptoms/effects after skin contact	: Repeated exposure may cause skin dryness or cracking, irritation (itching, redness, blistering).
Symptoms/effects after eye contact	: Eye irritation.
Symptoms/effects after ingestion	: Possible irritation of mucous membranes and digestive tract, nausea, vomiting.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media	: Water spray. Foam. Dry powder. Carbon dioxide.
Unsuitable extinguishing media	: Strong water jet.

#### 5.2. Special hazards arising from the substance or mixture

Fire hazard	: On burning: release of harmful/irritant gases/vapours. Carbon oxides (CO, CO <sub>2</sub> ).
-------------	--

#### 5.3. Advice for firefighters

Precautionary measures fire	: Protective equipment.
-----------------------------	-------------------------

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures	: Avoid spilling the product, as this might cause falls.
------------------	--

##### 6.1.1. For non-emergency personnel

Protective equipment	: see section(s) :7 & 8.
Emergency procedures	: Soak up with inert absorbent material (for example sand, sawdust, a universal binder, silica gel).

##### 6.1.2. For emergency responders

Protective equipment	: see section(s) :7 & 8.
Emergency procedures	: For a large spillage, contain the spillage by bunding. Soak up with inert absorbent material (for example sand, sawdust, a universal binder, silica gel).

#### 6.2. Environmental precautions

No additional information available

# NYCO GREASE GN 3058

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (for example sand, sawdust, a universal binder, silica gel).

### 6.4. Reference to other sections

No additional information available

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Additional hazards when processed : Stable at ambient temperature and under normal conditions of use.  
Precautions for safe handling : Wear suitable protective clothing. Personal protective equipment. When using do not eat, drink or smoke. Always wash your hands immediately after handling this product, and once again before leaving the workplace. Avoid spilling the product, as this might cause falls. Provide local exhaust or general room ventilation.  
Hygiene measures : When using do not eat or drink. Always wash your hands immediately after handling this product, and once again before leaving the workplace. Wash contaminated clothing before reuse.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in dry, cool, well-ventilated area.  
Special rules on packaging : Store in original container. Keep container closed when not in use.

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

Calcium Carbonate (1317-65-3)	
United Kingdom - Occupational Exposure Limits	
Local name	Calcium carbonate (Limestone, Marble)
WEL TWA (OEL TWA)	10 mg/m <sup>3</sup> total inhalable 4 mg/m <sup>3</sup> respirable
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE
diphenylamine (122-39-4)	
United Kingdom - Occupational Exposure Limits	
Local name	Diphenylamine
WEL TWA (OEL TWA)	10 mg/m <sup>3</sup>
WEL STEL (OEL STEL)	20 mg/m <sup>3</sup>
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

# NYCO GREASE GN 3058

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### 8.1.4. DNEL and PNEC

Naphthenic acids, zinc salts, basic (84418-50-8)	
<b>PNEC (Water)</b>	
PNEC aqua (freshwater)	6,39 µg/L
PNEC aqua (marine water)	0,64 µg/L
PNEC aqua (intermittent, freshwater)	63,86 µg/L
PNEC aqua (intermittent, marine water)	6,39 µg/L
<b>PNEC (Sediment)</b>	
PNEC sediment (freshwater)	31,93 mg/kg dwt
PNEC sediment (marine water)	3,19 mg/kg dwt
<b>PNEC (Soil)</b>	
PNEC soil	6,38 mg/kg dwt
<b>PNEC (STP)</b>	
PNEC sewage treatment plant	147,73 µg/L

### 8.1.5. Control banding

No additional information available

## 8.2. Exposure controls

### 8.2.1. Appropriate engineering controls

No additional information available

### 8.2.2. Personal protection equipment

#### Personal protective equipment:

Gloves. Safety glasses. Protective clothing.

#### Personal protective equipment symbol(s):



#### 8.2.2.1. Eye and face protection

##### Eye protection:

Safety glasses with side shields

#### 8.2.2.2. Skin protection

##### Skin and body protection:

Wear suitable protective clothing

##### Hand protection:

Chemical resistant gloves (according to European standard NF ISO 374-1 or equivalent)

#### 8.2.2.3. Respiratory protection

##### Respiratory protection:

No personal breathing protective equipment is normally required

#### 8.2.2.4. Thermal hazards

No additional information available

### 8.2.3. Environmental exposure controls

#### Environmental exposure controls:

Do not flush into surface water or sewer system.

# NYCO GREASE GN 3058

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: slightly amber.
Appearance	: Pasty.
Odour	: Not available
Odour threshold	: Not available
Melting point	: 275 °C
Freezing point	: Not available
Boiling point	: Not available
Flammability	: Not available
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: Not available
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
pH	: Not applicable.
Viscosity, kinematic	: Not applicable
Solubility	: Material insoluble in water.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: 0,875 kg/l @ 20°C
Relative density	: Not available
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

#### 9.2. Other information

##### 9.2.1. Information with regard to physical hazard classes

No additional information available

##### 9.2.2. Other safety characteristics

No additional information available

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

Stable at ambient temperature and under normal conditions of use.

#### 10.2. Chemical stability

No additional information available

#### 10.3. Possibility of hazardous reactions

No additional information available

#### 10.4. Conditions to avoid

elevated temperature.

#### 10.5. Incompatible materials

Strong oxidizing agents.

#### 10.6. Hazardous decomposition products

No hazardous decomposition products known at room temperature.

# NYCO GREASE GN 3058

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### SECTION 11: Toxicological information

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified  
Acute toxicity (dermal) : Not classified  
Acute toxicity (inhalation) : Not classified

<b>Dilithium azelate (38900-29-7)</b>	
LD50 oral rat	300 – 2000 mg/kg OECD 420

<b>methylenebis(dibutyldithiocarbamate) (10254-57-6)</b>	
LD50 oral rat	16000 mg/kg
LD50 dermal rabbit	> 2000 mg/kg

<b>Calcium Carbonate (1317-65-3)</b>	
LD50 oral rat	> 5000 mg/kg

<b>Naphthenic acids, zinc salts, basic (84418-50-8)</b>	
LD50 oral rat	> 2000 mg/kg OECD 423
LD50 dermal rabbit	> 2000 mg/kg OECD 402
LC50 Inhalation - Rat (Dust/Mist)	> 0,42 mg/l/4h OECD 403

<b>Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene (68411-46-1)</b>	
LD50 oral rat	> 5000 mg/kg OECD 401
LD50 dermal rat	> 2000 mg/kg OECD 402

Skin corrosion/irritation : Not classified  
pH: Not applicable.

<b>Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene (68411-46-1)</b>	
pH	5,1 – 6,2

Serious eye damage/irritation : Not classified  
pH: Not applicable.

<b>Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene (68411-46-1)</b>	
pH	5,1 – 6,2

Respiratory or skin sensitisation : May cause an allergic skin reaction.  
Germ cell mutagenicity : Not classified  
Carcinogenicity : Not classified  
Reproductive toxicity : Not classified  
STOT-single exposure : Not classified  
STOT-repeated exposure : Not classified

<b>diphenylamine (122-39-4)</b>	
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard : Not classified

<b>NYCO GREASE GN 3058</b>	
Viscosity, kinematic	Not applicable

<b>Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene (68411-46-1)</b>	
Viscosity, kinematic	352,7 mm <sup>2</sup> /s @40°C

# NYCO GREASE GN 3058

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### 11.2. Information on other hazards

No additional information available

## SECTION 12: Ecological information

### 12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute) : Not classified

Hazardous to the aquatic environment, long-term (chronic) : Not classified

#### **methylenebis(dibutyldithiocarbamate) (10254-57-6)**

LC50 - Fish [1]	> 0,06 mg/l 96h:Oncorhynchus mykiss (OECD 203)
EC50 - Crustacea [1]	> 0,052 mg/l 48h:Daphnia magna (OECD 202)
EC50 72h - Algae [1]	> 0,0325 mg/l 72h:Desmodesmus subspicatus
NOEC (acute)	0,06 mg/l Fish
NOEC chronic crustacea	≥ 0,247 mg/l 21d:Daphnia magna

#### **Calcium Carbonate (1317-65-3)**

LC50 - Fish [1]	> 10000 mg/l 96h:Oncorhynchus mykiss
EC50 - Crustacea [1]	> 1000 mg/l 48h:Daphnia magna
EC50 72h - Algae [1]	> 200 mg/l 72h:Desmodesmus subspicatus

#### **Naphthenic acids, zinc salts, basic (84418-50-8)**

LC50 - Fish [1]	> 100 mg/l 96h : Danio rerio
EC50 - Crustacea [1]	> 100 mg/l 48h : Daphnia Magna
ErC50 algae	3,6 mg/l 72h; Pseudokirchneriella subcapitata

#### **Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene (68411-46-1)**

LC50 - Fish [1]	> 100 mg/l 96h: Brachydanio rerio (OCDE 203)
EC50 - Crustacea [1]	51 mg/l 48h: Daphnia magna (OCDE 202)
ErC50 algae	> 100 mg/l Desmodesmus subspicatus (OECD 201)
NOEC chronic algae	≥ 10 mg/l Pseudokirchneriella subcapitata (OECD 201)

#### **diphenylamine (122-39-4)**

LC50 - Fish [1]	2,2 mg/l 96h: Oncorhynchus mykiss
EC50 - Crustacea [1]	1,2 mg/l 48h:Daphnia magna
EC50 72h - Algae [1]	2,17 mg/l 72h:Pseudokirchneriella subcapitata
NOEC chronic algae	0,37 mg/l 72h:Pseudokirchneriella subcapitata

### 12.2. Persistence and degradability

#### **NYCO GREASE GN 3058**

Persistence and degradability : Not established.

#### **methylenebis(dibutyldithiocarbamate) (10254-57-6)**

Persistence and degradability : Not readily biodegradable.  
Biodegradation : 21 % (OECD 301 B)

# NYCO GREASE GN 3058

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### Naphthenic acids, zinc salts, basic (84418-50-8)

Persistence and degradability	Inherently biodegradable.
-------------------------------	---------------------------

### Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene (68411-46-1)

Persistence and degradability	Not readily biodegradable.
-------------------------------	----------------------------

Biodegradation	1 % (OECD 301B)
----------------	-----------------

### 12.3. Bioaccumulative potential

#### methylenebis(dibutyldithiocarbamate) (10254-57-6)

Bioconcentration factor (BCF REACH)	10,86
-------------------------------------	-------

Partition coefficient n-octanol/water (Log Pow)	8,42
---	------

Bioaccumulative potential	faint.
---------------------------	--------

#### Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene (68411-46-1)

Bioconcentration factor (BCF REACH)	1730 42d; Cyprinus carpio
-------------------------------------	---------------------------

Partition coefficient n-octanol/water (Log Kow)	> 5 @25°C
---	-----------

Bioaccumulative potential	Potentially bioaccumulable.
---------------------------	-----------------------------

### 12.4. Mobility in soil

#### Naphthenic acids, zinc salts, basic (84418-50-8)

Organic Carbon Normalized Adsorption Coefficient (Log Koc)	2,02 – 6,59
--	-------------

### 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Endocrine disrupting properties

No additional information available

### 12.7. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste treatment methods : Collect all waste in suitable and labelled containers and dispose according to local legislation. A waste key number according to the European Waste Catalog (EWC) cannot be specified, as this depends on the use.

## SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
<b>14.1. UN number or ID number</b>				
Not regulated for transport				
<b>14.2. UN proper shipping name</b>				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated

# NYCO GREASE GN 3058

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

ADR	IMDG	IATA	ADN	RID
<b>14.3. Transport hazard class(es)</b>				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
<b>14.4. Packing group</b>				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
<b>14.5. Environmental hazards</b>				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
No supplementary information available				

### 14.6. Special precautions for user

#### Overland transport

Not regulated

#### Transport by sea

Not regulated

#### Air transport

Not regulated

#### Inland waterway transport

Not regulated

#### Rail transport

Not regulated

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

##### REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

##### REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

##### REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

##### PIC Regulation (Prior Informed Consent)

Contains substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals): Diphenylamine (122-39-4)

##### POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

##### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

##### Dual-Use Regulation (428/2009)

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

# NYCO GREASE GN 3058

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

### Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

#### 15.1.2. National regulations

No additional information available

### 15.2. Chemical safety assessment

No additional information available

## SECTION 16: Other information

### Full text of H- and EUH-statements:

Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Aquatic Chronic 4	Hazardous to the aquatic environment – Chronic Hazard, Category 4
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H317	May cause an allergic skin reaction.
H331	Toxic if inhaled.
H361f	Suspected of damaging fertility.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.
Repr. 2	Reproductive toxicity, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.