



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Trade name : HYDRAUNYCOIL FH 51
Product code : FH51-1

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Industrial use, Professional use
Use of the substance/mixture : Mineral oil
Function or use category : Lubricant

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

NYCO
66 Avenue des Champs Elysées - BP414
75366 Paris Cedex 08
France
T +33 (0)1 45 61 50 00
info@nyco-group.com, www.nyco-group.com

1.4. Emergency telephone number

Emergency number : +33 (0)1 45 42 59 59
INRS/ORFILA (France) : 33 1 45 42 59 59

Country/Area	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH	0344 892 0111	Only for healthcare professionals

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Asp. Tox. 1 H304
Aquatic Chronic 3 H412
Full text of hazard classes, H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS08

Signal word (CLP) : Danger
Contains : Hydrocarbons, C12-C18, isoalkanes, cyclics, 2-30% aromatics

HYDRAUNYCOIL FH 51

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Hazard statements (CLP)	: H304 - May be fatal if swallowed and enters airways. H412 - Harmful to aquatic life with long lasting effects.
Precautionary statements (CLP)	: P273 - Avoid release to the environment. P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. P331 - Do NOT induce vomiting. P405 - Store locked up.

2.3. Other hazards

Contains no PBT and/or vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Hydrocarbons, C12-C18, isoalkanes, cyclics, 2-30% aromatics	EC-No.: 954-225-2 REACH-no: 01-2120920648-49	50 – 100	Asp. Tox. 1, H304
Hydrocarbons, C13-16	EC-No.: 934-954-2 REACH-no: 01-2119826592-36	1 - 5	Asp. Tox. 1, H304
2,6-di-tert-butyl-p-cresol substance with national workplace exposure limit(s) (GB)	CAS-No.: 128-37-0 EC-No.: 204-881-4 REACH-no: 01-2119555270-46	0 – 2,5	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Phenol, isopropylated, phosphate	CAS-No.: 68937-41-7 EC-No.: 273-066-3 REACH-no: 01-2119535109-41	0 – 1	Repr. 2, H361f STOT RE 2, H373 Aquatic Chronic 1, H410
Methyl methacrylate substance with national workplace exposure limit(s) (GB); substance with a Community workplace exposure limit	CAS-No.: 80-62-6 EC-No.: 201-297-1 REACH-no: 01-2119452498-28	0 - 0,1	Flam. Liq. 2, H225 Skin Irrit. 2, H315 Skin Sens. 1B, H317 STOT SE 3, H335
methanol substance with national workplace exposure limit(s) (GB)	CAS-No.: 67-56-1 EC-No.: 200-659-6 EC Index-No.: 603-001-00-X REACH-no: 01-2119433307-44	0 - 0,01	Flam. Liq. 2, H225 Acute Tox. 3 (Oral), H301 (ATE=100 mg/kg bodyweight) Acute Tox. 3 (Dermal), H311 (ATE=300 mg/kg bodyweight) Acute Tox. 3 (Inhalation), H331 (ATE=0,5 mg/l/4h) STOT SE 1, H370

HYDRAUNYCOIL FH 51

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
reaction mass of ethylbenzene and xylene substance with national workplace exposure limit(s) (GB)	EC-No.: 905-588-0 REACH-no: 01-2119539452-40	0 - 0,01	Flam. Liq. 3, H226 Acute Tox. 4 (Dermal), H312 (ATE=1100 mg/kg bodyweight) Acute Tox. 4 (Inhalation), H332 (ATE=1,5 mg/l/4h) Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335 STOT RE 2, H373 Asp. Tox. 1, H304
cyclohexanone substance with national workplace exposure limit(s) (GB); substance with a Community workplace exposure limit	CAS-No.: 108-94-1 EC-No.: 203-631-1 EC Index-No.: 606-010-00-7 REACH-no: 01-2119453616-35	0 - 0,001	Flam. Liq. 3, H226 Acute Tox. 4 (Oral), H302 (ATE=1620 mg/kg bodyweight) Acute Tox. 4 (Dermal), H312 (ATE=794 mg/kg bodyweight) Acute Tox. 4 (Inhalation), H332 (ATE=1,5 mg/l/4h) Skin Irrit. 2, H315 Eye Dam. 1, H318

Specific concentration limits:

Name	Product identifier	Specific concentration limits (%)
methanol	CAS-No.: 67-56-1 EC-No.: 200-659-6 EC Index-No.: 603-001-00-X REACH-no: 01-2119433307-44	(3 ≤ C < 10) STOT SE 2, H371 (10 ≤ C < 100) STOT SE 1, H370

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: IF INHALED: Remove person to fresh air and keep comfortable for breathing. Seek medical advice (show the label where possible).
First-aid measures after skin contact	: IF ON SKIN: Wash with plenty of soap and water. Seek medical advice (show the label where possible).
First-aid measures after eye contact	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice (show the label where possible).
First-aid measures after ingestion	: IF SWALLOWED: rinse mouth. Do NOT induce vomiting. Seek medical advice (show the label where possible).

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation	: At high concentrations, the vapours can be irritating to the respiratory system.
Symptoms/effects after skin contact	: Repeated exposure may cause skin dryness or cracking.
Symptoms/effects after eye contact	: Eye irritation.
Symptoms/effects after ingestion	: Possible irritation of mucous membranes and digestive tract, nausea, vomiting.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

HYDRAUNYCOIL FH 51

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Foam. Dry powder. Carbon dioxide.
Unsuitable extinguishing media : Strong water jet.

5.2. Special hazards arising from the substance or mixture

Fire hazard : On burning: release of harmful/irritant gases/vapours. Carbon oxides (CO, CO₂).

5.3. Advice for firefighters

Precautionary measures fire : Protective equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

6.1.1. For non-emergency personnel

Protective equipment : see section(s) :7 & 8.
Emergency procedures : For a large spillage, contain the spillage by bunding.

6.1.2. For emergency responders

Protective equipment : see section(s) :7 & 8.
Emergency procedures : For a large spillage, contain the spillage by bunding.

6.2. Environmental precautions

Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (for example sand, sawdust, a universal binder, silica gel).

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : Stable at ambient temperature and under normal conditions of use.
Precautions for safe handling : Wear suitable protective clothing. Personal protective equipment. When using do not eat, drink or smoke. Always wash your hands immediately after handling this product, and once again before leaving the workplace. Avoid spilling the product, as this might cause falls. Provide local exhaust or general room ventilation.
Hygiene measures : When using do not eat or drink. Always wash your hands immediately after handling this product, and once again before leaving the workplace. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in dry, cool, well-ventilated area.
Special rules on packaging : Store in original container. Keep container closed when not in use.

7.3. Specific end use(s)

No additional information available

HYDRAUNYCOIL FH 51

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

2,6-di-tert-butyl-p-cresol (128-37-0)	
United Kingdom - Occupational Exposure Limits	
Local name	2,6-Di-tert-butyl-p-cresol
WEL TWA (OEL TWA)	10 mg/m ³
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE
Methyl methacrylate (80-62-6)	
EU - Indicative Occupational Exposure Limit (IOEL)	
IOEL TWA	50 ppm
IOEL STEL	100 ppm
United Kingdom - Occupational Exposure Limits	
Local name	Methyl methacrylate
WEL TWA (OEL TWA)	208 mg/m ³ 50 ppm
WEL STEL (OEL STEL)	416 mg/m ³ 100 ppm
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE
methanol (67-56-1)	
United Kingdom - Occupational Exposure Limits	
Local name	Methanol
WEL TWA (OEL TWA)	266 mg/m ³ 200 ppm
WEL STEL (OEL STEL)	333 mg/m ³ 250 ppm
Remark	Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE
reaction mass of ethylbenzene and xylene (1330-20-7)	
United Kingdom - Occupational Exposure Limits	
Local name	Xylene
WEL TWA (OEL TWA)	220 mg/m ³ o-,m-,p- or mixed isomers 50 ppm o-,m-,p- or mixed isomers
WEL STEL (OEL STEL)	441 mg/m ³ o-,m-,p- or mixed isomers 100 ppm o-,m-,p- or mixed isomers
Remark	Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

HYDRAUNYCOIL FH 51

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

reaction mass of ethylbenzene and xylene (1330-20-7)	
United Kingdom - Biological limit values	
Local name	Xylene, o-, m-, p- or mixed isomers
BMGV	650 mmol/mol Creatinine Parameter: methyl hippuric acid - Medium: urine - Sampling time: Post shift
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE
cyclohexanone (108-94-1)	
EU - Indicative Occupational Exposure Limit (IOEL)	
IOEL TWA	40,8 mg/m ³
	10 ppm
IOEL STEL	81,6 mg/m ³
	20 ppm
United Kingdom - Occupational Exposure Limits	
Local name	Cyclohexanone
WEL TWA (OEL TWA)	41 mg/m ³
	10 ppm
WEL STEL (OEL STEL)	82 mg/m ³
	20 ppm
Remark	Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE
United Kingdom - Biological limit values	
Local name	Cyclohexanone
BMGV	2 mmol/mol Creatinine Parameter: cyclohexanol - Medium: urine - Sampling time: Post shift
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE
Oil mist	
EU - Indicative Occupational Exposure Limit (IOEL)	
IOEL TWA	5 mg/m ³ 8h
IOEL STEL	10 mg/m ³ 15min
8.1.2. Recommended monitoring procedures	
No additional information available	
8.1.3. Air contaminants formed	
No additional information available	
8.1.4. DNEL and PNEC	
2,6-di-tert-butyl-p-cresol (128-37-0)	
DNEL/DMEL (Workers)	
Long-term - systemic effects, dermal	0,5 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	1,76 mg/m ³

HYDRAUNYCOIL FH 51

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

2,6-di-tert-butyl-p-cresol (128-37-0)	
DNEL/DMEL (General population)	
Long-term - systemic effects, oral	0,25 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	0,435 mg/m ³
Long-term - systemic effects, dermal	0,25 mg/kg bodyweight/day
PNEC (Water)	
PNEC aqua (freshwater)	0,199 µg/l
PNEC aqua (marine water)	0,0199 µg/l
PNEC aqua (intermittent, freshwater)	1,99 µg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	0,45819 mg/kg dwt
PNEC sediment (marine water)	0,04582 mg/kg dwt
PNEC (Soil)	
PNEC soil	0,0539 mg/kg dwt
PNEC (Oral)	
PNEC oral (secondary poisoning)	16,67 mg/kg food
PNEC (STP)	
PNEC sewage treatment plant	0,017 mg/l
Phenol, isopropylated, phosphate (68937-41-7)	
DNEL/DMEL (Workers)	
Acute - systemic effects, dermal	2000 mg/kg bodyweight/day
Acute - systemic effects, inhalation	700 mg/m ³
Acute - local effects, dermal	16 mg/cm ²
Long-term - systemic effects, dermal	0,416 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	0,145 mg/m ³
DNEL/DMEL (General population)	
Acute - systemic effects, dermal	100 mg/kg bodyweight
Acute - systemic effects, inhalation	350 mg/m ³
Acute - systemic effects, oral	50 mg/kg bodyweight
Acute - local effects, dermal	8 mg/cm ²
Long-term - systemic effects, oral	0,04 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	0,07 mg/m ³
Long-term - systemic effects, dermal	0,208 mg/kg bodyweight/day
PNEC (Water)	
PNEC aqua (freshwater)	0,00031 mg/l
PNEC aqua (marine water)	0,000031 mg/l
PNEC aqua (intermittent, freshwater)	0,015 mg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	0,185 mg/kg dwt

HYDRAUNYCOIL FH 51

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Phenol,isopropylated,phosphate (68937-41-7)	
PNEC sediment (marine water)	0,0185 mg/kg dwt
PNEC (Soil)	
PNEC soil	2,5 mg/kg dwt
PNEC (Oral)	
PNEC oral (secondary poisoning)	1,85 mg/kg food
PNEC (STP)	
PNEC sewage treatment plant	100 mg/l

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No additional information available

8.2.2. Personal protection equipment

Personal protective equipment:

Gloves. Safety glasses. Protective clothing.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Safety glasses with side shields

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Chemical resistant gloves (according to European standard NF ISO 374-1 or equivalent)

8.2.2.3. Respiratory protection

Respiratory protection:

No personal breathing protective equipment is normally required

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Do not flush into surface water or sewer system.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: red.
Odour	: Not available
Odour threshold	: Not available

HYDRAUNYCOIL FH 51

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Melting point	: -71 °C
Freezing point	: Not available
Boiling point	: Not available
Flammability	: Not available
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: 94 °C
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
pH	: Not applicable
Viscosity, kinematic	: 14,1 mm ² /s @40°C
Solubility	: insoluble in water.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: 0,87 kg/l @20°C
Relative density	: Not available
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable at ambient temperature and under normal conditions of use.

10.2. Chemical stability

No additional information available

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

elevated temperature.

10.5. Incompatible materials

Strong oxidizing agents.

10.6. Hazardous decomposition products

No hazardous decomposition products known at room temperature.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

HYDRAUNYCOIL FH 51

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Hydrocarbons, C12-C18, isoalkanes, cyclics, 2-30% aromatics	
LD50 oral rat	> 4150 mg/kg (Results obtained on a similar product)
LD50 dermal rabbit	> 1700 mg/l (Results obtained on a similar product)
LC50 Inhalation - Rat (Dust/Mist)	> 5,28 mg/l/4h (Results obtained on a similar product)
Hydrocarbons, C13-16	
LD50 oral rat	> 5000 mg/kg bodyweight OECD 401
LD50 dermal rabbit	> 3160 mg/kg OECD 402
LC50 Inhalation - Rat (Vapours)	> 5,26 mg/l/4h OECD 403
2,6-di-tert-butyl-p-cresol (128-37-0)	
LD50 oral rat	> 2930 mg/kg OECD 401
LD50 dermal rat	> 2000 mg/kg bodyweight OECD 402
Phenol,isopropylated,phosphate (68937-41-7)	
LD50 dermal rabbit	> 10000 mg/kg
LC50 Inhalation - Rat	> 200 mg/l
Methyl methacrylate (80-62-6)	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	> 5000 mg/kg
LC50 Inhalation - Rat	29,8 mg/l/4h
methanol (67-56-1)	
LD50 oral rat	> 2528 mg/kg OECD 401
LD50 dermal rabbit	15800 mg/kg
LC50 Inhalation - Rat (Vapours)	128,2 mg/l/4h
reaction mass of ethylbenzene and xylene	
LD50 oral rat	3523 mg/kg bw/day
cyclohexanone (108-94-1)	
LD50 oral rat	1620 mg/kg
LD50 dermal rabbit	> 794 – < 3160 mg/kg
Skin corrosion/irritation	: Not classified pH: Not applicable
Hydrocarbons, C12-C18, isoalkanes, cyclics, 2-30% aromatics	
pH	Not applicable
Serious eye damage/irritation	: Not classified pH: Not applicable
Hydrocarbons, C12-C18, isoalkanes, cyclics, 2-30% aromatics	
pH	Not applicable
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified

HYDRAUNYCOIL FH 51

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Methyl methacrylate (80-62-6)	
STOT-single exposure	May cause respiratory irritation.
methanol (67-56-1)	
STOT-single exposure	Causes damage to organs.
reaction mass of ethylbenzene and xylene	
STOT-single exposure	May cause respiratory irritation.
STOT-repeated exposure	: Not classified
Phenol,isopropylated,phosphate (68937-41-7)	
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.
reaction mass of ethylbenzene and xylene	
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.
Aspiration hazard	: May be fatal if swallowed and enters airways.
HYDRAUNYCOIL FH 51	
Viscosity, kinematic	14,1 mm ² /s @40°C
Hydrocarbons, C12-C18, isoalkanes, cyclics, 2-30% aromatics	
Viscosity, kinematic	3 mm ² /s @40°C
Hydrocarbon	Yes
Hydrocarbons, C13-16	
Viscosity, kinematic	3 – 4 mm ² /s @20°C
Hydrocarbon	Yes

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute) : Not classified

Hazardous to the aquatic environment, long-term (chronic) : Harmful to aquatic life with long lasting effects.

Hydrocarbons, C12-C18, isoalkanes, cyclics, 2-30% aromatics	
LC50 - Fish [1]	> 1000 mg/l 96h
EC50 - Crustacea [1]	> 1000 mg/l 48h
Hydrocarbons, C13-16	
LC50 - Fish [1]	> 1028 mg/l 96h:Scophthalmus maximus (OCDE203)
EC50 - Crustacea [1]	> 3193 mg/l 48h:Acartia tonsa (ISO 14669)
EC50 72h - Algae [1]	> 10000 mg/l 72h:Skeletonema costatum (ISO 10253)
NOEC chronic fish	> 1000 mg/l 28d:Oncorhynchus mykiss (QSAR)
NOEC chronic crustacea	> 1000 mg/l 28d:Daphnia magna (QSAR)

HYDRAUNYCOIL FH 51

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

2,6-di-tert-butyl-p-cresol (128-37-0)	
LC50 - Fish [1]	> 0,57 mg/l 96h:Danio rerio (EC n° 440/2008, annexe, C.1)
EC50 - Crustacea [1]	0,48 mg/l 48h:Daphnia magna (OECD 202)
EC50 72h - Algae [1]	> 0,4 mg/l 72h:Desmodesmus subspicatus (EC n° 440/2008, annexe, C.3)
NOEC (chronic)	0,023 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC chronic fish	0,053 mg/l 42d:Oryzias latipes (OECD 210)
NOEC chronic crustacea	0,023 mg/l 21d:Daphnia magna (OCDE 202)
Phenol,isopropylated,phosphate (68937-41-7)	
LC50 - Fish [1]	10,8 mg/l 96h:Pimephales promelas
EC50 - Crustacea [1]	1,5 mg/l 48h:Daphnia magna
EC50 96h - Algae [1]	> 2,5 mg/l 96h:Pseudokirchneriella subcapitata (OECD 201)
NOEC chronic fish	0,0031 mg/l 33d:Pimephales promelas (OECD 210)
NOEC chronic crustacea	0,041 mg/l 21d:Daphnia magna (OECD 211)
Methyl methacrylate (80-62-6)	
LC50 - Fish [1]	> 79 mg/l Oncorhynchus mykiss
EC50 - Crustacea [1]	69 mg/l Daphnia magna
EC50 72h - Algae [1]	> 110 mg/l Selenastrum capricornutum
NOEC chronic fish	9,4 mg/l 35d:Danio rerio (OECD 210)
NOEC chronic crustacea	37 mg/l 21d:Daphnia magna (OECD 211)
NOEC chronic algae	49 mg/l 72h:Selenastrum capricornutum (OECD 201)
methanol (67-56-1)	
LC50 - Fish [1]	15400 mg/l 96h:Lepomis macrochirus (EPA-660/3-75-009)
EC50 - Crustacea [1]	> 10000 ml/l 48h:Daphnia magna (DIN 38412)
ErC50 algae	22000 mg/l 96h:Pseudokirchneriella (OECD 201)
reaction mass of ethylbenzene and xylene	
LC50 - Fish [1]	2,6 mg/l 96h
EC50 - Crustacea [1]	> 3,4 mg/l Test organisms (species): Ceriodaphnia dubia
EC50 - Crustacea [2]	1 mg/l Daphnia magna
NOEC chronic fish	> 1,3 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri) Duration: '56 d'
NOEC chronic crustacea	0,96 mg/l 7d; Daphnia magna
cyclohexanone (108-94-1)	
LC50 - Fish [1]	527 mg/l 96h:Pimephales promelas
EC50 - Crustacea [1]	> 100 mg/l Daphnia
EC50 72h - Algae [1]	> 100 mg/l Scenedesmus subspicatus
NOEC chronic algae	≥ 100 mg/l Scenedesmus subspicatus

HYDRAUNYCOIL FH 51

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

12.2. Persistence and degradability

HYDRAUNYCOIL FH 51

Persistence and degradability	Not established.
-------------------------------	------------------

Hydrocarbons, C12-C18, isoalkanes, cyclics, 2-30% aromatics

Persistence and degradability	Not readily biodegradable.
-------------------------------	----------------------------

Hydrocarbons, C13-16

Persistence and degradability	Readily biodegradable.
-------------------------------	------------------------

Biodegradation	74 % 28d (OECD 306)
----------------	---------------------

2,6-di-tert-butyl-p-cresol (128-37-0)

Persistence and degradability	Not readily biodegradable.
-------------------------------	----------------------------

Biodegradation	4,5 % 28d; OECD301 C
----------------	----------------------

Phenol, isopropylated, phosphate (68937-41-7)

Persistence and degradability	Not readily biodegradable.
-------------------------------	----------------------------

Biodegradation	17,9 % 28d
----------------	------------

Methyl methacrylate (80-62-6)

Persistence and degradability	Readily biodegradable.
-------------------------------	------------------------

Biodegradation	94 % 14d (OECD 301 C)
----------------	-----------------------

methanol (67-56-1)

Persistence and degradability	Readily biodegradable.
-------------------------------	------------------------

Biodegradation	76 % 5d
----------------	---------

reaction mass of ethylbenzene and xylene

Persistence and degradability	Readily biodegradable.
-------------------------------	------------------------

12.3. Bioaccumulative potential

Hydrocarbons, C12-C18, isoalkanes, cyclics, 2-30% aromatics

Bioaccumulative potential	Potentially bioaccumulable.
---------------------------	-----------------------------

2,6-di-tert-butyl-p-cresol (128-37-0)

Bioconcentration factor (BCF REACH)	> 2000
-------------------------------------	--------

Partition coefficient n-octanol/water (Log Pow)	5,1
---	-----

Methyl methacrylate (80-62-6)

Partition coefficient n-octanol/water (Log Kow)	1,38
---	------

methanol (67-56-1)

Partition coefficient n-octanol/water (Log Pow)	-0,77
---	-------

reaction mass of ethylbenzene and xylene

Partition coefficient n-octanol/water (Log Kow)	< 3
---	-----

HYDRAUNYCOIL FH 51

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

12.4. Mobility in soil

2,6-di-tert-butyl-p-cresol (128-37-0)

Organic Carbon Normalized Adsorption Coefficient (Log K _{oc})	3,9 – 4,2
---	-----------

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Collect all waste in suitable and labelled containers and dispose according to local legislation. A waste key number according to the European Waste Catalog (EWC) cannot be specified, as this depends on the use.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID number				
Not regulated for transport				
14.2. UN proper shipping name				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.3. Transport hazard class(es)				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.4. Packing group				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.5. Environmental hazards				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
No supplementary information available				

14.6. Special precautions for user

Overland transport

Not regulated

Transport by sea

Not regulated

Air transport

Not regulated

HYDRAUNYCOIL FH 51

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Inland waterway transport

Not regulated

Rail transport

Not regulated

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Dual-Use Regulation (428/2009)

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

Seveso Directive (Disaster Risk Reduction)

Seveso III Part II (Named dangerous substances)	Qualifying quantity (tonnes)	
	Lower-tier	Upper-tier
22. Methanol	500	5000

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No additional information available

HYDRAUNYCOIL FH 51

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 16: Other information

Full text of H- and EUH-statements:	
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H361f	Suspected of damaging fertility.
H370	Causes damage to organs.
H371	May cause damage to organs.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Repr. 2	Reproductive toxicity, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2

HYDRAUNYCOIL FH 51

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Full text of H- and EUH-statements:

Skin Sens. 1B	Skin sensitisation, category 1B
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2
STOT SE 1	Specific target organ toxicity – single exposure, Category 1
STOT SE 2	Specific target organ toxicity – Single exposure, Category 2
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.