# **Material Safety Data Sheet**





Revision Number: 002.0

1. PRODUCT AND COMPANY IDENTIFICATION

Product name: Product type: LOCTITE® 2 GASKET SEALANT Sealant

**Company address:** Henkel Corporation One Henkel Way Rocky Hill, Connecticut 06067 IDH number:234891Item number:30514Region:United StatesContact information:Telephone:860.571.5100MEDICALEMERGENCYPhone:Poison1-877-671-4608 (toll free)or 1-303-592-1711TRANSPORTEMERGENCYPhone:CHEMTREC1-800-424-9300 (toll free)or 1-703-527-3887Internet:www.henkelna.com

## 2. HAZARDS IDENTIFICATION

	EMERGENCY OVERVIEW				
Physical state: paste HEALTH: *2				*2	
Color:		lack	FLAMMABILITY:	_ 1	
Odor:	E	ster-like	PHYSICAL HAZARD:	0	
			Personal Protection:	See MSDS Section 8	
	WARNING:	MAY C/	AUSE ALLERGIC SKIN REACTION.		
		MAY CA	AY CAUSE EYE, SKIN AND RESPIRATORY TRACT IRRITATION.		
Relevant	routes of exposure:	: Skir	n, Inhalation, Eyes		
Potential	Health Effects				
	Inhalation:	Mav	cause irritation to nose and throat. May cause respira	atory tract irritation.	
	Skin contact:	May	cause allergic skin reaction. May cause skin irritation It in drying of skin.		
	Eye contact:	Con	tact with eyes can cause eye irritation.		
	Ingestion:		expected under normal conditions of use. May cause the and mucous membranes.	irritation to the gastrointestinal tract,	
Existing conditions aggravated by exposure:		ed by Eye	, skin, and respiratory disorders.		
			material is considered hazardous by the OSHA Haza 0.1200).	rd Communication Standard (29 CF	

See Section 11 for additional toxicological information.

#### 3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous components	CAS NUMBER	%	
Kaolin	1332-58-7	30 - 60	
Castor oil, oxidized	68187-84-8	10 - 30	
Rosin	8050-09-7	10 - 30	
Methyl acetate	79-20-9	10 - 30	
Titanium dioxide	13463-67-7	1 - 5	
Lecithins, soybean	8030-76-0	1 - 5	
Quartz (SiO2)	14808-60-7	0.1 - 1	
Carbon black	1333-86-4	0.1 - 1	

4. FIRST AID MEASURES		
Inhalation:	Move to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. If symptoms develop and persist, get medical attention	
Skin contact:	Immediately flush skin with plenty of water (using soap, if available). Remove contaminated clothing and footwear. Wash clothing before reuse. If symptotic develop and persist, get medical attention.	
Eye contact:	Flush with copious amounts of water, preferably, lukewarm water for at leas 15 minutes, holding eyelids open all the time. Get medical attention.	
Ingestion:	Do not induce vomiting. Never give anything by mouth to an unconscious person. Keep individual calm. Get medical attention.	
5. F	IRE FIGHTING MEASURES	
Flash point:	Product is a solid. (ASTM D 4359)	
Autoignition temperature:	Not available.	
Flammable/Explosive limits - lower:	Not determined	
Flammable/Explosive limits - upper:	Not determined	
Extinguishing media:	Foam, dry chemical or carbon dioxide.	
Special firefighting procedures:	Wear self-contained breathing apparatus and full protective clothing, such a turn-out gear.	
Unusual fire or explosion hazards:	None	
Hazardous combustion products:	Aldehydes. Oxides of carbon. Carboxylic acids.	
6. ACCIDENTAL RELEASE MEASURES		
Jse personal protection recommended in Section 8, isolate the hazard area and deny entry to unnecessary and unprotect personnel.		

Environmental precautions:	Do not allow product to enter sewer or waterways.
Clean-up methods:	Remove all sources of ignition. Ensure adequate ventilation. Scrape up spilled material and place in a closed container for disposal.

## 7. HANDLING AND STORAGE

Handling:

Avoid contact with eyes, skin and clothing. Wash thoroughly after handling. For operations where eye or face contact could occur, provide safety shower and eyewash fountain.

Keep in a cool, well ventilated area away from heat, sparks and open flame.

Storage:

For information on product shelf life contact Henkel Customer Service at (800) 243-4874.

Keep container tightly closed until ready for use.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Employers should complete an assessment of all workplaces to determine the need for, and selection of, proper exposure controls and protective equipment for each task performed.

Hazardous components	ACGIH TLV	OSHA PEL	AIHA WEEL	OTHER
Kaolin	2 mg/m3 TWA Respirable fraction.	5 mg/m3 TWA Respirable fraction. 15 mg/m3 TWA Total dust.	None	None
Castor oil, oxidized	None	None	None	None
Rosin	Included in the regulation but with no data values. See regulation for further details Exposure by all routes should be carefully controlled to levels as low as possible. (Sensitiser.)	None	None	None
Methyl acetate	200 ppm TWA 250 ppm STEL	200 ppm (610 mg/m3) TWA	None	None
Titanium dioxide	10 mg/m3 TWA	15 mg/m3 TWA Total dust.	None	None
Lecithins, soybean	None	None	None	None
Quartz (SiO2)	0.025 mg/m3 TWA Respirable fraction.	2.4 MPPCF TWA Respirable. 0.1 mg/m3 TWA Respirable. 0.3 mg/m3 TWA Total dust.	None	None
Carbon black	3.5 mg/m3 TWA 3 mg/m3 TWA Inhalable fraction.	3.5 mg/m3 TWA	None	None

Engineering controls:

Provide adequate local exhaust ventilation to maintain worker exposure below exposure limits.

Respiratory protection:

Eye/face protection:

Skin protection:

Use a NIOSH approved supplied air respirator if the potential to exceed established exposure limits exists.

Safety goggles or safety glasses with side shields.

Use impermeable gloves and protective clothing as necessary to prevent skin contact. Butyl rubber gloves.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

paste
black
Ester-like
Not available.
1.55 at 25 °C (77°F)
Not available.
Product is a solid. (ASTM D 4359)
Not determined
Not determined
Not available.
Not available.
Partially soluble
Not available.
0.3 %; 4.65 g/l

#### **10. STABILITY AND REACTIVITY**

Stability:

Stable

Hazardous reactions:

Will not occur.

Hazardous decomposition products:

Incompatible materials:

Conditions to avoid:

Strong oxidizing agents. Amines. Ammonia. Strong acids. Sulfuric acid. Nitric acid.

Heat, flames, sparks and other sources of ignition. Store away from incompatible materials.

#### 11. TOXICOLOGICAL INFORMATION

Acute oral product toxicity:

LD50 (rat) > 5,000 mg/kg (Estimated)

Oxides of carbon. Aldehydes. Carboxylic acids.

Hazardous components	NTP Carcinogen	IARC Carcinogen	OSHA Carcinogen (Specifically Regulated)
Kaolin	No	No	No
Castor oil, oxidized	No	No	No
Rosin	No	No	No
Methyl acetate	No	No	No
Titanium dioxide	No	Group 2B	No
Lecithins, soybean	No	No	No
Quartz (SiO2)	Known To Be Human Carcinogen.	Group 1	No
Carbon black	No	Group 2B	No

Hazardous components	Health Effects/Target Organs	
Kaolin	Nuisance dust	
Castor oil, oxidized	No Records	
Rosin	Respiratory, Irritant, Allergen	
Methyl acetate	Blood, Central nervous system, Eyes, Irritant	
Titanium dioxide	Irritant, Respiratory, Some evidence of carcinogenicity	
Lecithins, soybean No Target Organs		
Quartz (SiO2)	Immune system, Lung, Some evidence of carcinogenicity	
Carbon black	Respiratory, Some evidence of carcinogenicity	

#### 12. ECOLOGICAL INFORMATION

**Ecological information:** 

Not available.

#### **13. DISPOSAL CONSIDERATIONS**

Information provided is for unused product only.

Recommended method of disposal:

Dispose of according to Federal, State and local governmental regulations.

Hazardous waste number:

Not a RCRA hazardous waste.

#### 14. TRANSPORT INFORMATION

#### U.S. Department of Transportation Ground (49 CFR) Proper shipping name: Not regulated

Proper shipping name:	Not re
Hazard class or division:	None
Identification number:	None
Packing group:	None

International Air Transportation (IC	AO/IATA)
Proper shipping name:	Not regulated
Hazard class or division:	None
Identification number:	None
Packing group:	None
Water Transportation (IMO/IMDG)	
Proper shipping name:	Not regulated
Hazard class or division:	None
Identification number:	None
Packing group:	None
	15. REGULATORY INFORMATION
ted States Regulatory Information	

#### Unit egulatory informati

TSCA 8 (b) Inventory Status:	All components are listed or are exempt from listing on the Toxic Substances Control Act Inventory.		
TSCA 12(b) Export Notification:	Methyl acetate (CAS# 79-20-9).		
CERCLA/SARA Section 302 EHS: CERCLA/SARA Section 311/312: CERCLA/SARA 313:	None above reporting de minimus Immediate Health, Delayed Health None above reporting de minimus		
California Proposition 65:	This product contains a chemical known in the State of California to cause cancer.		
Canada Regulatory Information			
CEPA DSL/NDSL Status:	All components are listed on or are exempt from listing on the Canadian Domestic Substances List.		
WHMIS hazard class:	D.2.A, D.2.B		

#### **16. OTHER INFORMATION**

This material safety data sheet contains changes from the previous version in sections: Updated Contact Information in Section 1.

Prepared by: Kyra Kozak Woods, Manager, Regulatory Affairs

DISCLAIMER: The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Corporation and its affiliates ("Henkel") does not assume responsibility for any results obtained by persons over whose methods Henkel has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any Henkel's products. In light of the foregoing, Henkel specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel's products. Henkel further disclaims any liability for consequential or incidental damages of any kind, including lost profits.