United Resin Corporation

Safety Data Sheet

Issue on: 2/22/2018

1. Identification of Product & Company

Product Name: Honeycomb Repair Hardener

Product type: Catalyst Mixture

Manufacturer/Supplier: United Resin Corporation

4359 Normandy Court Royal Oak, MI 48073

Information Department: <u>urcepoxy@unitedresin.com</u>

www.unitedresin.com

Emergency Information: (248) 549 – 8200 **Medical Emergency Phone:** Poison Control Ctr.

(248) 549 – 9587 fax

2. Hazard Identification

<u>Classification of the mixture:</u> Skin Irritation – Category 2

Eye Irritation – Category 2A Skin Sensitization – Category 1 Acute Toxicity Oral – Category 4

Hazard Pictograms:

1

Signal Word: Warning

<u>Hazard Statement:</u> H315-Skin Irritation H320-Eye Irritation

H317-Skin Sensitization H302-Harmful if swallowed

Precautionary Statement: P270 – Do not eat, drink or smoke when using this product.

P271 – Use only in well ventilated area.

P280 – Wear eye protection and protective gloves.

P302+P352 – IF ON SKIN: Wash with plenty of soap and water. P501 – Dispose of contents/container according to local, regional,

national, and international regulations.

Other Hazards: No additional information available.

NFPA ratings (scale 0-4): HMIS ratings (scale 0-4):



Health = 2, Fire = 1, Reactivity = 0



Health = 2, Fire = 1, Reactivity = 0

Issue on: 2/22/2018

3. Composition/Information on Ingredients

<u>Chemical Name:</u> Polyamide Resin <u>CAS No. Description: 68410-23-1</u>

4. First Aid Measures

After inhalation: Supply fresh air and be sure to call for a doctor.

After skin contact: Immediately wash with water and soap and rinse thoroughly. Remove

contaminated clothing. Launder contaminated clothing before re-use.

After eye contact: Rinse opened eye for several minutes under running water. Seek medical attention

if irritation develops.

After swallowing: Do not induce vomiting; immediately call for medical help.

5. Fire Fighting Measures

Suitable extinguishing agents: Water spray (fog), foam, dry chemical or carbon dioxide.

Special firefighting procedures: Wear self-contained breathing apparatus and full protective clothing, such as turn-out gear. Cartridge respirators do not provide adequate protection for fire fighters or exotherm mitigation.

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire.

Unusual fire or explosion hazards: May liberate large quantities of dense, foul-smelling smoke which may

contain unidentified toxic gasses.

Hazardous combustion products: Oxides of carbon and nitrogen, and undetermined organics.

6. Accidental Release Measures

Use personal protection recommended in Section 8, isolate the hazard area and deny entry to unnecessary and unprotected personnel.

Environmental protection: Do not allow product to enter sewers/surface or ground water. Wear appropriate protective equipment and clothing during clean-up. Prevent further leakage or spillage if safe to do so. **Clean-up methods:** For large spills absorb onto inert absorbent material and place in sealed container for disposal. Dispose of according to Federal, State and local governmental regulations.

Issue on: 2/22/2018

7. Handling and Storage

Handling: Ensure good ventilation/exhaustion at the workplace. Protect from heat. Empty containers retain product residue, so obey hazard warnings and handle empty containers as if they were full.

Storage: For safe storage, store at or below 72°F (22°C). Keep container tightly closed and in a cool, well-ventilated place away from incompatible materials.

For information on product shelf life, please review Technical Data Sheet.

8. Exposure Controls and Personal Protection

Engineering Controls: Provide adequate local exhaust ventilation to maintain worker exposure below exposure limits.

Respiratory protection: If exposure limits are exceeded or irritation is experienced, NIOSH approved respiratory protection should be worn.

Protection of hands: The glove material has to be impermeable and resistant to the product/substance/preparation.



Eye protection: Wear safety glasses; chemical goggles (if splashing is possible).



Body protection: Protective work clothing and boots.

9. Physical and Chemical Properties

General information:

Form: Liquid Color: Amber Odor: Slight

Change in condition:

Melting point/Melting range: Undetermined

Boiling point/boiling range: >390 °F

Flash point: >550 °F

Ignition temperature: Undetermined **Danger of explosion:** Not applicable **Vapor pressure at 72°F:** mm Hg

Density at 72°F: 8.1 lbs/gal - Specific Gravity: .97

Solubility in/miscibility with Water: Slight
Percent Solids: 100% - Percent Volatiles: 0%

Issue on: 2/22/2018

10. Stability and Reactivity

Stability: Stable at normal conditions.

Hazardous reactions: Under normal conditions of storage and use, hazardous reactions should not occur.

Hazardous decomposition products: Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons and undetermined organics.

Dangerous reactions: In normal storage hazardous reaction will not occur, reacts with amines.

Incompatible materials: Keep away from strong oxidizing agents, strong Lewis or mineral acids.

Reactivity: Not available.

Conditions to avoid: Avoid mixing resin (Part A) and curing agent (Part B) unless you plan to use immediately. Failure to observe this precaution may result in excessive heat build-up causing exotherm.

11. Toxicological Information

Relevant routes of exposure: Skin, Inhalation, Eyes and Ingestion

Potential Health Effects/Symptoms:

Inhalation: May cause respiratory tract irritation.

Skin contact: This product may cause irritation to the skin. This product may cause an allergic skin reaction.

Eye contact: This product may cause irritation to the eyes.

Ingestion: Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

12. Ecological Information

Aquatic or Other Organisms Toxicity: No Data Available.

Information about elimination (Persistence and Degradability): No Data Available.

Issue on: 2/22/2018

13. Disposal Considerations

Information provided is for unused product only.

Recommended method of disposal: Dispose of according to Federal, State and local governmental

regulations.

Hazard waste number: Material, if discarded, is not expected to be a characteristic hazardous

waste under RCRA.

14. Transport Information

Land Transport (DOT): Non-Regulated

Marine Transport (IMDG): Non-Regulated

Air Transport (IATA): Non-Regulated

15. Regulations.

United States Regulatory Information

TSCA 8 (B) Inventory Status: All components are listed or are exempt from listing on the Toxic

Substances Control Act Inventory.

TSCA 12 (b) Export Notification: No reportable components CERCLA/SARA Sec. 302 EHS: No reportable components

CERCLA/SARA Sec. 311/312: Immediate Health, Delayed Health

CERCLA/SAFA Sec. 313: No reportable components

California Proposition 65: No California Proposition 65 listed chemicals are known to be present.

Canada Regulatory Information:

CEPA DSL/NDSL Status: All components are listed on or are exempt from listing on the Canadian Domestic

Substances List.

16. Other Information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Information source and references: No Data

United Resin Corporation

Safety Data Sheet

Issue on: 2/20/2018

1. Identification of Product & Company

Product Name: Honeycomb Repair Resin

Product type: Epoxy Mixture

Manufacturer/Supplier: United Resin Corporation

4359 Normandy Court Royal Oak, MI 48073

Information Department: <u>urcepoxy@unitedresin.com</u>

www.unitedresin.com

Emergency Information: (248) 549 – 8200 **Medical Emergency Phone:** Poison Control Ctr.

(248) 549 – 9587 fax

2. Hazard Identification

<u>Classification of the mixture:</u> Skin Irritation – Category 2

Eye Irritation – Category 2A Skin Sensitization – Category 1 Acute Toxicity Oral – Category 4

Hazard Pictograms:

1

Signal Word: Warning

<u>Hazard Statement:</u> H315-Skin Irritation H320-Eye Irritation

H317-Skin Sensitization H302-Harmful if swallowed

Precautionary Statement: P270 – Do not eat, drink or smoke when using this product.

P271 – Use only in well ventilated area.

P280 – Wear eye protection and protective gloves.

P302+P352 – IF ON SKIN: Wash with plenty of soap and water. P501 – Dispose of contents/container according to local, regional,

national, and international regulations.

Other Hazards: No additional information available.

NFPA ratings (scale 0-4): HMIS ratings (scale 0-4):



Health = 2, Fire = 1, Reactivity = 0



Health = 2, Fire = 1, Reactivity = 0

United Resin Corporation

Safety Data Sheet

Issue on: 2/20/2018

3. Composition/Information on Ingredients

<u>Chemical Name:</u> Epoxy Resin <u>CAS No. Description:</u> 25068-38-6

<u>Chemical Name:</u> Phenolic Resin <u>CAS No. Description</u>: 9003-35-4

4. First Aid Measures

After inhalation: Supply fresh air and be sure to call for a doctor.

After skin contact: Immediately wash with water and soap and rinse thoroughly. Remove

contaminated clothing. Launder contaminated clothing before re-use.

After eye contact: Rinse opened eye for several minutes under running water. Seek medical attention

if irritation develops.

After swallowing: Do not induce vomiting; immediately call for medical help.

5. Fire Fighting Measures

Suitable extinguishing agents: Water spray (fog), foam, dry chemical or carbon dioxide.

Special firefighting procedures: Wear self-contained breathing apparatus and full protective clothing, such as turn-out gear. Cartridge respirators do not provide adequate protection for fire fighters or exotherm mitigation.

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire.

Unusual fire or explosion hazards: May liberate large quantities of dense, foul-smelling smoke which may

contain unidentified toxic gasses.

Hazardous combustion products: Oxides of carbon and nitrogen, and undetermined organics.

6. Accidental Release Measures

Use personal protection recommended in Section 8, isolate the hazard area and deny entry to unnecessary and unprotected personnel.

Environmental protection: Do not allow product to enter sewers/surface or ground water. Wear appropriate protective equipment and clothing during clean-up. Prevent further leakage or spillage if safe to do so. **Clean-up methods:** For large spills absorb onto inert absorbent material and place in sealed container for disposal. Dispose of according to Federal, State and local governmental regulations.

Issue on: 2/20/2018

7. Handling and Storage

Handling: Ensure good ventilation/exhaustion at the workplace. Protect from heat. Empty containers retain product residue, so obey hazard warnings and handle empty containers as if they were full.

Storage: For safe storage, store at or below 72°F (22°C). Keep container tightly closed and in a cool, well-ventilated place away from incompatible materials.

For information on product shelf life, please review Technical Data Sheet.

8. Exposure Controls and Personal Protection

Engineering Controls: Provide adequate local exhaust ventilation to maintain worker exposure below exposure limits.

Respiratory protection: If exposure limits are exceeded or irritation is experienced, NIOSH approved respiratory protection should be worn.

Protection of hands: The glove material has to be impermeable and resistant to the product/substance/preparation.



Eye protection: Wear safety glasses; chemical goggles (if splashing is possible).



Body protection: Protective work clothing and boots.

9. Physical and Chemical Properties

General information:

Form: Liquid Color: Purple Odor: Slight

Change in condition:

Melting point/Melting range: Undetermined

Boiling point/boiling range: NA

Flash point: >200 °F

Ignition temperature: Undetermined **Danger of explosion:** Not applicable **Vapor pressure at 72°F:** mm Hg

Density at 72°F:7.42 lbs/gal - Specific Gravity: 0.89

Solubility in/miscibility with Water: Slight
Percent Solids: 100% - Percent Volatiles: 0%

Issue on: 2/20/2018

10. Stability and Reactivity

Stability: Stable at normal conditions.

Hazardous reactions: Under normal conditions of storage and use, hazardous reactions should not occur.

Hazardous decomposition products: Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons and undetermined organics.

Dangerous reactions: In normal storage hazardous reaction will not occur, reacts with amines.

Incompatible materials: Keep away from strong oxidizing agents, strong Lewis or mineral acids.

Reactivity: Not available.

Conditions to avoid: Avoid mixing resin (Part A) and curing agent (Part B) unless you plan to use immediately. Failure to observe this precaution may result in excessive heat build-up causing exotherm.

11. Toxicological Information

Relevant routes of exposure: Skin, Inhalation, Eyes and Ingestion

Potential Health Effects/Symptoms:

Inhalation: May cause respiratory tract irritation.

Skin contact: This product may cause irritation to the skin. This product may cause an allergic skin reaction.

Eye contact: This product may cause irritation to the eyes.

Ingestion: Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

12. Ecological Information

Aquatic or Other Organisms Toxicity: No Data Available.

Information about elimination (Persistence and Degradability): No Data Available.

Issue on: 2/20/2018

13. Disposal Considerations

Information provided is for unused product only.

Recommended method of disposal: Dispose of according to Federal, State and local governmental

regulations.

Hazard waste number: Material, if discarded, is not expected to be a characteristic hazardous

waste under RCRA.

14. Transport Information

Land Transport (DOT): Non-Regulated

Marine Transport (IMDG): Non-Regulated

Air Transport (IATA): Non-Regulated

15. Regulations.

United States Regulatory Information

TSCA 8 (B) Inventory Status: All components are listed or are exempt from listing on the Toxic

Substances Control Act Inventory.

TSCA 12 (b) Export Notification: No reportable components
CERCLA/SARA Sec. 302 EHS: No reportable components

CERCLA/SARA Sec. 311/312: Immediate Health, Delayed Health

CERCLA/SAFA Sec. 313: No reportable components

California Proposition 65: No California Proposition 65 listed chemicals are known to be present.

Canada Regulatory Information:

CEPA DSL/NDSL Status: All components are listed on or are exempt from listing on the Canadian Domestic

Substances List.

16. Other Information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Information source and references: No Data