

**Zip-Chem Products**  
**Sur Prep 5673 Aerosol**  
**Material Safety Data Sheet**

**Section: 1 CHEMICAL PRODUCT AND COMPANY INFORMATION**

**Product Name:** Sur Prep 5673 Aerosol      **For Additional Product Information:** 1 (800) 648-2661

**Chemical Family:** Contact Cleaner & Degreaser Aerosol

**Manufacturer:** Zip-Chem Products      **In Emergency:** 1 (800) 424-9300  
 400 Jarvis Drive  
 Morgan Hill, CA 95037

**Section: 2 COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS**

FOR EXPOSURE LIMITS SEE SECTION 8  
 FOR OTHER TOXICOLOGICAL INFORMATION SEE SECTION 11

**HAZARDOUS INGREDIENTS**

Descriptive Name	CAS Number	Percentage Range	Hazard Type per CFR 1910.1200	Exposure Limits	LD <sub>50</sub>	LC <sub>50</sub>	NTP, IARC, Or OSHA Carcinogen
Methyl Nonafluoroisobutyl ether	163702-08-7	<1%	Not Hazardous	750 ppm	Not Determined	Not Determined	No
Methyl Nonafluorobutyl ether	163702-07-6	<1%	Not Hazardous	750 ppm	Not Determined	Not Determined	No
1,2-Trans-Dichloroethylene	156-60-5	38%	Not Hazardous	OSHA TWA: 200 ppm ACGIH TWA: 200ppm	Not Determined	Not Determined	No
Ethyl Nonafluoroisobutyl Ether	163702-06-5	6%	Not Hazardous	200 ppm	Not Determined	Not Determined	No
Ethyl Nonafluorobutyl Ether	163702-05-4	6%	Not Hazardous	200 ppm	Not Determined	Not Determined	No
Isopropyl Alcohol	67-63-0	1%	Physical Hazard: Flammable	400 ppm	Not Determined	Not Determined	No
1,1-Difluoroethane	75-37-6	45%	Physical Hazard: Flammable Gas	ACGIH TLV-1000 ppm	Not Determined	>200000 ppm	No

**Section: 3 HAZARDS IDENTIFICATION**

**PHYSICAL HAZARDS:**

**ACUTE HEALTH EFFECTS:** Inhalation may cause cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

**CHRONIC HEALTH EFFECTS:** May include loss of appetite, weight loss, fatigue, weakness, abdominal tenderness, jaundice, lower back pain, irregular urine production

**IATA CLASSIFICATION:** Not flammable according to IATA 3.2.5.2.a & b.

**FLAME PROJECTION TEST:** Not flammable according to the flame projection test (IATA 3.2.5.2.a, ASTM D 3065, FSHA Sec. 1500.45)

**HMIS RATINGS:**

Health: 2  
 Flammability: 0

**WHMIS CLASS AND DIVISION:** Not available

**Zip-Chem Products**  
**Sur Prep 5673 Aerosol**  
**Material Safety Data Sheet**

Reactivity: 0 TDG CLASS AND DIVISION: Not available  
Protective Equipment: G

**Section: 4 FIRST AID MEASURES**

**EYES:** May be an eye irritant. Flush immediately with water for 15 minutes and take to physician.  
**SKIN:** Wash affected area, treat for frostbite if necessary, and consult a physician if irritation persists.  
**INGESTION:** Call a physician and/or transport to emergency facility immediately. Do not induce vomiting so as to avoid aspiration of material into the lungs.  
**INHALATION:** Remove from exposure and restore breathing. Seek medical attention.

**Section: 5 FIRE AND EXPLOSION HAZARDS**

**FLAMMABILITY DATA:**

FLAMMABLE/COMBUSTIBLE/PYROPHORIC: Not flammable  
FLASH POINT AND METHOD: None  
AUTOIGNITION TEMPERATURE: Not established

**FLAMMABLE LIMITS AT NORMAL TEMPERATURE AND PRESSURE (PERCENT VOLUME IN AIR):**

LEL: 5.9% UEL: 14.5%

NFPA WAREHOUSE LEVEL (per NFPA 30B): 1

**EXPLOSION DATA:**

SENSITIVITY TO MECHANICAL IMPACT: Not Sensitive  
SENSITIVITY TO STATIC DISCHARGE: Not Sensitive

**EXTINGUISHING MEDIA:** Foam, Alcohol Foam, CO<sub>2</sub>, Dry Chemical, Water Fog

**FIRE FIGHTING TECHNIQUES AND COMMENTS:** Use standard firefighting techniques to fight fires involving this material

**HAZARDOUS COMBUSTION PRODUCTS:** Hydrochloric and hydrofluoric acids, carbon dioxide, carbon monoxide, possibly carbonyl halides at high temperatures.

**Section: 6 ACCIDENTAL SPILL/RELEASE INFORMATION**

FOR ALL TRANSPORTATION ACCIDENTS CALL CHEMTREC AT 1-800-424-9300.

**REPORTABLE QUANTITY:** Not Applicable

**SPILL MITIGATION PROCEDURES:**

Stop source of spill as soon as possible and notify appropriate personnel. Burn around spill area to prevent spill from spreading. Ventilate area. Do not flush into sewers.

**AIR RELEASE:**

Vapors may be suppressed by use of water fog or spray. Contain all liquid for treatment or neutralization.

**WATER RELEASE:**

Contain liquid for treatment.

**LAND SPILL:**

Create a trench to contain materials. Spilled materials may be contained using sand, clay, earth or a commercial absorbent. Do not place materials back in their original container.

**Zip-Chem Products**  
**Sur Prep 5673 Aerosol**  
**Material Safety Data Sheet**

**SPILL RESIDUES:**

Dispose of per guidelines under section 13, DISPOSAL CONSIDERATIONS.

**PERSONNEL PROTECTION FOR EMERGENCY SPILL AND FIRE FIGHTING SITUATIONS:**

Additional protective clothing must be worn to prevent personal contact with this material. Those items include but are not limited to gloves, apron, and safety glasses.

**Section: 7 HANDLING AND STORAGE**

DO NOT TAKE INTERNALLY. AVOID CONTACT WITH EYES AND CLOTHING. UPON CONTACT WITH SKIN OR EYES WASH OFF WITH WATER.

**STORAGE CONDITIONS:**

Store in a cool, dry, well-ventilated place.

STORE AT TEMPERATURES BELOW 120°F. DO NOT STORE OR USE NEAR HEAT, SPARKS, OR FLAMES. AVOID BREATHING VAPORS. VAPORS ARE HEAVIER THAN AIR AND WILL COLLECT IN LOW AREAS AND OTHER CONFINED AREAS.

**PRODUCT STABILITY AND COMPATIBILITY:**

SHELF LIFE LIMITATIONS: 36 months from date of shipment

INCOMPATIBLE MATERIALS FOR STORAGE OR TRANSPORT: None known

INCOMPATIBLE MATERIALS FOR PACKAGING: N/A

**Section: 8 PREVENTIVE MEASURES****PERSONAL PROTECTION FOR ROUTINE USE OF THIS PRODUCT:**

**RESPIRATORY PROTECTION:** Half-face mask with organic cartridges for solvent vapor recommended if exposure to product will exceed recommended exposure limit. Refer to NIOSH publication No. 89-105 and NIOSH No. 87-116. See OSHA requirement under 29 CFR 1910.1025 and 29 CFR 1910.134.

**SKIN AND EYE PROTECTIVE EQUIPMENT:** Impervious gloves are recommended to prevent skin contact. Safety glasses to prevent eye contact are recommended.

**ENGINEERING CONTROLS**

**VENTILATION:** Local or mechanical to keep Section II ingredients below their exposure limits.

**EQUIPMENT SPECIFICATIONS (WHEN APPLICABLE):**

**RESPIRATOR TYPE:** None required

**PROTECTIVE CLOTHING TYPE:** (This includes: gloves, boots, apron, protective suit):

Impervious gloves, safety glasses, vapor mask

**WASTE DISPOSAL:**

Spilled material collected in absorbent material should be transferred to steel disposal or recovery drums. If this product becomes a waste, it DOES NOT meet the criteria of a hazardous waste as defined under 40 CFR 261, in that it does not exhibit the characteristics of hazardous waste under Subpart D. If this product becomes a waste, it should be disposed of in accordance with local, state and federal regulations by incineration.

**Zip-Chem Products**  
**Sur Prep 5673 Aerosol**  
**Material Safety Data Sheet**

<b>Section: 9 PHYSICAL AND CHEMICAL PROPERTIES</b>
--

PHYSICAL STATE(gas, liquid, solid): Liquid  
APPEARANCE: Clear and colorless  
ODOR: Slight ethereal odor  
FREEZING POINT: Not Determined  
BOILING RANGE: Not Determined  
DECOMPOSITION TEMPERATURE: Not Determined  
SPECIFIC GRAVITY (H2O=1): 1.3  
BULK DENSITY: 10.8 lbs/gal @ 70 Deg F  
pH @ 25 Deg C: Not Applicable  
VAPOR PRESSURE @ 25 Deg C: Not Determined  
SOLUBILITY IN WATER: Negligible  
VOLATILES, PERCENT BY WEIGHT: 100%  
EVAPORATION RATE: Not Determined  
VAPOR DENSITY: Heavier than air  
VOLATILE ORGANIC COMPOUND 489  
(less H<sub>2</sub>O and exempt solvents) G/L:

<b>Section: 10 STABILITY AND REACTIVITY DATA</b>
--

CONDITIONS UNDER WHICH THIS PRODUCT MAY BE UNSTABLE:  
TEMPERATURES ABOVE: 120 deg F (49 deg C)  
MECHANICAL SHOCK OR IMPACT: No  
ELECTRICAL (STATIC) DISCHARGE: No  
HAZARDOUS POLYMERIZATION: Will Not Occur  
INCOMPATIBLE MATERIALS: Alkali or alkaline earth metals-powdered Al, Zn, Be, etc.  
CONDITIONS OF REACTIVITY: None known  
HAZARDOUS DECOMPOSITION PRODUCTS: Hydrochloric and hydrofluoric acids, carbon dioxide, carbon monoxide, possibly carbonyl halides at high temperatures.

**Zip-Chem Products**  
**Sur Prep 5673 Aerosol**  
**Material Safety Data Sheet**

**Section: 11 TOXICOLOGICAL PROPERTIES**

**ROUTES OF ABSORPTION**

Inhalation may cause cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

**WARNING STATEMENTS AND WARNING PROPERTIES:**

DO NOT TAKE INTERNALLY. MAY CAUSE FROSTBITE.

**SIGNS, SYMPTOMS AND EFFECTS OF EXPOSURE**

**INHALATION**

Respiratory Tract Irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

**SKIN**

Moderate Skin Irritation: Signs/symptoms may include localized redness, swelling, itching, and dryness.

**EYE**

Moderate Eye Irritation: Signs/symptoms may include redness, swelling, pain, tearing, and blurred or hazy vision.

**INGESTION**

Gastrointestinal Irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

**MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE:** None known.

**INTERACTIONS WITH OTHER CHEMICALS THAT ENHANCE TOXICITY:** Do not use epinephrine in conjunction with this material.

**TARGET ORGAN:** Central Nervous System (CNS) Depression: Signs/symptoms may include headache, dizziness, drowsiness, incoordination, nausea, slowed reaction time, slurred speech, giddiness, and *unconsciousness*.

**REPRODUCTIVE AND DEVELOPMENTAL TOXICITY:** There are no known or reported effects on reproductive function or fetal development.

**CARCINOGENICITY:** NTP? NO IARC MONOGRAPHS? NO OSHA REGULATED? NO

**MUTAGENICITY:** This product is not known to be mutagenic.

**EXPOSURE LIMITS:** Not Determined

**Section: 12 ECOLOGICAL INFORMATION**

**AQUATIC TOXICITY:** Testing results indicate that ethyl nonafluoroisobutyl ether, ethyl nonafluorobutyl ether, methyl nonafluoroisobutyl ether and methyl nonafluorobutyl ether have insignificant toxicity to aquatic organisms at their saturation point (Lowest LC50, EC50, or IC50 > substance water solubility). 1,2-Trans-dichloroethylene is harmful to aquatic organisms (10 mg/L < Lowest LC50, EC50, or IC50 < 100 mg/L). These compounds are highly volatile and have high Henry's Law constants and are thus expected to move rapidly through vaporization from solution in an aquatic compartment or from a soil surface in a terrestrial compartment to the atmosphere.

**BIOCONCENTRATION:** Ethyl nonafluoroisobutylether, ethyl nonafluorobutylether, methyl nonafluoroisobutylether, and methyl nonafluorobutylether are highly insoluble and very volatile. Bioconcentration is therefore unlikely and not expected as they are not likely to enter aqueous waste streams from typical uses and disposal, or, in the case of a spill, remain in the aquatic or terrestrial compartments. The high potential for these components to move from aquatic or terrestrial environments to the atmosphere indicates bioconcentration is unlikely to occur as they are not expected to be bioavailable. Thus, emphasis has been placed on the atmospheric fate.

**Zip-Chem Products**  
**Sur Prep 5673 Aerosol**  
**Material Safety Data Sheet**

1,2-Trans-dichloroethylene has an octanol/water partition coefficient of <3 indicating it is unlikely to bioconcentrate.

**Section: 13 DISPOSAL CONSIDERATIONS**

Spilled material collected in absorbent material should be transferred to steel disposal or recovery drums.

If this product becomes a waste, it DOES NOT meet the criteria of a hazardous waste as defined under 40 CFR 261, in that it does not exhibit the characteristics of hazardous waste under Subpart D.

If this product becomes a waste, it should be disposed of in accordance with local, state and federal regulations by incineration.

**Section: 14 TRANSPORT INFORMATION**

DOT SHIPPING NAME: Consumer Commodity

DOT HAZARD CLASS: ORM-D

DOT PACKING GROUP: None

DOT REPORTABLE QUANTITY: None found in 49 CFR 172.101

**Section: 15 REGULATORY INFORMATION**

**INTERNATIONAL**

All components of this product are listed on the following inventories: MITI (Japan) EINECS (EEC) DSL (Canada).

**FEDERAL**

**TOXIC SUBSTANCES CONTROL ACT (TSCA):**

The components of this product are listed on the TSCA inventory.

**SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT TITLE III (SARA):**

**Section 302/304**

Requires emergency planning based on 'Threshold Planning Quantities' (TPQs), and release reporting based on Reportable Quantities (RQs) of 'Extremely Hazardous Substances' (EHS) listed in Appendix A of 40 CFR 355. There are no components of this material with known CAS numbers that are on the EHS list.

**Section 311 & 312**

Based upon the available information, this material and/or components is classified as a health and/or physical hazards according to Section 311 & 312:

Descriptive Name	CAS Number	Percentage Range	Hazard Type per CFR 1910.1200	Exposure Limits	LD <sub>50</sub>	LC <sub>50</sub>	NTP, IARC, Or OSHA Carcinogen
1,2-Trans-Dichloroethylene	156-60-5	38%	Not Hazardous	OSHA TWA: 200 ppm ACGIH TWA: 200ppm	Not Determined	Not Determined	No
Isopropyl Alcohol	67-63-0	1%	Physical Hazard: Flammable	400 ppm	Not Determined	Not Determined	No
1,1-Difluoroethane	75-37-6	45%	Physical Hazard: Flammable Gas	ACGIH TLV-1000 ppm	Not Determined	>200000 ppm	No

**Section 313**

This material does not contain chemicals with known CAS numbers subject to the reporting requirements of SARA Title III, Section 313 and 40 CFR 372.

**Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)**

**Zip-Chem Products**  
**Sur Prep 5673 Aerosol**  
**Material Safety Data Sheet**

This material does not contain chemical(s) with known CAS numbers classified as hazardous substances subject to the reporting requirements of CERCLA (40 CFR 302) and to the release reporting requirements of SARA (Section 302) based on reportable quantities (RQs):

**OSHA Regulations**

'Chemical-specific' U. S. Occupational Safety and Health Administration (OSHA) regulations (1910.1002 to 1910.1050) presented under 29 CFR 1910 do not apply to this material or its components.

**Other EPA Regulations**

No additional information available.

**State****California Safe Drinking Water and Toxic Enforcement Act of 1988- Proposition 65**

This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins under California Proposition 65 at levels that would be subject to the proposition

**California South Coast Air Quality Management District (SCAQMD) Rule 443.1 (VOC's)**

A Volatile Organic Compound (VOC) is any volatile compound of carbon excluding methane, carbon monoxide, carbonic acid, metallic carbides or carbonates, ammonium carbonate, 1,1,1-trichloroethane, methylene chloride, FC-23, CFC-113, CFC-12, CFC-11, CFC-22, CFC-114, and CFC-115. By this definition, this is a VOC material.

**Massachusetts Right to Know Substance List (MSL) [105 CMR 670.000]**

Hazardous Substances (MSL-HS) on the MSL must be identified when present in materials at levels greater than state specified criterion. The criterion is:  $\geq 1\%$ . Components with CAS numbers present in this material at a level which could require reporting under the statute are:

<u>Chemical</u>	<u>CAS Number</u>
1,2-Trans-Dichloroethylene	156-60-5
Isopropyl Alcohol	67-63-0

Extraordinarily Hazardous Substances (MSL-EHS) on the MSL must be identified when present in materials at levels greater than state specified criterion. The criterion is  $\geq 0.0001\%$ . There are no materials present that could require reporting under this statute.

**Pennsylvania Right to Know Hazardous Substance List**

Hazardous Substances (PA-HS) must be identified when present in materials at levels greater than the state specified criterion. The criterion is  $\geq 1\%$ . Components with CAS numbers present in this material at a level that could require reporting under the statute are:

<u>Chemical</u>	<u>CAS Number</u>
1,2-Trans-Dichloroethylene	156-60-5
Isopropyl Alcohol	67-63-0

**Section: 16 PREPARATION INFORMATION**

REVISION INFORMATION:	Added information to Section 12
PREPARED BY:	J Smith
APPROVAL DATE:	11/8/05
SUPERSEDES:	7/19/05

This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of Zip-Chem Products Company. The data in this sheet is related only to the specific material designated herein. Zip-Chem Products Company assumes no legal responsibility for use or reliance upon these data.