

SAFETY DATA SHEET

ROYCO 43 SAE-AMS-G-4343



Version 3.0 Revision Date: 08/18/2022 SDS Number: 203000016222 Date of last issue: 05/27/2021
Country / Language: US / EN

SECTION 1. IDENTIFICATION

Product name : ROYCO 43 SAE-AMS-G-4343

Product code : 00000000058322618

Manufacturer or supplier's details

Company : LANXESS Corporation
Product Safety & Regulatory Affairs
111 RIDC Park West Drive
Pittsburgh, Pennsylvania 15275-1112

Responsible Department : (800) LANXESS
(412) 809-1000

Emergency telephone : CHEMTREC (800) 424-9300 or
(703) 527-3887 (Outside U.S.A) and mention CCN12916.
Lanxess Emergency Phone (800) 410-3063.

Recommended use of the chemical and restrictions on use

Recommended use : Lubricant

Restrictions on use : Reserved for industrial and professional use.

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Reproductive toxicity : Category 2

GHS label elements

Hazard pictograms :



Signal Word : Warning

Hazard Statements : Suspected of damaging fertility.

Precautionary Statements : **Prevention:**
Obtain special instructions before use.

SAFETY DATA SHEET

ROYCO 43 SAE-AMS-G-4343



Version 3.0 Revision Date: 08/18/2022 SDS Number: 203000016222 Date of last issue: 05/27/2021
Country / Language: US / EN

Do not handle until all safety precautions have been read and understood.
Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

IF exposed or concerned: Get medical advice/ attention.

Storage:

Store locked up.

Disposal:

Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Dec-1-ene, oligomers, hydrogenated	68037-01-4	$\geq 50 - < 70$
Naphthalenesulfonic acid, di-C9-rich C8-10-branched alkyl derivs., calcium salts	1474044-79-5	$\geq 1 - < 5$
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	68411-46-1	$\geq 0.1 - < 1$

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

SECTION 4. FIRST AID MEASURES

If inhaled : If inhaled, remove to fresh air.
Get medical attention if symptoms occur.

In case of skin contact : Wash off with soap and water.
Remove contaminated clothing and shoes.
Continue to rinse for at least 20 minutes.
Get medical attention if symptoms occur.
Wash contaminated clothing before reuse.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids,
for at least 15 minutes.
Obtain medical attention.

If swallowed : Obtain medical attention.

SAFETY DATA SHEET

ROYCO 43 SAE-AMS-G-4343



Version 3.0 Revision Date: 08/18/2022 SDS Number: 203000016222 Date of last issue: 05/27/2021
Country / Language: US / EN

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed

- Symptoms : Adverse symptoms sometimes include the following:
Effects on fertility.
- Effects : Suspected of damaging fertility.
- Protection of first-aiders : First Aid responders should pay attention to self-protection and use the recommended protective clothing
If potential for exposure exists refer to Section 8 for specific personal protective equipment.
- Notes to physician : Treat symptomatically.
-

SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during fire fighting : Do not use a solid water stream as it may scatter and spread fire.
Burning produces irritant fumes.
Exposure to decomposition products may be a hazard to health.
- Hazardous combustion products : Carbon dioxide (CO₂)
Carbon monoxide
Metal oxides
Sulfur oxides
- Further information : Cool containers/tanks with water spray.
- Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.
-

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : No action shall be taken involving any personal risk or without suitable training.
Put on appropriate personal protection equipment.
Do not touch or walk through spilled material.
Evacuate unnecessary personnel.
Keep unnecessary and unprotected personnel from entering.
-

SAFETY DATA SHEET

ROYCO 43 SAE-AMS-G-4343



Version 3.0 Revision Date: 08/18/2022 SDS Number: 203000016222 Date of last issue: 05/27/2021
Country / Language: US / EN

- Environmental precautions : Should not be released into the environment.
Do not flush into surface water or sanitary sewer system.
- Methods and materials for containment and cleaning up : Stop leak if safe to do so.
Move containers from spill area.
Wash spillages into an effluent treatment plant or proceed as follows.
Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).
Dispose of wastes in an approved waste disposal facility.
Do not allow into the sewerage system, surface waters or groundwater or into the soil.
Contaminated absorbent material may pose the same hazard as the spilled product.
-

SECTION 7. HANDLING AND STORAGE

- Advice on safe handling : Remove contaminated clothing and protective equipment before entering eating areas.
Workers should wash hands and face before eating, drinking and smoking.
Put on appropriate personal protection equipment.
Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed.
Persons with a history of skin sensitization to this product should not be employed in any process in which this product is used.
Avoid exposure during pregnancy.
- Conditions for safe storage : Store in accordance with local regulations.
Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink.
Keep container closed when not in use.
Containers that have been opened must be carefully resealed and kept upright to prevent leakage.
Do not store in unlabeled containers.
Use appropriate container to avoid environmental contamination.
Empty containers retain residue and can be dangerous.
Do not reuse container.
- Further information on storage stability : Stable under recommended storage conditions.

SAFETY DATA SHEET

ROYCO 43 SAE-AMS-G-4343



Version 3.0 Revision Date: 08/18/2022 SDS Number: 203000016222 Date of last issue: 05/27/2021
Country / Language: US / EN

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
lithium 12-hydroxystearate	7620-77-1	TWA (Inhalable particulate matter)	10 mg/m ³	ACGIH
		TWA (Respirable particulate matter)	3 mg/m ³	ACGIH

Engineering measures : If user operations generate dust, fumes or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit.

Personal protective equipment

Respiratory protection : Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
Respirator with filter for organic vapor

Hand protection

Remarks : Impervious gloves Long sleeve gloves Before removing gloves clean them with soap and water. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Eye protection : Safety glasses with side-shields
or
Tightly fitting safety goggles

Skin and body protection : Impervious clothing

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice.
Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : paste

Physical state : solid

SAFETY DATA SHEET

ROYCO 43 SAE-AMS-G-4343



Version 3.0 Revision Date: 08/18/2022 SDS Number: 203000016222 Date of last issue: 05/27/2021
Country / Language: US / EN

Color : tan

Odor : mild, hydrocarbon-like

Odor Threshold : No data available

pH : No data available

Drop point : > 325 °F / 163 °C

Boiling point/boiling range : No data available

Flash point : 405 °F / 207 °C
Method: ASTM D 92, Cleveland open cup

Evaporation rate : No data available

Self-ignition : No data available

Burning number : No data available

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : 0.8

Density : 0.8 g/cm³ (68 °F / 20 °C)

Solubility(ies)
Water solubility : negligible

Solubility in other solvents : partly soluble

Partition coefficient: n-octanol/water : No data available

Ignition temperature : not determined

SAFETY DATA SHEET

ROYCO 43 SAE-AMS-G-4343



Version 3.0 Revision Date: 08/18/2022 SDS Number: 203000016222 Date of last issue: 05/27/2021
Country / Language: US / EN

Decomposition temperature : No data available

Self-Accelerating decomposition temperature (SADT) : No data available

Viscosity

 Viscosity, dynamic : No data available

 Viscosity, kinematic : No data available

Explosive properties : No data available

Oxidizing properties : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : Hazardous polymerization does not occur.

Conditions to avoid : Extremes of temperature and direct sunlight.

Incompatible materials : Oxidizing agents

Hazardous decomposition products : Carbon oxides
Metal oxides

SECTION 11. TOXICOLOGICAL INFORMATION

The most important known symptoms and effects are described in Section 2 and/or Section 4.

Information on likely routes of exposure

Skin contact
Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg
Method: Calculation method

Components:

Dec-1-ene, oligomers, hydrogenated:

SAFETY DATA SHEET

ROYCO 43 SAE-AMS-G-4343



Version 3.0 Revision Date: 08/18/2022 SDS Number: 203000016222 Date of last issue: 05/27/2021
Country / Language: US / EN

- Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg
Method: OECD Test Guideline 423
Remarks: Dosage caused no mortality
- Acute inhalation toxicity : LC50 (Rat, male and female): > 5.2 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: Dosage caused no mortality
- Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity
Remarks: Dosage caused no mortality
Based on data from similar materials

Naphthalenesulfonic acid, di-C9-rich C8-10-branched alkyl derivs., calcium salts:

- Acute oral toxicity : LD50 (Rat): > 2,500 mg/kg
- Acute inhalation toxicity : LC50 (Rat): > 9 mg/l
Exposure time: 1 h
Test atmosphere: vapor
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: No deaths at maximum dose.
- Acute dermal toxicity : LD50 (Rabbit, male and female): > 10,000 mg/kg

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

- Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg
Method: OECD Test Guideline 401
GLP: no
- Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Method: OECD Test Guideline 402
GLP: no
Assessment: The substance or mixture has no acute dermal toxicity
Remarks: Dosage caused no mortality

Skin corrosion/irritation

Not classified based on available information.

Components:

Dec-1-ene, oligomers, hydrogenated:

SAFETY DATA SHEET

ROYCO 43 SAE-AMS-G-4343



Version 3.0 Revision Date: 08/18/2022 SDS Number: 203000016222 Date of last issue: 05/27/2021
Country / Language: US / EN

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Naphthalenesulfonic acid, di-C9-rich C8-10-branched alkyl derivs., calcium salts:

Species : Rabbit
Result : Irritating to skin.

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Species : Rabbit
Exposure time : 4 h
Method : OECD Test Guideline 404
Result : Mild skin irritation
GLP : no

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Dec-1-ene, oligomers, hydrogenated:

Species : Rabbit
Result : No eye irritation
Method : OECD Test Guideline 405

Naphthalenesulfonic acid, di-C9-rich C8-10-branched alkyl derivs., calcium salts:

Species : Rabbit
Result : Irritating to eyes.

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Species : Rabbit
Result : No eye irritation
Method : OECD Test Guideline 405
GLP : no

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Components:

Dec-1-ene, oligomers, hydrogenated:

Test Type : Maximization Test

SAFETY DATA SHEET

ROYCO 43 SAE-AMS-G-4343



Version 3.0 Revision Date: 08/18/2022 SDS Number: 203000016222 Date of last issue: 05/27/2021
Country / Language: US / EN

Routes of exposure : Dermal
Species : Guinea pig
Method : OECD Test Guideline 406
Result : Not a skin sensitizer.

Naphthalenesulfonic acid, di-C9-rich C8-10-branched alkyl derivs., calcium salts:

Test Type : Buehler Test
Routes of exposure : Dermal
Method : EPA OPP 81-6
Result : Does not cause skin sensitization.

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Test Type : Maximization Test
Routes of exposure : Skin contact
Species : Guinea pig
Method : OECD Test Guideline 406
Result : Not a skin sensitizer.
GLP : yes

Germ cell mutagenicity

Not classified based on available information.

Components:

Naphthalenesulfonic acid, di-C9-rich C8-10-branched alkyl derivs., calcium salts:

Genotoxicity in vitro : Test Type: Ames test
Test system: Salmonella typhimurium
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative
Remarks: Test results on an analogous product

Test Type: Chromosome aberration test in vitro
Test system: Human lymphocytes
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 473
Result: negative
Remarks: Test results on an analogous product

Test Type: In vitro mammalian cell gene mutation test
Test system: mouse lymphoma cells
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 476
Result: negative
Remarks: Test results on an analogous product

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Genotoxicity in vitro : Test Type: Micronucleus test

SAFETY DATA SHEET

ROYCO 43 SAE-AMS-G-4343



Version 3.0 Revision Date: 08/18/2022 SDS Number: 203000016222 Date of last issue: 05/27/2021
Country / Language: US / EN

Test system: Human lymphocytes
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 487
Result: negative
GLP: yes
Remarks: Test results on an analogous product

Test Type: In vitro mammalian cell gene mutation test
Test system: Chinese hamster ovary cells
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 476
Result: negative
GLP: yes
Remarks: Test results on an analogous product

Test Type: Ames test
Test system: Salmonella typhimurium
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative
GLP: yes
Remarks: Test results on an analogous product

Test Type: Ames test
Test system: Escherichia coli
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative
GLP: yes
Remarks: Test results on an analogous product

Test Type: Chromosome aberration test in vitro
Test system: Chinese hamster lung cells
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 473
Result: negative
GLP: yes
Remarks: Test results on an analogous product

Genotoxicity in vivo : Test Type: dominant lethal test
Species: Mouse (male)
Application Route: Oral
Method: OECD Test Guideline 478
Result: negative
GLP: no
Remarks: Test results on an analogous product

Carcinogenicity

Not classified based on available information.



No ingredient of this product present at levels greater than or equal to 0.1% is

SAFETY DATA SHEET

ROYCO 43 SAE-AMS-G-4343



Version 3.0 Revision Date: 08/18/2022 SDS Number: 203000016222 Date of last issue: 05/27/2021
Country / Language: US / EN

identified as probable, possible or confirmed human carcinogen by IARC.

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Suspected of damaging fertility.

Components:

Naphthalenesulfonic acid, di-C9-rich C8-10-branched alkyl derivs., calcium salts:

Effects on fertility : Species: Rat, male and female
Application Route: Oral
General Toxicity Parent: NOAEL: 95 mg/kg bw/day
General Toxicity F1: NOAEL: >= 893 mg/kg bw/day
Method: OECD Test Guideline 422
Remarks: Test results on an analogous product

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Effects on fertility : Test Type: Fertility/early embryonic development
Species: Rat, male and female
Application Route: Oral
Dose: 25-75-225 milligram per kilogram
General Toxicity Parent: NOAEL: 25 mg/kg bw/day
Fertility: NOEL: 225 mg/kg bw/day
Method: OECD Test Guideline 422
Result: Animal testing did not show any effects on fertility.
GLP: yes

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rabbit, female
Application Route: Oral
Dose: 10-30-100 milligram per kilogram
General Toxicity Maternal: NOAEL: 30 mg/kg bw/day
Teratogenicity: NOAEL: 100 mg/kg bw/day
Developmental Toxicity: NOEL: 30 mg/kg bw/day
Method: OECD Test Guideline 414
Result: Embryotoxic effects and adverse effects on the offspring were detected only at high maternally toxic doses
GLP: yes

Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, based on animal experiments.

STOT-single exposure

Not classified based on available information.

SAFETY DATA SHEET

ROYCO 43 SAE-AMS-G-4343



Version 3.0 Revision Date: 08/18/2022 SDS Number: 203000016222 Date of last issue: 05/27/2021
Country / Language: US / EN

STOT-repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:

Naphthalenesulfonic acid, di-C9-rich C8-10-branched alkyl derivs., calcium salts:

Species : Rat, male and female
NOAEL : 100 mg/kg
Application Route : Oral
Exposure time : 90 d
Method : OECD Test Guideline 408
Remarks : Subchronic toxicity

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Species : Rat, male and female
NOAEL : 25 mg/kg
Application Route : Oral
Exposure time : 28 d
Number of exposures : daily
Dose : 25-75-225 mg/kg bw/d
Method : OECD Test Guideline 422
GLP : yes
Remarks : Subacute toxicity

Aspiration toxicity

Not classified based on available information.

Product:

No aspiration toxicity classification

Components:

Dec-1-ene, oligomers, hydrogenated:

May be fatal if swallowed and enters airways.

Further information

Product:

Remarks : There is no data available for this product.

SAFETY DATA SHEET

ROYCO 43 SAE-AMS-G-4343



Version 3.0 Revision Date: 08/18/2022 SDS Number: 203000016222 Date of last issue: 05/27/2021
Country / Language: US / EN

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish :
Remarks: No data available

Components:

Dec-1-ene, oligomers, hydrogenated:

Toxicity to fish : LC50 (Fish): > 1,000 mg/l
Exposure time: 96 h

Naphthalenesulfonic acid, di-C9-rich C8-10-branched alkyl derivs., calcium salts:

Toxicity to fish : LC50 (Fish): > 0.28 mg/l
Exposure time: 96 h
Remarks: Test results on an analogous product
No toxicity at the limit of solubility.

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 0.27 mg/l
Exposure time: 48 h
Remarks: Test results on an analogous product
No toxicity at the limit of solubility.

Toxicity to algae/aquatic plants : EC10 (Pseudokirchneriella subcapitata (green algae)): 0.8 mg/l
End point: Growth rate
Exposure time: 72 h
Method: OECD Test Guideline 211
GLP: yes

Ecotoxicology Assessment

Acute aquatic toxicity : This product has no known ecotoxicological effects.

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 100 mg/l
End point: mortality
Exposure time: 96 h
Test Type: static test
Analytical monitoring: yes
Method: OECD Test Guideline 203
GLP: no
Remarks: Fresh water
nominal concentration

SAFETY DATA SHEET

ROYCO 43 SAE-AMS-G-4343



Version 3.0 Revision Date: 08/18/2022 SDS Number: 203000016222 Date of last issue: 05/27/2021
Country / Language: US / EN

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 51 mg/l
End point: Immobilization
Exposure time: 48 h
Test Type: static test
Analytical monitoring: yes
Method: OECD Test Guideline 202
GLP: yes
Remarks: Fresh water
nominal concentration

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l
End point: Growth rate
Exposure time: 72 h
Test Type: static test
Analytical monitoring: no
Method: OECD Test Guideline 201
GLP: no
Remarks: Fresh water
nominal concentration

NOEC (Desmodesmus subspicatus (green algae)): > 10 mg/l
End point: Growth rate
Exposure time: 72 h
Test Type: static test
Analytical monitoring: no
Method: OECD Test Guideline 201
GLP: no
Remarks: Fresh water
nominal concentration

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EL10 (Daphnia magna (Water flea)): 1.69 mg/l
End point: Reproduction
Exposure time: 21 Days
Analytical monitoring: no
Method: OECD Test Guideline 211
GLP: yes
Remarks: Fresh water
nominal concentration
water extractable fraction

Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l
End point: Respiration inhibition
Exposure time: 3 h
Test Type: static test
Analytical monitoring: no
Method: OECD Test Guideline 209
GLP: no
Remarks: Fresh water
nominal concentration

SAFETY DATA SHEET

ROYCO 43 SAE-AMS-G-4343



Version 3.0 Revision Date: 08/18/2022 SDS Number: 203000016222 Date of last issue: 05/27/2021
Country / Language: US / EN

Persistence and degradability

Product:

Biodegradability : Result: No data available

Components:

Dec-1-ene, oligomers, hydrogenated:

Biodegradability : Result: Not readily biodegradable.

Naphthalenesulfonic acid, di-C9-rich C8-10-branched alkyl derivs., calcium salts:

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 14 %
Exposure time: 29 d
Method: OECD Test Guideline 301B

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Biodegradability : aerobic
Inoculum: activated sludge, non-adapted
Concentration: 20.1 mg/l
Result: Not readily biodegradable.
Biodegradation: 1 %
Exposure time: 28 d
Method: OECD Test Guideline 301B
GLP: yes

Bioaccumulative potential

Product:

Bioaccumulation : Remarks: No data available

Components:

Naphthalenesulfonic acid, di-C9-rich C8-10-branched alkyl derivs., calcium salts:

Partition coefficient: n-octanol/water : log Pow: > 6.6 (68 °F / 20 °C)
Method: OECD Test Guideline 107

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Partition coefficient: n-octanol/water : log Pow: 6.66 (73 °F / 23 °C)
pH: 6.67
Method: OECD Test Guideline 123
GLP: yes
Remarks: Based on data from similar materials

Mobility in soil

No data available

SAFETY DATA SHEET

ROYCO 43 SAE-AMS-G-4343



Version 3.0 Revision Date: 08/18/2022 SDS Number: 203000016222 Date of last issue: 05/27/2021
Country / Language: US / EN

Other adverse effects

Product:

Additional ecological information : There is no data available for this product.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

RCRA - Resource Conservation and Recovery Authorization Act : If discarded in its purchased form, this product would not be a hazardous waste either by listing or by characteristic. However, under RCRA, it is the responsibility of the product user to determine at the time of disposal, whether a material containing the product or derived from the product should be classified as a hazardous waste. (40 CFR 261.20-24)

Waste from residues : The generation of waste should be avoided or minimized wherever possible.
This material and its container must be disposed of in a safe way.
Empty containers retain product residue; observe all precautions for product.
Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
Waste disposal should be in accordance with existing federal, state, provincial and/or local environmental controls.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

Not regulated as a dangerous good

Hazard and Handling Notes.

Not dangerous cargo, Keep separated from foodstuffs

SAFETY DATA SHEET

ROYCO 43 SAE-AMS-G-4343



Version 3.0 Revision Date: 08/18/2022 SDS Number: 203000016222 Date of last issue: 05/27/2021
Country / Language: US / EN

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

CERCLA Reportable Quantity

Listed substances in the product are at low enough levels to not be expected to exceed the RQ

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Reproductive toxicity

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

US State Regulations

Massachusetts Right To Know

aniline	62-53-3	< 0.01
1-naphthylamine	134-32-7	< 0.001

Pennsylvania Right To Know

Dec-1-ene, oligomers, hydrogenated	68037-01-4	50 - 70
Proprietary ester	Trade Secret	> 1
lithium 12-hydroxystearate	7620-77-1	> 1

California Prop. 65

WARNING: This product can expose you to chemicals including aniline, 1-naphthylamine, 2-naphthylamine, which is/are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

TSCA inventory

TSCA : All substances listed as active on the TSCA inventory

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION

Further information

SAFETY DATA SHEET

ROYCO 43 SAE-AMS-G-4343




Version
3.0

Revision Date:
08/18/2022

SDS Number:
203000016222

Date of last issue: 05/27/2021
Country / Language: US / EN

NFPA 704:



HMIS® IV:

HEALTH	*	1
FLAMMABILITY		1
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
ACGIH / TWA : 8-hour, time-weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable

SAFETY DATA SHEET

ROYCO 43 SAE-AMS-G-4343



Version	Revision Date:	SDS Number:	Date of last issue: 05/27/2021
3.0	08/18/2022	203000016222	Country / Language: US / EN

Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 08/18/2022

The data contained in this Safety Data Sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered to be a guidance for processing and does not contain any warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. It is the responsibility of the recipient of the product to ensure that any proprietary rights and existing laws and legislation are observed.