1. Identification Product Identifiner		Carbon Dioxide
Other means of	:	Carbonic, Carbon Dioxide, Carbonic Anhydride, CO2, UN 1013
identification	•	Carbonic, Carbon Dioxide, Carbonic Annyunde, CO2, ON 1013
Product use		Synthetic, Analytical chemistry
Supplier	:	Leland Limited, Inc.
Cuppier	•	2614 South Clinton Ave.
		South Plainfield, NJ 07080
		1-908-668-1008 (9-5 EST)
Emergency calls	:	1-800-424-9300 (Domestic)
(CHEMTREC)	•	1-703-527-3887 (International)
(Onewrite)		
2. Hazards Identification		
OSHA/HCS status	:	This material is considered hazardous by the OSHA Hazard
		Communication Standard (29 CFR 1910. 1200).
Classification of the	:	Gases under pressure – Liquefied gas
substance or mixture		Simple asphyxiant
GHS label elements		
Hazard pictograms	:	▲ · · · · · · · · · · · · · · · · · · ·
Signal word	:	Warning
Hazards statements	:	Contains gas under pressure; may explode if heated
		May cause frostbite
		May displace oxygen and cause rapid suffocation
		May increase respiration and heart rate
Precautionary statements		
General	:	Read and follow all Safety Data Sheets (SDS'S) before use. Read label
		before use. Keep out of reach of children. If medical advice is needed,
		have product container or label at hand. Close valve after each use and
		when empty. Use equipment rated for cylinder pressure. Do not open
		valve until connected to equipment prepared for use. Use a back flow
		preventative device in the piping. Use only equipment of compatible
Duessentier		materials of construction. Always keep container in upright position.
Prevention	÷	Use and store outdoors or in a well ventilated place.
Response	•	IF INHALED: Remove person to fresh air and keep comfortable for
Charage		breathing. Call a POISON CENTER or doctor/physician if you feel unwell.
Storage	•	Protect from sunlight. Protect from sunlight when ambient temperature
Dianagal		exceeds 52C/125F. Store in a well-ventilated place.
Disposal Hazards not otherwise	•	Dispose in accordance with all applicable regulations.
classified	•	In addition to any other important health or physical hazards, this product
01099111EU		may displace oxygen and cause rapid suffocation. May cause frostbite.
		-,



3. Composition, Information on Ingredients

Substance/Mixture	: Substance
Chemical Name	: Carbon dioxide
Synonyms	: Carbonic, Carbon Dioxide, Carbon Anhydride, CO2
CAS Number	: 124-38-9
Content (vo%)	: 99.5 % or more
-	

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

4. First Aid Measures

Description of necessary first aid measures

Inhalation	: Remove exposed person to fresh air and keep at rest in a position
	comfortable for breathing. If not breathing, if breathing is irregular, or if
	respiratory arrest occurs, provide artificial respiration or oxygen by trained
	personnel. It may be dangerous to the person providing aid to give
	mouth-to-mouth resuscitation. Get medical attention if adverse health
	effects persist or are severe. If unconscious, place in recovery position
	and get medical attention immediately. Maintain an open airway. Loosen
	tight clothing such as a collar, tie, belt or waistband.
Skin Contact	: Carbon dioxide is harmless at atmospheric pressure.
	Flush contaminated skin with plenty of water. Remove contaminated
	clothing and shoes. Get medical attention if symptoms occur. Wash
	clothing before reuse. Clean shoes thoroughly before reuse.
Eye Contact	: Carbon dioxide is harmless at atmospheric pressure.
5	Immediately flush eyes with plenty of water, occasionally lifting the upper
	and lower eyelids. Check for and remove any contact lenses. Continue to
	rinse for at least 10 minutes. Get medical attention if irritation occurs.
Ingestion	: Since this product is a gas, refer to the inhalation section.
Most important symptom	s/effects, acute and delayed
Potential acute health eff	
Inhalation	: No known significant effects or critical hazards.
Skin Contact	: No known significant effects or critical hazards.
Eye Contact	: No known significant effects or critical hazards.
Frostbite	: Try to warm up the frozen tissues and seek medical attention.
Ingestion	: As this product is a gas, refer to the inhalation section.
ligoodoli	
Over-exposure signs/syn	nptoms
Inhalation	: No specific data.
Skin Contact	: No specific data.



Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician	:	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	:	No specific treatment.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

5. Fire Fighting Measures

Extinguishing media		
Suitable extinguishing media	:	Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	:	None known.
Specific hazards arising from the chemical	:	Contains gas under pressure. In a fire or if heated, a pressure increase will occur and the container may burst or explode.
Hazardous thermal decomposition products	:	Decomposition products may include the following materials: Carbon dioxide Carbon monoxide
Special protective actions for fire-fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Contact supplier immediately for specialist advice. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.
Special protective equipment for fire-fighters		Fire-fighters should wear appropriate equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Avoid breathing gas. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	:	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Ensure emergency procedures to deal with accidental gas releases are in place to avoid contamination of the environment. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).



Small spill	: Immediately contact emergency personnel. Stop leak if without risk.
Large spill	: Immediately contact emergency personnel. Stop leak if without risk. Note:
	see Section 1 for emergency contact information and Section 13 for
	waste disposal.

7. Handling and Storage

Precautions for safe handling	
Protective measures	: Put on appropriate personal protective equipment (see Section 8). Contains gas under pressure. Avoid contact with eyes, skin and clothing. Avoid breathing gas. Empty containers retain product residue and can be hazardous. Do not puncture or incinerate container. Use equipment rated for cylinder pressure. Close valve after each use and when empty. Protect cylinders from physical damage; do not drag, roll, slide, or drop. Use a suitable hand truck for cylinder movement.
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	: Store in accordance with local regulations. Store in a segregated and approved area. Store away from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10). Keep container tightly closed and sealed until ready for use. Cylinders should be stored upright, with valve protection cap in place, and firmly secured to prevent falling or being knocked over. Cylinder temperatures should not exceed 52C (125F).

8. Exposure Controls and Personal Protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
Carbon Dioxide	ACGIH TLV (United States, 3/2012). Oxygen Depletion
	[Asphyxiant].
	STEL: 54000 mg/m ³ 15 minutes.
	STEL: 30000 ppm 15 minutes.
	TWA: 9000 mg/m ³ 8 hours
	TWA: 5000 ppm 8 hours.
	NIOSH REL (United States, 1/2013).
	STEL: 54000 mg/m ³ 15 minutes.
	STEL: 30000 ppm 15 minutes.
	TWA: 9000 mg/m ³ 8 hours
	TWA: 5000 ppm 8 hours.
	OSHA PEL (United States, 6/2010).
	TWA: 9000 mg/m ³ 8 hours
	TWA: 5000 ppm 8 hours.



		OSHA PEL 1989 (United States, 3/1989).
		STEL: 54000 mg/m ³ 15 minutes.
		STEL: 30000 ppm 15 minutes.
		TWA: 9000 mg/m ³ 8 hours
		TWA: 5000 ppm 8 hours.
Appropriate engineering controls Environmental exposure control	:	Good general ventilation should be sufficient to control worker exposure to airborne contaminants. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures		
	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking, using the lavatory and at the end of your shift. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/Face protection	:	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection		
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Body protection	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	:	Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary.



Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

9. Physical and Chemical Properties

Appearance		
Physical state	:	Gas at normal temperature and pressure
Color	:	Colorless
Molecular weight	:	44.01 g/mol
Molecular formula	:	C-O ₂
Melting/freezing point	:	Sublimation temperature: -79C (-110.2F)
Critical temperature	:	30.85C (87.5F)
Odor	:	Odorless
Odor threshold	:	Not available.
рН	:	Not available.
Flash point	:	[Product does not sustain combustion.]
Burning time	:	Not applicable.
Burning rate	:	Not applicable.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive	:	Not available.
(flammable) limits		
Vapor pressure	:	830 psig
Vapor density	:	1.53 (Air = 1), Liquid Density@BP: Solid Density = 97.5 lb/ft^3 (1562 kg/m ³)
Specific Volume	:	8.7719 ft³/lb (m³/g)
Gas Density	:	0.114 lb/ft ³ (178.6 g/m ³)
Relative density	:	Not applicable.
Solubility	:	Not available.
Solubility in Water	:	Not available.
Partition coefficient:	:	0.83
n-octanol/water		
Auto-ignition temperature	:	Not available.
Decomposition temperature	:	Not available.
SADT	:	Not available.
Viscosity	:	Not applicable.
10. Stability and Reactivity	/	
Reactivity	:	No specific test data related to reactivity is available for this product or its
Reactivity		ingredients.
Chemical stability	:	The product is stable.
Possibility of hazardous	:	Under normal conditions of storage and use, hazardous reactions will not
reactions		occur.
Conditions to avoid	:	No specific data.
Hazardous decomposition	:	Under normal conditions of storage and use, hazardous decomposition
CO2_SDS_rev3		Page 6 of 10 02/20/2015 valid on date of printing only



products	
Hazardous polymerization	

products should not be produced.

: Under normal conditions of storage and use, hazardous polymerization will not occur.

11. Toxicological Information

Information on toxicological effects

Acute	toxicity		Not available.
Acule	e toxicity	•	NUL avallable.
Irritat	ion / Corrosion	:	Not available.
Sens	itization	:	Not available.
Muta	genicity	:	Not available.
Carci	nogenicity	:	Not available.
Repr	oductive toxicity	:	Not available.
Terat	ogenicity	:	Not available.
Spec	ific target organ toxicity	:	Not available.
(singl	e exposure)		
Spec	ific target organ toxicity	:	Not available.
(repe	ated exposure)		
Aspir	ation hazard	:	Not available.
Inforr	nation on the likely	:	Not available.
route	s of exposure		
Potent	tial acute health effects		

:	No known significant effects or critical hazards.
:	No known significant effects or critical hazards.
:	No known significant effects or critical hazards.
:	Since this product is a gas, refer to the inhalation section.
	:

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact	:	No specific data.
Inhalation	:	No specific data.
Skin contact	:	No specific data.
ingestion	:	No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure Short term exposure

Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Long term exposure	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Potential chronic health effects	– Not available.
General	: No known significant effects or critical hazards.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Teratogenicity	: No known significant effects or critical hazards.
Developmental effects	No known significant effects or critical hazards.



Fertility effects	
-------------------	--

No known significant effects or critical hazards.

Numerical measures of toxicity Acute toxicity estimates : Not available.

12. Ecological Information

Toxicity	:	Not available.
Persistence and	:	Not available.
degradability		

Bioaccumulative potential

Product/Ingredient name	Log Pow	BCF	Potential
Carbon Dioxide	0.83	-	low

coefficient (K _{oc})	Not available. No known significant effects or critical hazards.
13. Disposal Considerations Discharge of Carbon Dioxide	Gradually release in open air.

Disposal of Cylinders	: If gas remains in cylinders, release gas with p	oper equipment and
	dispose of cylinders as incombustible waste.	
	For empty cylinders, check for a puncture hole	and dispose of as
	incombustible waste.	
	Do not dispose of cylinders without first check	ng that all gas has been
	released.	

14. Transport Information		Carbon Dioxide
Shipping Name	•	
UN Number	:	UN 1013
Hazard Class	:	2.2
Placard (When required)	:	Nonflammable gas
Special Shipping Information	:	See CFR 49, 172.101, 173.306 for exceptions of labeling.

15. Regulatory Information

The following selected regulatory requirements may apply to this product. Not all such requirements are identified. Users of this product are solely responsible for compliance with all applicable federal, state, and local regulations.

U.S. Federal Regulations		 None of this products components are listed under SARA Sections 302/304 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65), CERCLA (40 CFR 302.4), TSCA 12(b), or require an OSHA process safety plan. 			
SARA 311/312		Fire hazard		: No	
Hazardous Categories	:	Sudden release of pressure	Э	: Yes	
-		Reactive		: No	
		Immediate (acute) health ha	azai	rd : No	
		Delayed (chronic) health ha	azar	d : No	
State Regulations	:	Massachusetts	:	This material is listed.	
0	l	New York	:	This material is not listed.	
	1	New Jersey	:	This material is listed.	
		Pennsylvania	:	This material is listed.	
		California	:	This material is listed.	
				Not regulated under CA Proposition 65.	
International Regulations	: (Canada inventory		This material is listed or exempted.	
		Australia inventory (AICS)		This material is listed or exempted.	
		China inventory (IECSC)		This material is listed or exempted.	
		Japan inventory		This material is listed or exempted.	
		Korea inventory		This material is listed or exempted.	
		Malaysia inventory		Not determined.	
		(EHS Register)			
		New Zealand inventory of		This material is listed or exempted.	
		Chemicals (NZIoC)			
		Philippines inventory (PICCS)		This material is listed or exempted.	
	-	Taiwan inventory (CSNN)		Not determined.	
16. Other Information					
Hazard Rating Systems	:	NFPA Ratings		HMIS Ratings	
	l	Health = 2		Health = 1	
		Flammability = 0		Flammability = 0	
		Reactivity $= 0$		Physical hazards = 3	
	:	Special = SA			
Key to abbreviations					
ACGIH	: Am	: American Conference of Governmental Industrial Hygienists			
BCF	: Bio	Bioconcentration Factor			
CAS	: Che	Chemical Abstract Services			
CERCLA	: Coi	mprehensive Environmenta	l Re	esponse, Compensation, and Liability Act	
CFR	: Uni	United States Code of Federal Regulations			

DOT	epartment of Transportation	
GHS	lobally Harmonized System of Classification and Lab	eling of Chemicals
IATA	ternational Air Transport Association	
IMDG	ternational Maritime Dangerous Goods	
Log Pow	ogarithm of the octanol/water partition coefficient	
NIOSH	ational Institute for Occupational Safety and Health	
OSHA	ccupational Safety and Health Administration	
STEL	hort-term Exposure Limit	
SARA	uperfund Amendments and Reauthorization Act	
TLV	nreshold Limit Value	
TSCA	oxic Substances Control Act	
TWA	me Weighted Average	

Notice to reader:

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee they are the only hazards that exist.