Safety Data Sheet



Revision Number: 010.0 Issue date: 01/07/2021

1. PRODUCT AND COMPANY IDENTIFICATION

IDH number:

Product name: BONDERITE C-IC 33 ACID

DEOXIDIZER known as TURCO

ALUMIPREP 33

Product type/use: Acidic Cleaner for Industrial Application

Restriction of Use: None identified

Company address: Henkel Corporation One Henkel Way

Rocky Hill, Connecticut 06067

Region: United States **Contact information:**

Telephone: +1 (860) 571-5100

MEDICAL EMERGENCY Phone: Poison Control Center

592770

1-877-671-4608 (toll free) or 1-303-592-1711 TRANSPORT EMERGENCY Phone: CHEMTREC 1-800-424-9300 (toll free) or 1-703-527-3887

Internet: www.henkelna.com

2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

DANGER: CONTAINS FLUORIDES. MAY CAUSE DELAYED BURNS (NOT

IMMEDIATELY PAINFUL OR VISIBLE)! LONG TERM EXPOSURE TO

FLUORIDES OVER YEARS MAY CAUSE FLUOROSIS!

COMBUSTIBLE LIQUID.

MAY BE CORROSIVE TO METALS.

HARMFUL IF SWALLOWED OR IF INHALED.

TOXIC IN CONTACT WITH SKIN.

CAUSES SEVERE SKIN BURNS AND EYE DAMAGE.

HAZARD CLASS	HAZARD CATEGORY
FLAMMABLE LIQUID	4
CORROSIVE TO METALS	1
ACUTE TOXICITY ORAL	4
ACUTE TOXICITY INHALATION	4
ACUTE TOXICITY DERMAL	3
SKIN CORROSION	1B
SERIOUS FYE DAMAGE	1







Precautionary Statements

Prevention: Keep away from heat, sparks, open flames, hot surfaces - no smoking. Keep only in original

packaging. Avoid breathing vapors, mist, or spray. Wash affected area thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-

ventilated area. Wear protective gloves, clothing, eye and face protection.

Response: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF SWALLOWED: Rinse mouth. Do

NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or physician. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Take off contaminated clothing. In case of fire: Use foam, dry chemical or carbon dioxide to extinguish.

Absorb spillage to prevent material damage.

Storage: Store in a well-ventilated place. Keep cool. Store locked up. Store in corrosive resistant

container with a resistant inner liner.

Disposal: Dispose of contents and/or container according to Federal, State/Provincial and local

governmental regulations.

IDH number: 592770 Product name: BONDERITE C-IC 33 ACID DEOXIDIZER known as TURCO ALUMIPREP 33

Page 1 of 6

Classification complies with OSHA Hazard Communication Standard (29 CFR 1910.1200) and is consistent with the provisions of the United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

See Section 11 for additional toxicological information.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous Component(s)	CAS Number	Percentage*	
Phosphoric acid	7664-38-2	10 - 30	
2-Butoxyethanol	111-76-2	10 - 30	
Alkylphenol ethoxylate	9036-19-5	1 - 5	
Potassium dihydrogenorthophosphate	7778-77-0	1 - 5	
Hydrogen fluoride	7664-39-3	0.1 - 1	

^{*} Exact percentages may vary or are trade secret. Concentration range is provided to assist users in providing appropriate protections.

4. FIRST AID MEASURES

Inhalation:

If mist or vapor of this product is inhaled, remove person immediately to fresh air. Seek medical attention if symptoms develop or persist. If breathing is difficult, give oxygen. Trained personnel should administer 2.5% calcium gluconate through a nebulizer for 20 minutes.

Remove contaminated clothing and footwear while rinsing the affected area with large amounts of running water for at least 15 minutes. GET IMMEDIATE MEDICAL ATTENTION. If iced solution of 0.13% aqueous Benzalkonium Chloride (Zephiran) or 2.5% calcium gluconate gel is available, rinsing may be limited to 5 minutes, with the soak solution or gel applied as soon as the rinsing is stopped. Gloves should be worn when applying the gel to prevent transfer of HF and secondary burns. If using calcium gluconate gel, it should be continuously re-applied and massaged into the affected area until pain has been relieved for at least 30 minutes. If Benzalkonium Chloride (Zephiran) or calcium gluconate gel is not available, rinsing must continue until medical treatment is provided.

Immediately flush affected eye with large amounts of gently flowing water or 0.9% sterile saline solution for at least 15 minutes. Hold eyelid wide open. Get immediate medical attention. Eye flushing should continue during

transportation to a doctor.

Get immediate medical attention. Do not induce vomiting. Attempt immediate administration of a fluoride binding substance: milk, chewable calcium

carbonate tablets or 4-8 ounces (120-240 ml) of milk of magnesia or a liquid antacid. Avoid large amounts of liquid as it may induce vomiting. Never give

anything by mouth to an unconscious person.

Symptoms: See Section 11.

Skin contact:

Eye contact:

Ingestion:

Notes to physician: Treatment of hypocalcemia associated with corrosive fluoride compounds

exposure may be corrected by intravenous calcium gluconate or calcium chloride. Treatment of hypomagnesemia may be corrected by intravenous

magnesium sulfate.

5. FIRE FIGHTING MEASURES

Extinguishing media: Water spray (fog), foam, dry chemical or carbon dioxide.

Special firefighting procedures: Wear full protective clothing. Wear self-contained breathing apparatus.

Unusual fire or explosion hazards:

May liberate large quantities of dense, foul-smelling smoke which may contain unidentified toxic casses. Fire and explosion hazards are moderate when this

unidentified toxic gasses. Fire and explosion hazards are moderate when this product is exposed to heat or flame. Vapors are heavier than air and may

travel along floor to an ignition source.

Hazardous combustion products:

Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons. Hydrogen fluoride.

6. ACCIDENTAL RELEASE MEASURES

Use personal protection recommended in Section 8, isolate the hazard area and deny entry to unnecessary and unprotected personnel.

Environmental precautions: Prevent further leakage or spillage if safe to do so. Wear appropriate

protective equipment and clothing during clean-up. Do not allow product to

enter sewer or waterways.

Clean-up methods: Absorb spill with inert material. Shovel material into appropriate container for

disposal. Dispose of according to Federal, State and local governmental

regulations.

7. HANDLING AND STORAGE

Handling: Avoid contact with eyes, skin and clothing. Wash thoroughly after handling.

Avoid breathing vapors or mists of this product. Keep away from heat, spark

and flame. For industrial use only. Do not take internally.

Storage: For safe storage, store between 40 °F (4.4 °C) and 100 °F (37.8 °C)

Keep container tightly closed and in a cool, well-ventilated place away from incompatible materials. Do not pressurize, cut, heat or weld containers. Empty product containers may contain product residue. Do not reuse empty

containers. Thaw and mix thoroughly if frozen.

For information on product shelf life, please review labels on container or check the Technical Data Sheet.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Employers should complete an assessment of all workplaces to determine the need for, and selection of, proper exposure controls and protective equipment for each task performed.

Hazardous Component(s)	ACGIH TLV	OSHA PEL	AIHA WEEL	OTHER
Phosphoric acid	3 mg/m3 STEL 1 mg/m3 TWA	1 mg/m3 PEL	None	None
2-Butoxyethanol	20 ppm TWA	50 ppm (240 mg/m3) PEL (SKIN)	None	None
Alkylphenol ethoxylate	None	None	None	None
Potassium dihydrogenorthophosphate	None	None	None	None
Hydrogen fluoride	2 ppm Ceiling (as F) 0.5 ppm TWA (as F) (SKIN) (as F)	2.5 mg/m3 PEL (as F) 3 ppm TWA	None	None

Engineering controls: Provide local and general exhaust ventilation to effectively remove and

prevent buildup of any vapors or mists generated from the handling of this

product

Respiratory protection: If ventilation is not sufficient to effectively prevent buildup of aerosols, mists or

vapors, appropriate NIOSH/MSHA respiratory protection must be provided.

Eye/face protection: Wear chemical goggles; face shield (if splashing is possible).

Skin protection: Wear impervious gloves for prolonged contact. Gloves should be tested to

determine suitability for prolonged contact. Use of impervious apron and boots

are recommended.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Liquid
Color: Colorless
Odor: Solvent
Odor threshold: Not available.
pH: < 2
Vapor pressure: Not determined
Boiling point/range: > 200 °F (> 93.3 °

Boiling point/range: > 200 °F (> 93.3 °C)
Melting point/ range: 15 °F (-9.4 °C)

IDH number: 592770 Product name: BONDERITE C-IC 33 ACID DEOXIDIZER known as TURCO ALUMIPREP 33

Page 3 of 6

Specific gravity: 1.12 - 1.16 at 15.6 °C (60.08 °F)

Vapor density: Not determined

Flash point: 62.8 °C (145.04 °F) Tagliabue closed cup

Flammable/Explosive limits - lower:
Flammable/Explosive limits - upper:
Autoignition temperature:
Flammability:
Flammability:
Evaporation rate:
Solubility in water:
Partition coefficient (n-octanol/water):
Not available.
Complete
Not determined

VOC content: 14 % (by weight) (estimated)

Viscosity: Not available.

Decomposition temperature: Not available.

10. STABILITY AND REACTIVITY

Stability: Stable under normal conditions of storage and use.

Hazardous reactions: None under normal processing.

Hazardous decomposition

products:

IDH number: 592770

Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low

molecular weight hydrocarbons. May liberate hydrogen fluoride.

Incompatible materials: This product may react with strong acids, bases and oxidizing agents. This material will react

with glass, concrete, certain metals, silica containing materials, rubber, leather, and many

organics.

Reactivity: Not available.

Conditions to avoid: Keep away from heat, ignition sources and incompatible materials.

11. TOXICOLOGICAL INFORMATION

Relevant routes of exposure: Skin, Inhalation, Eyes, Ingestion

Potential Health Effects/Symptoms

Inhalation: Mists, vapors or liquid may cause severe irritation or burns. Contains fluorides. Exposure to

fluorides over years may cause fluorosis.

This product is severely irritating to the skin and may cause burns. Liquid or vapor can cause Skin contact:

fluoride-type irritation or burns which may not be immediately painful or visible. Hydrofluoric acid will penetrate the skin and attack underlying tissue and bone. Large burns (over 25 square inches) may also cause hypocalcemia and other systemic effects which may be fatal.

This product is severely irritating to the eyes and may cause irreversible damage including Eye contact:

burns and blindness.

Ingestion: Ingestion of small amounts of this product may result in potentially fatal hypocalcemia and

systemic toxicity. Indestion of large amounts of this product may result in fluoride poisoning including symptoms of calcification of the ligaments and severe bone changes making normal movements painful, mottling of the teeth, pulmonary fibrosis, anemia, anorexia, dental effects, and possibly death. Ingestion causes burns of the upper digestive and respiratory tracts.

Contains fluorides. Exposure to fluorides over years may cause fluorosis.

Hazardous Component(s)	LD50s and LC50s	Immediate and Delayed Health Effects	
Phosphoric acid	Oral LD50 (Rat) = 1,530 mg/kg Dermal LD50 (Rabbit) = 2,740 mg/kg	Irritant, Corrosive	
2-Butoxyethanol	Oral LD50 (Rat) = 560 mg/kg Oral LD50 (Mouse) = 1.2 g/kg Oral LD50 (Rabbit) = 0.32 g/kg Oral LD50 (Rat) = 1.48 g/kg Oral LD50 (Mouse) = 1,519 mg/kg Dermal LD50 (Rabbit) = 400 mg/kg Inhalation LC50 (Rat, 4 h) = 486 ppm Inhalation LC50 (Rat, 4 h) = 450 ppm	Blood, Central nervous system, Irritant, Kidney, Liver	
Alkylphenol ethoxylate	None	Irritant	
Potassium dihydrogenorthophosphate	Oral LD50 (Mouse) +/- 1,700 mg/kg	Gastrointestinal, Irritant, Metabolic	
Hydrogen fluoride	None	Allergen, Blood, Bone Marrow, Cardiac, Central nervous system, Corrosive, Irritant, Kidney, Liver, Lung, Muscle, Nervous System, Respiratory, Teeth	

Hazardous Component(s)	NTP Carcinogen	IARC Carcinogen	OSHA Carcinogen (Specifically Regulated)
Phosphoric acid	No	No	No
2-Butoxyethanol	No	No	No
Alkylphenol ethoxylate	No	No	No
Potassium dihydrogenorthophosphate	No	No	No
Hydrogen fluoride	No	No	No

12. ECOLOGICAL INFORMATION

Ecological information: Do not empty into drains / surface water / ground water.

DISPOSAL CONSIDERATIONS

Information provided is for unused product only.

Recommended method of disposal: Dispose of according to Federal, State and local governmental regulations.

This product contains a alkylphenol or nonylphenol ethoxylate.

14. TRANSPORT INFORMATION

The transport information provided in this section only applies to the material/formulation itself, and is not specific to any package/configuration.

U.S. Department of Transportation Ground (49 CFR)

IDH number: 592770

Corrosive liquid, acidic, inorganic, n.o.s. (Phosphoric acid, Hydrofluoric acid) Proper shipping name:

Hazard class or division: Identification number: UN 3264

Packing group:

DOT Hazardous Substance(s): Hydrofluoric acid, Phosphoric acid

Product name: BONDERITE C-IC 33 ACID DEOXIDIZER known as TURCO ALUMIPREP 33

Page 5 of 6

International Air Transportation (ICAO/IATA)

Proper shipping name: Corrosive liquid, acidic, inorganic, n.o.s. (Phosphoric acid, Hydrofluoric acid)

Hazard class or division:

Identification number: UN 3264

Packing group:

Water Transportation (IMO/IMDG)

Proper shipping name: CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Phosphoric acid,

Hydrofluoric acid)

Hazard class or division:

Identification number: UN 3264 Packing group: Ш

REGULATORY INFORMATION 15.

United States Regulatory Information

TSCA 8 (b) Inventory Status: All components are listed as active or are exempt from listing on the Toxic Substances

Control Act (TSCA) inventory.

TSCA 12 (b) Export Notification: None above reporting de minimis

Hydrogen fluoride (CAS# 7664-39-3) **CERCLA/SARA Section 302 EHS:** CERCLA/SARA Section 311/312: Immediate Health, Delayed Health, Fire

CERCLA/SARA Section 313: This product contains the following toxic chemicals subject to the reporting requirements of

section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 (40

CFR 372). 2-Butoxyethanol (CAS# 111-76-2).

CERCLA Reportable quantity: Phosphoric acid (CAS# 7664-38-2) 5,000 lbs. (2,270 kg)

Hydrogen fluoride (CAS# 7664-39-3) 100 lbs. (45.4 kg)

California Proposition 65: This product contains a chemical known in the State of California to cause cancer. This

product contains a chemical known to the State of California to cause birth defects or other

reproductive harm.

Canada Regulatory Information

IDH number: 592770

CEPA DSL/NDSL Status: All components are listed on or are exempt from listing on the Canadian Domestic

Substances List.

16. OTHER INFORMATION

This safety data sheet contains changes from the previous version in sections: New Safety Data Sheet format.

Prepared by: Regulatory Affairs

01/07/2021 Issue date:

DISCLAIMER: The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Corporation and its affiliates ("Henkel") does not assume responsibility for any results obtained by persons over whose methods Henkel has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any Henkel's products. In light of the foregoing, Henkel specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel's products. Henkel further disclaims any liability for consequential or incidental damages of any kind, including lost profits.

This Safety Data Sheet has been generated based on OSHA Hazard Communication Standard (29 CFR 1910.1200) and provides information in accordance with U.S. federal law only. No warranty or representation of any kind is given with respect to the substantive or export laws of any other jurisdiction or country. Please confirm that the information provided herein conforms to the substantive export or other law of any other jurisdiction prior to export. Please contact Henkel Product Safety and Regulatory Affairs for additional assistance.