



Revision Number: 005.0

Issue date: 08/19/2014

**1. PRODUCT AND COMPANY IDENTIFICATION**

**Product name:** BONDERITE C-AK 6751-L AERO ALKALINE CLEANER known as TURCO 6751-L  
**Product type:** Alkaline Cleaner for Industrial Application  
**Restriction of Use:** None identified  
**Company address:** Henkel Corporation  
 One Henkel Way  
 Rocky Hill, Connecticut 06067

**IDH number:** 597135

**Region:** United States

**Contact information:**  
 Telephone: +1 (860) 571-5100  
 MEDICAL EMERGENCY Phone: Poison Control Center  
 1-877-671-4608 (toll free) or 1-303-592-1711  
 TRANSPORT EMERGENCY Phone: CHEMTREC  
 1-800-424-9300 (toll free) or 1-703-527-3887  
 Internet: www.henkelna.com

**2. HAZARDS IDENTIFICATION**

**EMERGENCY OVERVIEW**

**DANGER:** MAY BE CORROSIVE TO METALS.  
 CAUSES SEVERE SKIN BURNS AND EYE DAMAGE.

HAZARD CLASS	HAZARD CATEGORY
CORROSIVE TO METALS	1
SKIN CORROSION	1B
SERIOUS EYE DAMAGE	1

**PICTOGRAM(S)**



**Precautionary Statements**

**Prevention:** Keep only in original container. Do not breathe vapors, mist, or spray. Wash thoroughly after handling. Wear protective gloves, eye protection, and face protection.

**Response:** IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to remove. Continue rinsing. Immediately call a poison control center or physician. Wash contaminated clothing before reuse. Absorb spillage to prevent material damage.

**Storage:** Store locked up. Store in corrosive resistant container with a resistant inner liner.

**Disposal:** Dispose of contents and/or container according to Federal, State/Provincial and local governmental regulations.

2 % of the mixture consists of ingredient(s) of unknown acute toxicity.

Classification complies with OSHA Hazard Communication Standard (29 CFR 1910.1200) and is consistent with the provisions of the United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

**See Section 11 for additional toxicological information.**

### 3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous Component(s)	CAS Number	Percentage*
Sodium xylene sulfonate	Proprietary	5 - 10
Potassium hydroxide	1310-58-3	5 - 10
Sodium silicate	1344-09-8	1 - 5
Diethylene glycol monobutyl ether	112-34-5	1 - 5
Nonylphenol ethoxylate	Proprietary	1 - 5
Surfactant	Proprietary	1 - 5

\* Exact percentage is a trade secret. Concentration range is provided to assist users in providing appropriate protections.

### 4. FIRST AID MEASURES

<b>Inhalation:</b>	If mist or vapor of this product is inhaled, remove person immediately to fresh air. Seek medical attention if symptoms develop or persist.
<b>Skin contact:</b>	In case of contact, immediately remove contaminated clothing and flush skin with copious amounts of water. Get medical attention. Discard any shoes or clothing items that cannot be decontaminated.
<b>Eye contact:</b>	In case of contact with the eyes, rinse immediately with plenty of water for 15 minutes, and seek immediate medical attention.
<b>Ingestion:</b>	Get immediate medical attention. DO NOT induce vomiting unless directed to do so by medical personnel. Give one to two glasses of water or milk. Never give anything by mouth to a victim who is unconscious or is having convulsions.
<b>Symptoms:</b>	See Section 11.
<b>Notes to physician:</b>	Treat symptomatically and supportively.

### 5. FIRE FIGHTING MEASURES

<b>Extinguishing media:</b>	Use media appropriate for surrounding material.
<b>Special firefighting procedures:</b>	Wear self-contained breathing apparatus. Wear full protective clothing.
<b>Unusual fire or explosion hazards:</b>	This product is an aqueous mixture which will not burn. If evaporated to dryness, the solid residue may pose a moderate fire hazard.
<b>Hazardous combustion products:</b>	Irritating and toxic gases or fumes may be released during a fire.

### 6. ACCIDENTAL RELEASE MEASURES

Use personal protection recommended in Section 8, isolate the hazard area and deny entry to unnecessary and unprotected personnel.

<b>Environmental precautions:</b>	Prevent further leakage or spillage if safe to do so. Wear appropriate personal protective equipment. Block any potential routes to water systems.
<b>Clean-up methods:</b>	Absorb spill with inert material. Shovel material into appropriate container for disposal. Flush area with water to remove trace residue. Dispose of according to Federal, State and local governmental regulations.

## 7. HANDLING AND STORAGE

**Handling:** Avoid contact with eyes, skin and clothing. Provide adequate ventilation. Avoid breathing vapors or mists of this product. Wash thoroughly after handling. Do not reuse the empty container. For industrial use only.

**Storage:** For safe storage, store between 40 °F (4.4 °C) and 100 °F (37.8 °C) Keep the container tightly closed and in a cool, well-ventilated place. Protect from freezing.

For information on product shelf life, please review labels on container or check the Technical Data Sheet.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Employers should complete an assessment of all workplaces to determine the need for, and selection of, proper exposure controls and protective equipment for each task performed.

Hazardous Component(s)	ACGIH TLV	OSHA PEL	AIHA WEEL	OTHER
Sodium xylene sulfonate	None	None	None	None
Potassium hydroxide	2 mg/m3 Ceiling	None	None	None
Sodium silcate	None	None	None	None
Diethylene glycol monobutyl ether	10 ppm TWA Inhalable fraction and vapor.	None	None	50 ppm TWA 75 ppm STEL
Nonylphenol ethoxylate	None	None	None	None
Surfactant	None	None	None	None

**Engineering controls:** Provide local and general exhaust ventilation to effectively remove and prevent buildup of any vapors or mists generated from the handling of this product.

**Respiratory protection:** If ventilation is not sufficient to effectively prevent buildup of aerosols, mists or vapors, appropriate NIOSH/MSHA respiratory protection must be provided.

**Eye/face protection:** Wear chemical goggles; face shield (if splashing is possible).

**Skin protection:** Chemical resistant, impermeable gloves. Use of impervious apron and boots are recommended.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Physical state:</b>	Liquid
<b>Color:</b>	Dark brown
<b>Odor:</b>	Mild
<b>Odor threshold:</b>	Not available.
<b>pH:</b>	> 12.0
<b>Vapor pressure:</b>	Not determined
<b>Boiling point/range:</b>	> 104.4 °C (> 219.9 °F) calculated
<b>Melting point/ range:</b>	Not determined
<b>Specific gravity:</b>	1.12 - 1.15
<b>Vapor density:</b>	Not determined
<b>Flash point:</b>	Not applicable
<b>Flammable/Explosive limits - lower:</b>	Not applicable
<b>Flammable/Explosive limits - upper:</b>	Not applicable
<b>Autoignition temperature:</b>	Not applicable
<b>Evaporation rate:</b>	Not determined
<b>Solubility in water:</b>	Complete
<b>Partition coefficient (n-octanol/water):</b>	Not determined
<b>VOC content:</b>	31 g/l
<b>Viscosity:</b>	Not available.
<b>Decomposition temperature:</b>	Not available.

## 10. STABILITY AND REACTIVITY

<b>Stability:</b>	Stable at normal conditions.
<b>Hazardous reactions:</b>	Will not occur.
<b>Hazardous decomposition products:</b>	Upon decomposition, this product may yield sulfur dioxide, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.
<b>Incompatible materials:</b>	This product may react with strong acids or oxidizing agents.
<b>Reactivity:</b>	Not available.
<b>Conditions to avoid:</b>	Avoid contact with acids.

## 11. TOXICOLOGICAL INFORMATION

**Relevant routes of exposure:** Skin, Inhalation, Eyes

**Potential Health Effects/Symptoms**

<b>Inhalation:</b>	Mists, vapors or liquid may cause severe irritation or burns.
<b>Skin contact:</b>	Contact with the skin or mucous membranes will cause severe burns and possible ulceration.
<b>Eye contact:</b>	Contact with the eyes can cause severe burns and permanent eye damage.
<b>Ingestion:</b>	Ingestion may produce burns to the lips, oral cavity, upper airway, esophagus and possibly the digestive tract. Product contains a glycol ether which caused blood disorders in rabbits.

Hazardous Component(s)	LD50s and LC50s	Immediate and Delayed Health Effects
Sodium xylene sulfonate	None	Irritant
Potassium hydroxide	Oral LD50 (RAT) = 273 mg/kg Oral LD50 (RAT) = 1.23 g/kg	Corrosive, Irritant
Sodium silcate	Oral LD50 (RAT) = 1,100 - 1,600 mg/kg Oral LD50 (RAT) = 1.1 g/kg	Corrosive, Irritant
Diethylene glycol monobutyl ether	Oral LD50 (RABBIT) = 2,200 mg/kg Oral LD50 (RAT) = 4,500 mg/kg Oral LD50 (RAT) = 5,660 mg/kg Oral LD50 (RAT) = 7,292 mg/kg Oral LD50 (RAT) = 6,600 mg/kg Oral LD50 (RAT) = 6,560 mg/kg Dermal LD50 (RABBIT) = 2,700 mg/kg Dermal LD50 (RABBIT) = 4,120 mg/kg	Blood, Central nervous system, Irritant, Kidney
Nonylphenol ethoxylate	None	No Target Organs
Surfactant	None	No Target Organs

Hazardous Component(s)	NTP Carcinogen	IARC Carcinogen	OSHA Carcinogen (Specifically Regulated)
Sodium xylene sulfonate	No	No	No
Potassium hydroxide	No	No	No
Sodium silcate	No	No	No
Diethylene glycol monobutyl ether	No	No	No
Nonylphenol ethoxylate	No	No	No
Surfactant	No	No	No

## 12. ECOLOGICAL INFORMATION

**Ecological information:** No data available.

## 13. DISPOSAL CONSIDERATIONS

Information provided is for unused product only.

**Recommended method of disposal:** Follow all local, state, federal and provincial regulations for disposal.

**Hazardous waste number:** This product, if discarded directly, would be a characteristic RCRA corrosive waste (D002).

## 14. TRANSPORT INFORMATION

The transport information provided in this section only applies to the material/formulation itself, and is not specific to any package/configuration.

### U.S. Department of Transportation Ground (49 CFR)

**Proper shipping name:** Potassium hydroxide, solution  
**Hazard class or division:** 8  
**Identification number:** UN 1814  
**Packing group:** II  
**DOT Hazardous Substance(s):** Potassium hydroxide

### International Air Transportation (ICAO/IATA)

**Proper shipping name:** Potassium hydroxide solution  
**Hazard class or division:** 8  
**Identification number:** UN 1814  
**Packing group:** II

### Water Transportation (IMO/IMDG)

**Proper shipping name:** POTASSIUM HYDROXIDE SOLUTION  
**Hazard class or division:** 8  
**Identification number:** UN 1814  
**Packing group:** II

## 15. REGULATORY INFORMATION

### United States Regulatory Information

**TSCA 8 (b) Inventory Status:** All components are listed or are exempt from listing on the Toxic Substances Control Act Inventory.

**TSCA 12 (b) Export Notification:** D-gluco-Heptonic acid, monosodium salt (CAS# 31138-65-5).

**CERCLA/SARA Section 302 EHS:** None above reporting de minimis Ethylene oxide (CAS# 75-21-8). Formaldehyde (CAS# 50-00-0). Propylene oxide (CAS# 75-56-9).

**CERCLA/SARA Section 311/312:** Immediate Health

**CERCLA/SARA Section 313:** This product contains the following toxic chemicals subject to the reporting requirements of section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 (40 CFR 372). Diethylene glycol monobutyl ether (CAS# 112-34-5). Potassium hydroxide (CAS# 1310-58-3) 1,000 lbs. (454 kg)

**CERCLA Reportable quantity:**

**California Proposition 65:** This product contains a chemical known in the State of California to cause cancer.

### Canada Regulatory Information

**CEPA DSL/NDL Status:** All components are listed on or are exempt from listing on the Canadian Domestic Substances List.

## 16. OTHER INFORMATION

This safety data sheet contains changes from the previous version in sections: New Safety Data Sheet format.

**Prepared by:** John DiCerbo, Sr. Regulatory Affairs Specialist

**Issue date:** 08/19/2014

**DISCLAIMER:** The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Corporation and its affiliates ("Henkel") does not assume responsibility for any results obtained by persons over whose methods Henkel has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any Henkel's products. In light of the foregoing, Henkel specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel's products. Henkel further disclaims any liability for consequential or incidental damages of any kind, including lost profits.