



SAFETY DATA SHEET



ROYCO 808 MIL-PRF-7808L

Version: 1.2

Revision Date: 12/11/2015

Print Date: 02/12/2016

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name: ROYCO 808 MIL-PRF-7808L
LOW VISCOSITY TURBINE ENGINE OIL

Product Use Description: Lubricant

Company: Manufacturer
Anderol Specialty Lubricants, a division of Chemtura Corporation
215 Merry Lane
East Hanover, NJ
07936
United States of America

Telephone: +1 203-573-4596, Toll Free: +1 888-263-3765

Email: msdsrequest@chemtura.com
Emergency telephone number: CHEMTREC: (24 hours) 800-424-9300
:
Chemtura Corporation Emergency Response: CHEMTURA : 800-292-5898

For additional emergency telephone numbers see section 16 of the Safety Data Sheet.

Prepared by Product Safety Department
(US) +1 866-430-2775
MSDSRequest@chemtura.com

Recommended use of the chemical and restrictions on use

Recommended use : Lubricant

SECTION 2. HAZARDS IDENTIFICATION

Form	liquid
Colour	clear
Odour	mild

GHS Classification

Skin sensitisation : Category 1
Reproductive toxicity : Category 2
Acute aquatic toxicity : Category 2
Chronic aquatic toxicity : Category 2

GHS Label element

ROYCO 808 MIL-PRF-7808L

Version: 1.2

Revision Date: 12/11/2015

Print Date: 02/12/2016

Signal word : **Warning**

Hazard pictograms : 

Hazard statements : H317 May cause an allergic skin reaction.
H361 Suspected of damaging fertility or the unborn child.
H411 Toxic to aquatic life with long lasting effects.

Other hazards : None

Precautionary statements : **Prevention:**
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
P272 Contaminated work clothing should not be allowed out of the workplace.
P273 Avoid release to the environment.
P280 Wear protective gloves.
P281 Use personal protective equipment as required.
Response:
P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
P308 + P313 IF exposed or concerned: Get medical advice/ attention.
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P363 Wash contaminated clothing before reuse.
P391 Collect spillage.
Storage:
P405 Store locked up.
Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

Carcinogenicity:

IARC No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

NTP No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.



SAFETY DATA SHEET



ROYCO 808 MIL-PRF-7808L

Version: 1.2

Revision Date: 12/11/2015

Print Date: 02/12/2016

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components

Chemical Name	CAS-No.	Concentration (%)
tris(methylphenyl) phosphate	1330-78-5	>= 1 - < 5 %
NJTS-46728100000-0001		>= 1 - < 5 %
N-1-naphthylaniline	90-30-2	>= 1 - < 5 %
2,6-di-tert-butyl- α -dimethylamino-p-cresol	88-27-7	>= 0.1 - < 1 %

SECTION 4. FIRST AID MEASURES

- If inhaled : If inhaled
Move to fresh air.
If not breathing, give artificial respiration.
If breathing is difficult, give oxygen.
In case of bluish discoloration (lips, ear lobes, fingernails),
give oxygen as quickly as possible.
If symptoms persist, call a physician.
- In case of skin contact : In case of skin contact
Wash off with soap and water.
Remove contaminated clothing and shoes.
Wash contaminated clothing before re-use.
Get medical attention if irritation develops and persists.
- In case of eye contact : In case of eye contact
Rinse thoroughly with plenty of water, also under the eyelids.
If eye irritation persists, consult a specialist.
- If swallowed : If swallowed, DO NOT induce vomiting.
Consult a physician if necessary.

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Carbon dioxide (CO₂)
Dry powder
Foam
Alcohol-resistant foam
Water mist
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during firefighting : Burning produces noxious and toxic fumes.
- Specific extinguishing : In the event of fire, cool tanks with water spray.



SAFETY DATA SHEET



ROYCO 808 MIL-PRF-7808L

Version: 1.2

Revision Date: 12/11/2015

Print Date: 02/12/2016

methods

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment. Ensure adequate ventilation.

Environmental precautions : Should not be released into the environment. Do not contaminate water. Do not flush into surface water or sanitary sewer system.

Methods and materials for containment and cleaning up : Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).

SECTION 7. HANDLING AND STORAGE

Advice on safe handling : Handle in accordance with good industrial hygiene and safety practice. Keep container closed when not in use. Do not use pressure to empty drums. Ensure all equipment is electrically grounded before beginning transfer operations.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.

Materials to avoid : Strong acids and strong bases

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
N-1-naphthylaniline	90-30-2	TWA	10 ml/m3	ACGIH

Engineering measures : Effective exhaust ventilation system. Ensure that eyewash stations and safety showers are close to the workstation location.

Personal protective equipment

Respiratory protection : Breathing apparatus needed only when aerosol or mist is



SAFETY DATA SHEET



ROYCO 808 MIL-PRF-7808L

Version: 1.2

Revision Date: 12/11/2015

Print Date: 02/12/2016

formed.
In the case of vapour formation use a respirator with an approved filter.

Hand protection
Remarks : Neoprene gloves

Eye protection : Safety glasses with side-shields
Tightly fitting safety goggles

Skin and body protection : Impervious clothing

Hygiene measures : Avoid contact with skin, eyes and clothing.
Provide adequate ventilation.
Do not breathe dust or spray mist.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Color : clear

Odor : mild

Odour Threshold : No data available

pH : Not applicable

Melting point/range :
Not applicable

Boiling point/boiling range : No data available

Evaporation rate : No data available

Flash point : > 210 °C
Method: open cup

Upper explosion limit : No data available

Lower explosion limit : No data available

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : 0.95

Solubility(ies)

Water solubility : slightly soluble

Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : No data available

Auto-ignition temperature : not determined



SAFETY DATA SHEET



ROYCO 808 MIL-PRF-7808L

Version: 1.2

Revision Date: 12/11/2015

Print Date: 02/12/2016

Viscosity

Viscosity, kinematic : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : Hazardous polymerisation does not occur.

Conditions to avoid : Heat

Incompatible materials : Strong acids and strong bases

Hazardous decomposition products : Carbon oxides

SECTION 11. TOXICOLOGICAL INFORMATION

Acute oral toxicity
Benzenamine, N-phenyl-,
reaction products with 2,4,4-
trimethylpentene
(Component) : LD50: > 2,000 mg/kg
Species: Rat
Method: OECD Test Guideline 401

N-1-naphthylaniline
(Component) : LD50: 1,625 mg/kg
Species: Rat

2,6-di-tert-butyl- α -
dimethylamino-p-cresol
(Component) : LD50: 1,030 mg/kg
Species: Rat

Acute dermal toxicity
Benzenamine, N-phenyl-,
reaction products with 2,4,4-
trimethylpentene
(Component) : LD50: > 2,000 mg/kg
Species: Rat

N-1-naphthylaniline
(Component) : LD50 Dermal: > 5,000 mg/kg
Species: Rabbit

2,6-di-tert-butyl- α -
dimethylamino-p-cresol
(Component) : LD50: > 4,000 mg/kg
Species: Rabbit

Skin irritation
Benzenamine, N-phenyl-,
reaction products with 2,4,4-
trimethylpentene : Species: Rabbit
Result: No skin irritation
Method: OECD Test Guideline 404



SAFETY DATA SHEET



ROYCO 808 MIL-PRF-7808L

Version: 1.2

Revision Date: 12/11/2015

Print Date: 02/12/2016

- (Component)
N-1-naphthylaniline
(Component) : Species: Rabbit
Result: No skin irritation
Method: Draize Test
- Eye irritation
Benzenamine, N-phenyl-,
reaction products with 2,4,4-
trimethylpentene
(Component) : Species: Rabbit
Result: No eye irritation
Method: OECD Test Guideline 405
- N-1-naphthylaniline
(Component) : Species: Rabbit
Result: No eye irritation
Method: OECD Test Guideline 405
- 2,6-di-tert-butyl- α -
dimethylamino-p-cresol
(Component) : Result: Moderate eye irritation
- Sensitisation
Benzenamine, N-phenyl-,
reaction products with 2,4,4-
trimethylpentene
(Component) : Species: Guinea pig
Classification: Did not cause sensitisation on laboratory animals.
Method: OECD Test Guideline 406
- N-1-naphthylaniline
(Component) : Maximisation Test (GPMT)
Species: Guinea pig
Classification: May cause sensitisation by skin contact.
Result: May cause sensitisation by skin contact.
- Patch Test
Species: Human
Classification: May cause sensitisation by skin contact.
Result: May cause sensitisation by skin contact.
- Aspiration toxicity (Product) : No aspiration toxicity classification
- CMR effects
tris(methylphenyl) phosphate
(Component) : Carcinogenicity: Animal testing did not show any carcinogenic effects.
Mutagenicity: In vitro tests did not show mutagenic effects
Teratogenicity: Did not show teratogenic effects in animal experiments.
Reproductive toxicity: Suspected of damaging fertility or the unborn child.
- Benzenamine, N-phenyl-,
reaction products with 2,4,4-
trimethylpentene
(Component) : Mutagenicity: Not mutagenic in Ames Test
- N-1-naphthylaniline
(Component) : Carcinogenicity: Animal testing did not show any carcinogenic effects.
Mutagenicity: Animal testing did not show any mutagenic effects., Tests on bacterial or mammalian cell cultures did not show mutagenic effects.



SAFETY DATA SHEET



ROYCO 808 MIL-PRF-7808L

Version: 1.2

Revision Date: 12/11/2015

Print Date: 02/12/2016

Further information (Product) : There is no data available for this product.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity effects

Toxicity to fish (Product) : Remarks:
No data available

Toxicity to daphnia and other aquatic invertebrates (Product) : Remarks:
No data available

Toxicity to algae (Product) : Remarks:
No data available

Toxicity to bacteria tris(methylphenyl) phosphate (Component) : EC50: > 100 mg/l
Exposure time: 3 h
Species: activated sludge
Respiration inhibition

N-1-naphthylaniline (Component) : EC50: 2 mg/l
Exposure time: 48 h
Species: Protozoa

EC50: > 10,000 mg/l
Exposure time: 3 h
Species: Bacteria

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)
N-1-naphthylaniline (Component) : NOEC: 0.02 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Analytical monitoring: yes

Elimination information (persistence and degradability)

Bioaccumulation (Product) : Remarks:
No data available

Mobility (Product) : Remarks:
No data available

Biodegradability (Product) : Result: No data available



SAFETY DATA SHEET



ROYCO 808 MIL-PRF-7808L

Version: 1.2

Revision Date: 12/11/2015

Print Date: 02/12/2016

Further information on ecology

Ecotoxicology Assessment

Results of PBT assessment (Product)

This substance is not considered to be persistent, bioaccumulating and toxic (PBT).

Additional ecological information (Product) : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Toxic to aquatic life with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : In accordance with local and national regulations.

Contaminated packaging : Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION

International Regulation

IATA-DGR

UN/ID No. : UN 3082
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.
(tris(methylphenyl) phosphate, Phenyl-alpha-naphthylamine)
Class : 9
Packing group : III
Labels : Miscellaneous

IMDG-Code

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
N.O.S.
(tris(methylphenyl) phosphate, Phenyl-alpha-naphthylamine)
Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

49 CFR

UN/ID/NA number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID,
N.O.S.



SAFETY DATA SHEET



ROYCO 808 MIL-PRF-7808L

Version: 1.2

Revision Date: 12/11/2015

Print Date: 02/12/2016

AICS	Not in compliance with the inventory
NZIoC	On the inventory, or in compliance with the inventory
ENCS	On the inventory, or in compliance with the inventory
KECI	On the inventory, or in compliance with the inventory
PICCS	Not in compliance with the inventory
IECSC	On the inventory, or in compliance with the inventory

SECTION 16. OTHER INFORMATION

Further information

Other Emergency Phone Number

<u>Latin America:</u>	Brazil	+55 113 711 9144
	All other countries	+44 (0) 1235 239 670
<u>Mexico:</u>		+52 555 004 8763

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.