Revision: 18.06.2014 Printing date 14.12.2012

# 1 Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: Emergency Locator Transmitter (ELT) battery pack containing lithium Sulfur Dioxide
- · Article number: 452-6504
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the preparation Lithium-based battery product.
- · 1.3 Details of the supplier of the Safety Data Sheet
- · Manufacturer/Supplier:

ACR Electronics, Inc.

5757 Ravenswood Rd., Ft. Lauderdale, FL. 33312 USA

PHONE: (954)-981-3333 FAX: (954)-961-4403

WEBSITE: www.acrartex.com E-MAIL: msds@acrartex.com



ChemTel Inc.

(800)255-3924, +1 (813)248-0585



### 2 Hazards identification

- · 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008



GHS05 corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

· Classification according to Directive 67/548/EEC or Directive 1999/45/EC



🗾 C; Corrosive

R35: Causes severe burns.



R20: Harmful by inhalation.

· Hazard description:

Information references exposures to battery contents, and not exposures to whole units. Exposures to whole units are unlikely to product health hazards.

(Contd. on page 2)

Printing date 14.12.2012 Revision: 18.06.2014

# Trade name: Emergency Locator Transmitter (ELT) battery pack containing lithium Sulfur Dioxide

(Contd. of page 1)

Note: The hazards listed in this document reference only the contents of cells and/or batteries that are leaking and/or ruptured. Undamaged cells and/or batteries possess no expected health or physical hazards during normal use. Intentional abuse of cells or batteries increases the risk of harm or damage to the product, to the user, and to surrounding materials and personnel. Do not attempt to open sealed cells or batteries. Do not intentionally short-circuit cells or batteries. Do not expose these products to temperatures exceeding the maximum manufacturers rating. Do not dispose of cells/batteries in landfills. Please follow all manufacturer guidelines in the use, storage, and disposal of these products. Consult manufacturer in cases of questions involving specific product usage.

Do not short circuit, recharge, puncture, incinerate, crush, force discharge or expose to temperatures above the specified range. Upon severe mechanical, electrical or thermal abuse, the cell may vent with the expulsion of some of the content.

### · Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

#### Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

The classification is in accordance with the latest editions of international substances lists, and is supplemented by information from technical literature and by information provided by the company.

#### · 2.2 Label elements

## · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



### · Signal word Danger

### · Hazard-determining components of labelling:

sulphur dioxide

lithium

#### Hazard statements

Causes severe skin burns and eye damage.

EUH014 Reacts violently with water.

Safety data sheet available on request.

To avoid risks to human health and the environment, comply with the instructions for use.

84 percent of the mixture consists of component(s) of unknown toxicity

## · Precautionary statements

Do not breathe dust/fume/gas/mist/vapours/spray. P260 P280 Wear protective gloves and eye/face protection.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,

if present and easy to do. Continue rinsing.

(Contd. on page 3)

Printing date 14.12.2012 Revision: 18.06.2014

# Trade name: Emergency Locator Transmitter (ELT) battery pack containing lithium Sulfur Dioxide

(Contd. of page 2)

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Additional information:

Information references exposures to battery contents, and not exposures to whole units. Exposures to whole units are unlikely to product health hazards.

- · Hazard description:
- · WHMIS-symbols:

D2B - Toxic material causing other toxic effects

E - Corrosive material



· NFPA ratings (scale 0 - 4)



Health = 4Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 4Fire = 0

· HMIS Long Term Health Hazard Substances

None of the ingredients is listed.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable. · vPvB: Not applicable.

# 3 Composition/information on ingredients

- · 3.2 Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.
- Dangerous components:

CAS: 75-05-8 EINECS: 200-835-2 Index number: 608-001-00-3

acetonitrile

Xn R20/21/22; Xi R36; 🐞 F R11

Flam. Liq. 2, H225

① Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332; Eye Irrit. 2, H319

(Contd. on page 4)

< 10%

Printing date 14.12.2012 Revision: 18.06.2014

# Trade name: Emergency Locator Transmitter (ELT) battery pack containing lithium Sulfur Dioxide Cells

CAS: 1333-86-4 EINECS: 215-609-9	Carbon black substance with a Community workplace exposure limit	(Contd. of page 3) < 10%
CAS: 7439-93-2 EINECS: 231-102-5 Index number: 003-001-00-4	lithium ☐ C R34;  F R14/15	< 10%
CAS: 7446-09-5 EINECS: 231-195-2 Index number: 016-011-00-9	sulphur dioxide T R23; C R34 Acute Tox. 3, H331 Skin Corr. 1B, H314 Press. Gas, H280	< 10%

· Additional information: For the wording of the listed risk phrases refer to section 16.

#### 4 First aid measures

### · 4.1 Description of first aid measures

#### · General information:

The hazards listed below reference only the contents of cells and/or batteries that are leaking and/or ruptured, with the exception of ingestions. In the unlikely case where intact cells/batteries are ingested and then release contents, the treatment is the same as for ingestions of device contents. Seek immediate medical advice.

#### · After inhalation:

Unlikely route of exposure.

Supply fresh air.

Seek immediate medical advice.

In case of unconsciousness place patient stably in side position for transportation.

#### · After skin contact:

Immediately rinse with water.

Do not pull solidified product off the skin.

Seek immediate medical advice.

Seek immediate medical help for blistering or open wounds.

#### · After eye contact:

Unlikely route of exposure.

Protect unharmed eye.

Rinse opened eye for several minutes under running water.

Remove contact lenses if worn, if possible.

Rinse opened eye for several minutes under running water. Then consult a doctor.

### · After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

### · 4.2 Most important symptoms and effects, both acute and delayed

Gastric or intestinal disorders

Breathing difficulty

Coughing

Nausea

(Contd. on page 5)

Printing date 14.12.2012 Revision: 18.06.2014

Trade name: Emergency Locator Transmitter (ELT) battery pack containing lithium Sulfur Dioxide Cells

(Contd. of page 4)

Profuse sweating

· Hazards

Danger of gastric perforation.

Danger of pulmonary oedema.

4.3 Indication of any immediate medical attention and special treatment needed

Note to Physician: Published reports recommend removal from the esophagus be done endoscopically (under direct visualization). Batteries beyond the esophagus need not be retrieved unless there are signs of injury to the GI tract or a large diameter battery fails to pass the pylorus. If asymptomatic, follow-up x-rays are necessary only to confirm the passage of larger batteries. Confirmation by stool inspection is preferable under most circumstances. For information on treatment, telephone (202) 625-3333 collect, day or night. various corrosive, harmful or toxic substances is possible in certain cases. These substances may include lithium and/or fluoride salts; specific antidotes mayy be required in cases of ingestion for lithium salts and in cases of oral/dermal/inhalation contact with fluorides. If fluoride contact is suspected, calcium salts may be of value in treatment. Do not give ipecac.

## 5 Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

Water in flooding quantities.

Sand

Drv sand

Limestone powder

Cement

· For safety reasons unsuitable extinguishing agents:

Water haze

Carbon dioxide

• 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- · 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

· Additional information Cool endangered receptacles with water spray.

#### 6 Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Use respiratory protective device against the effects of fumes/dust/aerosol.

Wear protective equipment. Keep unprotected persons away.

Product forms slippery surface when combined with water.

Ensure adequate ventilation

• 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

(Contd. on page 6)

Printing date 14.12.2012 Revision: 18.06.2014

Trade name: Emergency Locator Transmitter (ELT) battery pack containing lithium Sulfur Dioxide Cells

(Contd. of page 5)

### · 6.3 Methods and material for containment and cleaning up:

Pick up mechanically.

For small content spills, ventilate area and put on gloves and safety glasses. Large spills require special equipment and training to include the use of a respirator. For large spills involving many batteries, contact authorities. Ventilation recommended for spilled contents. Avoid release to the environment.

If a spill is small, attempt to contain the leak by carefully transferring leaking battery to plastic bag. Add sodium bicarbonate (baking soda) powder to bag, seal, then place bag inside a second bag. Seal second bag and label appropriately; DO NOT DISCARD INTO HOUSEHOLD TRASH. Carefully neutralize remainder by applying sodium bicarbonate solution SLOWLY, and then allow to cool. Wipe up, then place in a SEPARATE container from the battery as the water will react with the battery contents.

#### · 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## 7 Handling and storage

#### · 7.1 Precautions for safe handling

Keep away from open flames or temperatures exceeding manufacturer ratings. DO NOT ATTEMPT TO OPEN SEALED CELLS OR BATTERIES – BATTERY CONTENTS MAY PRESENT SERIOUS SAFETY AND HEALTH HAZARDS. SHORT-CIRCUITING THE TERMINALS OF A DEVICE MAY RESULT IN DAMAGE TO DEVICE AND ANY NEARBY OBJECTS OR PERSONNEL.

### · Information about fire - and explosion protection:

Emergency cooling must be available in case of nearby fire.

Keep ignition sources away - Do not smoke.

#### · 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

### · Requirements to be met by storerooms and receptacles:

Store in a dry, well-ventilated place.

Do not use or store near open flame.

Avoid extreme temperatures; battery may rupture and release contents.

Do not store and transport with incompatible materials.

Store individual batteries or cells only in approved packaging in order to avoid inadvertent short circuits, as this may result in damage to device, nearby objects, personnel, or all of the above.

## · Information about storage in one common storage facility:

Store away from water.

Do not store together with acids.

Do not store together with alkalis (caustic solutions).

- · Further information about storage conditions: None.
- · 7.3 Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

· Additional information about design of technical facilities: No further data; see item 7.

(Contd. on page 7)

Printing date 14.12.2012 Revision: 18.06.2014

Trade name: Emergency Locator Transmitter (ELT) battery pack containing lithium Sulfur Dioxide Cells

Ingredients with limit values that require monitoring at the workplace:

(Contd. of page 6)

## · 8.1 Control parameters

9. 0	ingredients with limit values that require monitoring at the workplace.		
75-05-8 aceto	onitrile		
IOELV (EU)	70 mg/m³, 40 ppm Skin		
PEL (USA)	70 mg/m³, 40 ppm		
REL (USA)	34 mg/m³, 20 ppm		
TLV (USA)	34 mg/m³, 20 ppm Skin		
EL (Canada)	20 ppm Skin		
EV (Canada)	20 ppm Skin		
1333-86-4 Ca	rbon black		
PEL (USA)	3,5 mg/m³		
REL (USA)	3,5* mg/m³ *0,1 in presence of PAHs, as PAHs; 10-hr TWA		
TLV (USA)	3* mg/m³ *inhalable fraction		
EL (Canada)	3 mg/m³ IARC 2B		
EV (Canada)	3,5 mg/m³		
7446-09-5 su	7446-09-5 sulphur dioxide		
PEL (USA)	13 mg/m³, 5 ppm		
REL (USA)	Short-term value: 13 mg/m³, 5 ppm Long-term value: 5 mg/m³, 2 ppm		
TLV (USA)	Short-term value: 0,65 mg/m³, 0,25 ppm		
EL (Canada)	Short-term value: 5 ppm Long-term value: 2 ppm		
EV (Canada)	Short-term value: 10,4 mg/m³, 5 ppm Long-term value: 5,2 mg/m³, 2 ppm		

- · **DNELs** No further relevant information available.
- · PNECs No further relevant information available.
- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

(Contd. on page 8)

Printing date 14.12.2012 Revision: 18.06.2014

# Trade name: Emergency Locator Transmitter (ELT) battery pack containing lithium Sulfur Dioxide Cells

(Contd. of page 7)

· Respiratory protection:

Not required under normal conditions of use.

For spills, respiratory protection may be advisable.

- · Protection of hands: Strong material gloves
- · Material of gloves Strong material gloves
- $\cdot$  For the permanent contact gloves made of the following materials are suitable:

Strong material gloves

· Eye protection:



Safety glasses

- · Body protection: Not required.
- · Limitation and supervision of exposure into the environment

No further relevant information available.

· Risk management measures

See Section 7 for additional information. No further relevant information available.

# 9 Physical and chemical properties

· 9.1 Information on basic	physical and chemical properties
----------------------------	----------------------------------

General Information

· Appearance:

Form: Impermeable container containing liquid and solid contents plus

inert carrier materials.

**Colour:** According to product specification

Dark grey

· Odour: Normally odourless. Leaking devices may emit acrid or ethereal

odours.

· Odour threshold: Not determined.

· pH-value: Not applicable.

· Change in condition

Melting point/Melting range:
Boiling point/Boiling range:
Undetermined.
Undetermined.

Vot applicable.

• Flammability (solid, gaseous): Statement refers to device contents only.

Contact with water liberates extremely flammable gases.

· Ignition temperature: Not determined.

• **Decomposition temperature:** Not determined.

(Contd. on page 9)

Printing date 14.12.2012 Revision: 18.06.2014

Trade name: Emergency Locator Transmitter (ELT) battery pack containing lithium Sulfur Dioxide Cells

	(Contd. of page	
Self-igniting:	Product is not self-igniting.	
Danger of explosion:	Product does not represent an explosion hazard during norma use. Leaking contents may react with water to produce explosive or flammable gas.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapour pressure:	Not applicable.	
Density:	Not determined.	
Relative density	Not determined.	
Vapour density	Not applicable.	
Evaporation rate	Not applicable.	
Solubility in / Miscibility with		
water:	Insoluble.	
Partition coefficient (n-octanol	/water): Not determined.	
Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
Solvent content:		
Organic solvents:	Not determined.	
Solids content:	Not determined.	
9.2 Other information	No further relevant information available.	

# 10 Stability and reactivity

- · 10.1 Reactivity
- 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

· 10.3 Possibility of hazardous reactions

Hazardous reactions generally occur with contents of leaking batteries only.

Contact with water releases flammable gases.

Violent reaction with air and oxidizing agents.

Immediate ignition on contact with air.

Strong exothermic reaction with acids.

May produce violent reactions with bases and numerous organic substances including alcohols and amines.

- 10.4 Conditions to avoid Store away from oxidizing agents.
- 10.5 Incompatible materials: No further relevant information available.

(Contd. on page 10)

Printing date 14.12.2012 Revision: 18.06.2014

Trade name: Emergency Locator Transmitter (ELT) battery pack containing lithium Sulfur Dioxide Cells

(Contd. of page 9)

· 10.6 Hazardous decomposition products:

Toxic metal compounds
Hydrogen fluoride
Sulphur dioxide
Poisonous gases/vapours
Hydrogen

# 11 Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: Caustic effect on skin and mucous membranes.
- · on the eye: Strong caustic effect.
- · Sensitization: No sensitizing effects known.
- Additional toxicological information:

Information references exposures to battery contents, and not exposures to whole units. Exposures to whole units are unlikely to product health hazards.

When used and handled according to specifications, the product does not have any harmful effects to our experience and the information provided to us.

# 12 Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: The product contains materials that are harmful to the environment.
- 12.2 Persistence and degradability

The product is partly biodegradale. Significant residuals remain.

A part of the components are biodegradable

- 12.3 Bioaccumulative potential Does not accumulate in organisms
- 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

The product contains materials that are harmful to the environment.

This statement was deduced from products with a similar structure or composition.

Avoid transfer into the environment.

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · **vPvB:** Not applicable.
- 12.6 Other adverse effects No further relevant information available.

(Contd. on page 11)

Printing date 14.12.2012 Revision: 18.06.2014

Trade name: Emergency Locator Transmitter (ELT) battery pack containing lithium Sulfur Dioxide Cells

(Contd. of page 10)

# 13 Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Contact waste processors for recycling information.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

4 Transport information	
· 14.1 UN-Number · DOT, ADR, IMDG, IATA	UN3090
<ul><li>14.2 UN proper shipping name</li><li>DOT, IMDG, IATA</li><li>ADR</li></ul>	LITHIUM METAL BATTERIES 3090 LITHIUM METAL BATTERIES
· 14.3 Transport hazard class(es)	
· DOT, IMDG	
· Class · Label	<ul><li>9 Miscellaneous dangerous substances and articles.</li><li>9</li></ul>
· ADR	
· Class	9 (M4) Miscellaneous dangerous substances and articles.
· Label	9
· IATA	
· Class	3090
· Label	9
<ul><li>14.4 Packing group</li><li>DOT, ADR, IMDG, IATA</li></ul>	II
	(Contd. on page 1

Printing date 14.12.2012 Revision: 18.06.2014

Trade name: Emergency Locator Transmitter (ELT) battery pack containing lithium Sulfur Dioxide Cells

	(Contd. of page 1
14.5 Environmental hazards: Marine pollutant:	No
14.6 Special precautions for user	Warning: Miscellaneous dangerous substances and articles.
Danger code (Kemler):	90
EMS Number:	F-A,S-I
14.7 Transport in bulk according to Ann	nex II of
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	0
UN "Model Regulation":	UN3090, LITHIUM METAL BATTERIES, 9, II

### 15 Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- United States (USA)
- ·SARA
- · Section 355 (extremely hazardous substances):

7446-09-5 sulphur dioxide

· Section 313 (Specific toxic chemical listings):

75-05-8 acetonitrile

· TSCA (Tox	(ic Substances Control Act):
75-05-8	acetonitrile

1333-86-4 Carbon black

7439-93-2 | lithium

7446-09-5 sulphur dioxide

- · Proposition 65 (California):
- · Chemicals known to cause cancer:

References to chemical components listed below are based on unbound respirable particles and are not generally applicable to product as supplied.

1333-86-4 Carbon black

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

(Contd. on page 13)

Printing date 14.12.2012 Revision: 18.06.2014

Trade name: Emergency Locator Transmitter (ELT) battery pack containing lithium Sulfur Dioxide Cells

	(Contd.	of page
· Chemicals	s known to cause developmental toxicity:	p9-
7446-09-5	sulphur dioxide	
· Carcinoge	enic Categories	
· EPA (Envi	ronmental Protection Agency)	
75-05-8 ad	cetonitrile	CBD, [
· IARC (Inte	rnational Agency for Research on Cancer)	
1333-86-4	Carbon black	21
7446-09-5	sulphur dioxide	3
	shold Limit Value established by ACGIH)	
	acetonitrile	A
	Carbon black	A
7446-09-5	sulphur dioxide	A
	(National Institute for Occupational Safety and Health)	
1333-86-4	Carbon black	
· OSHA-Ca	(Occupational Safety & Health Administration)	
	e ingredients is listed.	
· Canada		
	Domestic Substances List (DSL)	
All ingredie	ents are listed.	
	Ingredient Disclosure list (limit 0.1%)	
75-05-8 ad	cetonitrile	
· Canadian	Ingredient Disclosure list (limit 1%)	
	Carbon black	
	sulphur dioxide	
· 15.2 Chem	nical safety assessment: A Chemical Safety Assessment has not been carried out.	

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H225	Highly flammabl	e liquid and	l vapour.
------	-----------------	--------------	-----------

- H260 In contact with water releases flammable gases which may ignite spontaneously.
- H280 Contains gas under pressure; may explode if heated.
- H302 Harmful if swallowed.
- H312 Harmful in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H319 Causes serious eye irritation.
- H331 Toxic if inhaled.

(Contd. on page 14)

Printing date 14.12.2012 Revision: 18.06.2014

# Trade name: Emergency Locator Transmitter (ELT) battery pack containing lithium Sulfur Dioxide Cells

(Contd. of page 13)

H332 Harmful if inhaled.

R11 Highly flammable.

R14/15 Reacts violently with water, liberating extremely flammable gases.

R20/21/22 Harmful by inhalation, in contact with skin and if swallowed.

R23 Toxic by inhalation.R34 Causes burns.R36 Irritating to eyes.

#### Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the

International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

ACGIH: American Conference of Governmental Industrial Hygienists

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

#### Sources

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com