



ROYCO 885 MIL-PRF-6085E

Version: 1.2 Revision Date: 02/04/2016 Print Date: 06/17/2016

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name: ROYCO 885 MIL-PRF-6085E

LOW VOLATILITY GENERAL LUBRICATING FLUID

Product Use Description: Lubricant

Company: <u>Manufacturer</u>

Anderol Specialty Lubricants, a division of Chemtura Corporation

215 Merry Lane East Hanover, NJ

07936

United States of America

Telephone: +1 203-573-4596, Toll Free: +1 888-263-3765

Email: msdsrequest@chemtura.com

Emergency telephone

number:

CHEMTREC: (24 hours) 800-424-9300

Chemtura Corporation Emergency Response: CHEMTURA: 800-292-5898

For additional emergency telephone numbers see section 16 of the Safety

Data Sheet.

Prepared by Product Safety Department

(US) +1 866-430-2775

MSDSRequest@chemtura.com

Recommended use of the chemical and restrictions on use

Recommended use : Lubricant

Restrictions on use : Reserved for industrial and professional use.

SECTION 2. HAZARDS IDENTIFICATION

Form	liquid
Colour	amber
Odour	mild

GHS Classification

Aspiration hazard : Category 1

GHS Label element

Signal word : Danger





ROYCO 885 MIL-PRF-6085E

Version: 1.2 Revision Date: 02/04/2016 Print Date: 06/17/2016

Hazard pictograms

Hazard statements : H304 May be fatal if swallowed and enters airways.

Other hazards : None

Precautionary statements : Response:

P301 + P310 IF SWALLOWED: Immediately call a POISON

CENTER or doctor/ physician. P331 Do NOT induce vomiting.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Carcinogenicity:

IARC No component of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

OSHA No component of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential

carcinogen by OSHA.

NTP No component of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components

Chemical Name	CAS-No.	Concentration (%)
barium bis(dinonylnaphthalenesulphonate)	25619-56-1	>= 1 - < 5 %
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	68411-46-1	>= 1 - < 5 %

SECTION 4. FIRST AID MEASURES

If inhaled : If inhaled

Move to fresh air.

If not breathing, give artificial respiration. If breathing is difficult, give oxygen.

In case of bluish discolouration (lips, ear lobes, fingernails),





ROYCO 885 MIL-PRF-6085E

Version: 1.2 Revision Date: 02/04/2016 Print Date: 06/17/2016

give oxygen as quickly as possible. If symptoms persist, call a physician.

In case of skin contact : In case of skin contact

Wash off with soap and water.

Remove contaminated clothing and shoes. Wash contaminated clothing before re-use.

Get medical attention if irritation develops and persists.

In case of eye contact : In case of eye contact

Rinse thoroughly with plenty of water, also under the eyelids.

If eye irritation persists, consult a specialist.

If swallowed : If swallowed, DO NOT induce vomiting.

Consult a physician if necessary.

Most important symptoms and effects, both acute and

delayed

Notes to physician

: No information available. No information available.

: No information available.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Carbon dioxide (CO2)

Dry powder Foam

Alcohol-resistant foam

Water mist

Unsuitable extinguishing

media

: Water

Specific hazards during

firefighting

: No information available.

Specific extinguishing

methods

: In the event of fire, cool tanks with water spray.

Special protective equipment

for firefighters

: In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.

Ensure adequate ventilation.

Environmental precautions : Should not be released into the environment.

Do not contaminate water.





ROYCO 885 MIL-PRF-6085E

Version: 1.2 Revision Date: 02/04/2016 Print Date: 06/17/2016

Do not flush into surface water or sanitary sewer system.

Methods and materials for containment and cleaning up

: Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local /

national regulations (see section 13).

SECTION 7. HANDLING AND STORAGE

Advice on safe handling : Handle in accordance with good industrial hygiene and safety

practice.

Keep container closed when not in use. Do not use pressure to empty drums.

Ensure all equipment is electrically grounded before beginning

transfer operations.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated

place.

Materials to avoid : Strong acids and strong bases

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Personal protective equipment

Respiratory protection : Breathing apparatus needed only when aerosol or mist is

formed.

In the case of vapour formation use a respirator with an

approved filter.

Hand protection

Remarks : Neoprene gloves

Eye protection : Safety glasses with side-shields

Tightly fitting safety goggles

Skin and body protection : Impervious clothing

Hygiene measures : Avoid contact with skin, eyes and clothing.

Provide adequate ventilation.

Do not breathe dust or spray mist.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid





ROYCO 885 MIL-PRF-6085E

Version: 1.2 Revision Date: 02/04/2016 Print Date: 06/17/2016

Color : amber Odor : mild

Odour Threshold : No data available pH : Not applicable

Melting point/range :

Not applicable

Boiling point/boiling range : No data available Evaporation rate : No data available

Flash point : 227 °C

Method: open cup

Upper explosion limit : No data available
Lower explosion limit : No data available
Vapour pressure : No data available
Relative vapour density : No data available

Relative density : 0.92

Solubility(ies)

Water solubility : slightly soluble
Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

: No data available

Auto-ignition temperature : not determined

Viscosity

Viscosity, kinematic : 13 mm2/s (40 °C)

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : Stable under normal conditions.

Possibility of hazardous

reactions

: Hazardous polymerisation does not occur.

Conditions to avoid : Heat

Incompatible materials : Strong acids and strong bases

Hazardous decomposition

products Carbon oxides





ROYCO 885 MIL-PRF-6085E

Version: 1.2 Revision Date: 02/04/2016 Print Date: 06/17/2016

SECTION 11. TOXICOLOGICAL INFORMATION

Acute oral toxicity (Product) : Acute toxicity estimate: > 5,000 mg/kg

Method: Calculation method

Acute inhalation toxicity

(Product)

Acute toxicity estimate: > 40 mg/l

Exposure time: 4 h

Method: Calculation method

Acute dermal toxicity

(Product)

: Acute toxicity estimate: > 5,000 mg/kg

Method: Calculation method

Skin irritation

Benzenamine, N-phenyl-, reaction products with 2,4,4-

trimethylpentene (Component) : Species: Rabbit

Result: No skin irritation

Method: OECD Test Guideline 404

Eye irritation

Benzenamine, N-phenyl-, reaction products with 2,4,4-

trimethylpentene (Component)

: Species: Rabbit

Result: No eye irritation

Method: OECD Test Guideline 405

Sensitisation

Benzenamine, N-phenyl-, reaction products with 2,4,4-

reaction products with 2,4,4-

trimethylpentene (Component) : Species: Guinea pig

Classification: Did not cause sensitisation on laboratory animals.

Method: OECD Test Guideline 406

Aspiration toxicity (Product) : May be fatal if swallowed and enters airways.

CMR effects

Benzenamine, N-phenyl-, reaction products with 2,4,4-

trimethylpentene (Component)

: Mutagenicity: Not mutagenic in Ames Test

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity effects

SAP 6.0 SDS 2012-2 NA GHS 6 / 9 SDS Number: 000000005208





ROYCO 885 MIL-PRF-6085E

Version: 1.2 Revision Date: 02/04/2016 Print Date: 06/17/2016

Toxicity to fish (Product) : Remarks:

No data available

Toxicity to daphnia and other aquatic invertebrates
Benzenamine, N-phenyl-, : EC50: 51 mg/l
reaction products with 2,4,4- Exposure time: 48 h

trimethylpentene Species: Daphnia magna (Water flea) (Component) Method: OECD Test Guideline 202

Toxicity to algae

Benzenamine, N-phenyl-, : EbC50: > 100 mg/l reaction products with 2,4,4- Exposure time: 72 h

trimethylpentene Species: Desmodesmus subspicatus (green algae)

(Component) Method: OECD Test Guideline 201

Elimination information (persistence and degradability)

Bioaccumulation (Product) : Remarks:

No data available

Mobility (Product) : Remarks:

No data available

Biodegradability (Product) : Remarks:

No data available

Further information on ecology

Ecotoxicology Assessment

Results of PBT assessment (Product)

This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT).

Additional ecological

: The product itself has not been tested.

information (Product)

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : In accordance with local and national regulations.

Contaminated packaging : Do not burn, or use a cutting torch on, the empty drum.





ROYCO 885 MIL-PRF-6085E

Version: 1.2 Revision Date: 02/04/2016 Print Date: 06/17/2016

SECTION 14. TRANSPORT INFORMATION

International Regulation

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

49 CFR

Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

TSCA list : TSCA - 5(a) Significant New Use Rule List of Chemicals: Not

relevant

US. Toxic Substances Control Act (TSCA) Section 12(b) Export

Notification (40 CFR 707, Subpt D): Not relevant

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA304 Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Acute Health Hazard

Acute Health Hazard

SARA 302 : No chemicals in this material are subject to the reporting

requirements of SARA Title III, Section 302.

SARA 313 : The following components are subject to reporting levels

established by SARA Title III, Section 313: barium 25619-56-1

bis(dinonylnaphthalenesulph

onate)

US State Regulations





ROYCO 885 MIL-PRF-6085E

Version: 1.2 Revision Date: 02/04/2016 Print Date: 06/17/2016

California Prop 65 This product does not contain any chemicals known to State of

California to cause cancer, birth defects, or any other

reproductive harm.

The components of this product are reported in the following inventories:

US.TSCA On TSCA Inventory

All components of this product are on the Canadian DSL

AICS
On the inventory, or in compliance with the inventory

NZIOC
On the inventory, or in compliance with the inventory

ENCS
On the inventory, or in compliance with the inventory

KECI
On the inventory, or in compliance with the inventory

PICCS
On the inventory, or in compliance with the inventory

On the inventory, or in compliance with the inventory

IECSC
On the inventory, or in compliance with the inventory

SECTION 16. OTHER INFORMATION

Further information

Other Emergency Phone Number

Latin America:	Brazil	+55 113 711 9144
	All other countries	+44 (0) 1235 239 670
Mexico:		+52 555 004 8763

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.