


PATERA OVAL

The pendant is a glowing ellipsoid made up of diamond-shaped cells. Each cell has been carefully designed to capture light and to conceal the light source from viewing angles above 40 degrees. Below 40 degrees the lamp allows direct, downward light. The round opening underneath provides direct light with a soft transition towards the reflected light. The pendant can be used with or without a diffuser plate, depending on whether the view of the light source creates an unwanted glare or not.



Øivind Slaatto

Øivind Slaatto (born 1978) is a promising Danish designer, recognised for his simple and poetic solutions. Nature is Øivind's most important source of inspiration. He also seeks to transfer characteristics such as rationality, logic and harmony to his designs.



Product info

Information

Diffuser plate for bottom opening included.

Mounting

Cable: White textile, 2 x 0.75mm². Canopy: Yes. LED: Canopy contains driver. Cable length: 4 m.

Finish

White, matt.

Materials

Shade: Cut matt PVC foil. Frame: White, opal, matt coated, Injection moulded polycarbonate. Suspension E-socket: White, opal, matt coated, Injection moulded polycarbonate. Suspension LED: Matt white, Die cast aluminum Diffuser plate: Injection moulded polycarbonate.

Sizes and weights

Width x Height x Length (mm) | 500 x 291 x 500 Max 2.6 kg

Class

Ingress protection IP20. Electric shock protection I w. Ground (LED). Electric shock protection II. w/o ground (E-socket).

Light source

1x40W E27

Information

Diffuser plate for bottom opening included.



Related products



Patera

Product variants

Dimension	Light source	Lumen	Lighting control
Ø 500	1x40W E27	-	-
	LED 2700K 41W	2553	Dali
	LED 3000K 41W	2656	

Design

Oivind Slaatto

Weight

Min: 1.504 kg Max: 2.637 kg

Dimensions


Ø 500

Finish


White matt

Light distribution diagrams


Cartesian



Isolux



Polar



Spare parts & accessories

Product

PATERA OVAL SUSP 500 40W E27
Canopy White 2-part tophat ©

Variant number

5741105968
5749329034