


Model Ra · Design by Jens Juul Eilersen

Arm height: 26 ¾" · Arm width: 3 ¼" · Total depth (frame): 35" · Seat depth: 22" / 30" · Seat height: 17 ¼" · Total height (frame): 26 ¾"









Model Ra · Design by Jens Juul Eilersen

Arm height: 26 ¾"·Arm width: 3 ¼"·Total depth (frame): 35"·Seat depth: 22" / 30"·Seat height: 17 ¼"·Total height (frame): 26 ¾"









Model Ra  $\cdot$  Design by Jens Juul Eilersen

Arm height: 68 cm · Arm width: 8 cm · Total depth (frame): 89 cm · Seat depth: 56/76 cm · Seat height: 44 cm · Total height (frame): 68 cm

Sofa 70 ¾" x 35"	Corner section 38 1/4" x 38 1/4"
Sofa 74 ¾" x 35"	Center section 47 ½" x 35"
Sofa 78 ¾" × 35"	Center section 55" x 35"
Sofa 86 ½" x 35"	Center section 63" x 35"
Sofa 94 ½" x 35"	Footstool freestanding or connectable left/right 23 ½" x 35"
Sofa 102 ½" x 35"	Footstool freestanding or connectable left/right 39 ½" x 35"






Model Ra  $\cdot$  Design by Jens Juul Eilersen


Arm height: 68 cm · Arm width: 8 cm · Total depth (frame): 89 cm · Seat depth: 56/76 cm · Seat height: 44 cm · Total height (frame): 68 cm

Closing section 47 ½" x 35"	Closing section with short back (39 ½"/23 ½") 63" x 35"
Closing section 51 ½" x 35"	Closing section with short back (43 $\frac{1}{4}$ "/23 $\frac{1}{2}$ ") 67" x 35"
Closing section 55" x 35"	Closing section with short back (47 $^{1}/_{4}$ "/23 $^{1}/_{2}$ ") 70 $^{3}/_{4}$ " x 35"
Closing section 63" x 35"	Closing section with short back (51 $\frac{1}{4}$ "/23 $\frac{1}{2}$ ") 74 $\frac{3}{4}$ " x 35"
Closing section 70 3/4" x 35"	Closing section with short back (55"/23 ½") 78 ¾" x 35"
Closing section 78 ¾" x 35"	
Closing section 86 ½" x 35"	
Closing section 94 ½" x 35"	















## Fabric Level II

Width: 150 cm

Weight: 880 g/m

Colour fastness to light: 5\*\*\* - ISO 105-B02

Colour fastness to rubbing wet: 14, 16, 31 = 4\*\*\*\*, 24, 26, 37 = 4-5\*\*\*\* - ISO 105-X12 Colour fastness

to rubbing dry: 14, 16, 24, 31 = 4-5\*\*\*\*, 26, 37 = 5\*\*\*\* - ISO 105-X12

Pilling: Grade 4\*\*\*\* - ISO 12945-2 (2000)

Composition: 75% cotton (CO), 25% acrylic (PC) Abrasion: 60.000\*\*\* Martindale - ISO 12947-2

Cleaning instruction:  ${oldsymbol \boxtimes} \begin{tabular}{l} {\Bbb Z} \end{tabular} \begin{tabular}{l} {\Bbb Z} \end{tabular}$ 

Fabric direction:

eilersen