

VL45 RADIOHUS PENDANT

The fixture provides uniform, general and diffused illumination. The opening at the bottom of the glass produces downwards directed light. The quality of the glass ensures that the fixture is evenly lit.



Vilhelm Lauritzen

Vilhelm Lauritzen (1894–1984) is one of the most significant architects in the history of Denmark; he was the trail-blazing figurehead of Danish functionalism. A number of his buildings – Nørrebro Theatre (1931–32), Daells Varehus department store (1928–35), Radihuset (1936–41) and the first airport built in Kastrup (1937–39) – represented the concentrated essence of contemporary life.



Carl Hansen & Son Showroom



Aalborg Universitet

Product info

Environmental Product Specification

This product is compliant with the requirements contained in the European Directives, RoHS Directive 2011/65 and 2015/863. This product is designed so that 100% of the product can be disassembled and reused.

Information

Please note that the brass surfaces are untreated. This means that the surface will change over time and develop a patina.

Mounting

Cable Ø 175/Ø 250: 3x0,75mm². Ø 370 (E27): 3x1mm². Ø 370 (LED): 2x0,75mm² & Wire. Canopy: Yes. LED canopy contains driver. Cable length: E27: 4.4m. LED: 4m.

Finish

Glossy white opal glass. Brushed brass, untreated.

Materials

Shade: Mouth-blown polished white opal glass. Pendant fitting: Untreated brushed brass, will patinate.

Sizes and weights

Width x Height x Length (mm) | 250 x 328 x 250 Max 2.0 kg | 370 x 448 x 370 Max 5.2 kg | 175 x 246 x 175 Max 1.3 kg

Class

Ingress protection IP20. Electric shock protection I w. Ground.

Light source

1x20W E14

Information

Please note that the brass surfaces are untreated. This means that the surface will change over time and develop a patina.



Product variants

Dimension	Light source	Lumen	Lighting control
Ø 175	1x100W E27	-	-
Ø 250	1x20W E14	2763	Dali
Ø 370	LED 3000-1800K D2W 41W	3353	Phase dimming (mains dimm)
	LED 3000K 41W		Wireless bluetooth

Design

Vilhelm Lauritzen

Weight

Min: 1.312 kg Max: 5.247 kg

Dimensions


Ø 175, Ø 250, Ø 370

Finish


Brass/glossy opal glass

Light distribution diagrams


Cartesian



Isolux



Polar



Spare parts & accessories

VL45 Radiohus Pendant

Product	Variant number
Canopy White 2-part tophat ©	5749329034
VL45 Radio Ø250 Pendant glass opal	5741099304
VL45 Radio Ø370 Pendant glass opal	5741099317
VL45 RADIO 250 E27 SUSPENSION	5741099320
VL45 RADIO 370 E27 SUSPENSION	5741099333
VL45 RADIO 175 SUSPENSION	5741100183
VL45 Radio Pendant Ø370 glass opal LED/V3	5741100866