



Cut Above the Rest

# GENERAL CATALOG

**ARS CORPORATION**  
SINCE 1876  
JAPAN

DISTRIBUTED BY

<https://www.arscorporation.jp>

Established In 1876  
476-3 Handaiji-Cho, Naka-Ku, Sakai City,  
599-8267, Osaka, Japan

Specifications are subject to change without notice in line with our policy of constant product improvement.

Published in 04.2026



Steel  
Quality

Specialist  
Grinding  
Process

**ARS**   
**Cut Above the Rest**

Since 1876

Thermal  
Treatment

Design

History

# Contents

INSTRUCTION TO CUT ABOVE THE REST

01



Saws P04 ▶ P19

02



Pruning Shears P20 ▶ P25

03



Scissors P26 ▶ P33

04



Hedge Shears P34 ▶ P36

05



Lopping Shears P37 ▶ P41

06



Long Reach Pruners P42 ▶ P46

07



Maintenance P47

08



Promotional Materials P48 ▶ P49

Available Spare Parts List




Official Global Website



## How to see our symbols



|                      |                  |                                      |  |
|----------------------|------------------|--------------------------------------|--|
| Hard-Chrome Plating  | Curvature Ground | Tooth Thickness                      | Spare Blade                                    |
| Black Finished       | Taper Ground     | Overall Length (mm)                  | Forest-Technological Approval Committee by KWF |
| Chemical Nickered    | TURBOCUT         | Weight (g)                           |  |
| Fluorocarbon Coating | Super TURBOCUT   | Blade Length (mm)                    |  |
| High Carbon Steel    | Impulse Hardened | Recommended maximum cutting diameter |  |
| Stainless            | Tooth Pitch      |                                      |  |

Hard Chrome Plating



Impulse Hardened  
900HV to 950HV on the Vickers scale.

Flat-Set Teeth



TURBOCUT



SUPER TURBOCUT









































# 01

Cut Above the Rest




# Saws

# Saw products LINE UP

|                     |  <b>TURBOCUT</b>  |  <b>SUPER TURBOCUT</b>   |
|---------------------|--|--|
| <b>PRO Saws</b>     |  CTR-32PRO ▶ P08<br> CT-37PRO ▶ P07<br> CT-42PRO ▶ P07<br> CAM-18PRO ▶ P08<br> CAM-24PRO ▶ P08  |  UVR-32PRO ▶ P08<br> UV-37PRO ▶ P07<br> UV-42PRO ▶ P07   |
| <b>Pruning Saws</b> |  CT-32E ▶ P10<br> CT-32E-W ▶ P10<br> CAM-18LN ▶ P11<br> CAM-24LN ▶ P11<br> PS-25KL ▶ P12<br> PS-30KL ▶ P12<br> DUKE-25 ▶ P12   |  UV-32E ▶ P10<br> UV-32E-W ▶ P10<br> TL-24 ▶ P11<br> TL-27 ▶ P11<br> TL-30 ▶ P11                |
| <b>Pole Saws</b>    |  CT-34 ▶ P13<br> EXW-CT-1.8 ▶ P16<br> EXW-CT-2.7 ▶ P16<br> EXW-1.8 ▶ P16<br> EXW-2.7 ▶ P16  |  UV-34 ▶ P13<br> UV-40 ▶ P13<br> UV-47 ▶ P13<br> EXW-UV-1.8 ▶ P16<br> EXW-UV-2.7 ▶ P16 |
| <b>Folding Saws</b> | <b>TURBOCUT only</b><br> GR-17 ▶ P17  G-17 ▶ P17  PM-21 ▶ P18  PM-21L ▶ P18<br> G-18L ▶ P19  G-18HL ▶ P19  PM-24 ▶ P18  PM-24L ▶ P18<br> GR-18L ▶ P19  Z-17 ▶ P17  210DX ▶ P17 |  |

# PRO Saws

The highlight of Key features





PRO Saws



### UV-37PRO



### UV-42PRO



Cut Above the Rest **ARS**



### CTR-32PRO



### UVR-32PRO



### CAM-18PRO




### CAM-24PRO



### CT-37PRO



### CT-42PRO



- 01 Saws
- 02 Pruning Shears
- 03 Scissors
- 04 Hedge Shears
- 05 Lopping Shears
- 06 Long Pruners
- 07 Maintenance
- 08 Promotional Materials


# Pruning Saws

The highlight of Key features


**1 Blade** (CT/UV-32E series, TL series)




**2 Designed Grip** (CT-32E, UV-32E)



**3 Guiding Roller**  
(CT/UV-32E series, TL series)



**4 Belt Clip** (CT/UV-32E series)



Pruning Saws



Cut Above the Rest **ARSS**



**CT-32E**



**CT-32E-W**



**UV-32E**



**UV-32E-W**





Pruning Saws

## TL-24



## TL-27



## TL-30



## CAM-18LN



## CAM-24LN



## PS-25KL SH-25(Available Separately)



## PS-30KL SH-30(Available Separately)



## DUKE-25



Available Separately




## SH-25 for PS-25KL



## SH-30 for PS-30KL

# Pole Saws

The highlight of Key features



Pole Saws



## Saws for extension pole

### UV-40



### UV-47



### UV-34



### CT-34



## Extension pole

### EXP-3.3



### EXP-4.5



### EXP-5.5



EXP-3.3

EXP-4.5

EXP-5.5




## EXP Hook



### EXP Hook

JGH-90 supplies better support for pulling cut branches out of trees and hanging the pole saw on a branch while climbing or changing position.



**JGH-90** for EXP-3.3, EXP-4.5, EXP-5.5

## Sheath



**SH-32-EXP** for UV-32E-1, CT-32E-1, UVR-32PRO-1, CTR-32PRO-1



**SH-UV** for UV-47 and UV-40

## Grip types

(Available Separately)



**JG-1** for UV-47 and UV-40

Cross section



**JG-2** for UV-34, CT-34, UV-32E-1, CT-32E-1, UVR-32PRO-1 and CTR-32PRO-1




**JG-3** all-round type(except for UV-40)



**JG-4** for universal pole pruner

### Various Blades Combinable

ARS newly offers wide selections of 32cm saw blades which enable you to combine with JG-2 and EXP pole series by yourself.



## EXW-1.8

H C 1200 ~ 1800 750 300 EXW-1



## EXW-2.7

H C 1800 ~ 2700 1030 300 EXW-1



## EXW-CT-1.8

H C 1220 ~ 1820 860 340 EXW-CT-1



## EXW-CT-2.7

H C 1820 ~ 2720 1140 340 EXW-CT-1



## EXW-UV-1.8

H C 1220 ~ 1820 860 340 EXW-UV-1



## EXW-UV-2.7



H C 1820 ~ 2720 1140 340 EXW-UV-1



Pole Saws

# Folding Saws

The highlight of Key features



## G-17



## GR-17



## Z-17



## 210DX



## PM-21



## PM-21L



## PM-24



## PM-24L





Folding Saws

### G-18L



### G-18HL



### GR-18L



# 02


Cut Above the Rest



## Pruning Shears


# Pruning Shears

The highlight of Key features




**1 Unique Locking System**  
(FB-7/8, VS series, CB-8Z/9Z)


**2 Easy Blade Replacement System**  
(VS series, VA series, CB-8Z/9Z)



**3 The Rotating Grip**  
(VS-7XR, VS-8XR, VS-9XR)



The Guidelines to choose one for your palm size



| Size | Length Overall |
|------|----------------|
|      | 7inch(180mm)   |
|      | 8inch(200mm)   |
|      | 9inch(227mm)   |

## VS-7XR



H C 180 250   
VS-7X-1  
VS-7X-2  
VS-7X-3



## VS-8XR



H C 200 265   
VS-8X-1  
VS-8X-2  
VS-8X-3



## VS-9XR



H C 227 310   
VS-9X-1  
VS-9X-2  
VS-9X-3





### VS-7XZ

H C 180 212 19mm VS-7X-1 VS-7X-2 VS-7X-3



VS-7X-1 VS-7X-2 VS-7X-3



### VS-8XZ

H C 200 220 22mm VS-8X-1 VS-8X-2 VS-8X-3



VS-8X-1 VS-8X-2 VS-8X-3



### VS-9XZ

H C 227 257 25mm VS-9X-1 VS-9X-2 VS-9X-3



VS-9X-1 VS-9X-2 VS-9X-3




Pruning Shears



### VA-7Z Anvil Pruner

F C 180 215 22mm VA-7-1 VA-7-2 VA-7-3




VA-7-1 VA-7-2 VA-7-3



### VA-8Z Anvil Pruner

F C 205 235 25mm VA-8-1 VA-8-2 VA-8-3



VA-8-1 VA-8-2

VA-8-3



### SH-VSZ

Ideal for VS-8XZ



### CB-8Z

H C 203 190 22mm CB-8Z-1 CB-8Z-2 CB-8Z-3



CB-8Z-1 CB-8Z-2 CB-8Z-3

### CB-9Z

H C 227 210 25mm CB-9Z-1 CB-9Z-2 CB-9Z-3



CB-9Z-1 CB-9Z-2 CB-9Z-3



### FB-7

H C 181 180 19mm



### FB-8

H C 203 200 22mm





Pruning Shears



**120DX**



**120EU-R**



130DX-R



130DX-W



130DX-Y



130DX-V



130DX-G



130DX-P

**130DX**



140DX-R



140DX-W



140DX-Y



140DX-V



140DX-G



140DX-P

**140DX**



**140DXH-R** for Hoof Trimming



**140L-DX**



**03**

Cut Above the Rest




Scissors

# Fruit Pruners

The highlight of Key features

1 The non-slip lightweight grip (300, 310 series)



**300L** 300L-BP in blister package



**300L-BL**  
(Green house and HACCP)

C 190 110



**300L-DX**

S 190 110



**310-T**

C 160 90



**310-BL**  
(Green house and HACCP)



**310-BK**



**310-OR**

**310** 310-BP in blister package

C 160 90

# Grape Scissors


The highlight of Key features

2 Stainless steel (320series, 321series)

3 The Curved blade (320DX-M, 321DX-M)

1 Soft grip (320series, 321series)

Grape Scissors



## 300SS

C 170 100



300SS-BL  
(Green house and HACCP)

Curved blade



Curved blade



## 310-D

C 160 90



## 310DX

S 170 110



SE-45-1  
Replacement Blade for SE-45

## SE-45

S 183 85 SE-45-1



## 320DX-T

S 155 55



## 320DX-M

S 155 55



## 321DX-T

S 167 41




## 321DX-M

S 167 41



# Handy Craft Scissors

The highlight of Key features



## 330HN

330HN-R 330HN-W 330HN-Y 330HN-V 330HN-G 330HN-P

H C 160 60



## 340H-T

H C 190 70



## 360-M

H C 125 30



## 380

H C 195 80

# Flower Arrangement

Flower Arrangement



## FL-18-BP Floral Scissors

S 180 110



## IK-10-R Ikebana & Bonsai Saw

N C 220 35




## 316 Floral Wire Cutter

H C 170 105

# Industrial Shears

The highlight of Key features



**1 Super High Speed Steel**  
For cutting of organic-yarn super-fiber  
(526-H, 370)



**526-H** ARSUPER H

260 260



**NH-11** ARSUPER mini

110 40



**526-A** ARSUPER A

H C 260 240 526-A-1



**370** ARSUPER Craft

160 70



# 04

Cut Above the Rest



# Hedge Shears

# Hedge Shears

The highlight of Key features

**1** Blade

**H** Hard chrome plating  
(KR-1000, KR-1000L)

**2** Replacement Blade  
(KR-1000, KR-1000L)



**3** Curved handles  
(KR-1000, K-800)

**4** Designed Grip  
Ultra-light, durable Aluminium forged

Hedge Shears



**KR-1000**



**KR-1000L**



**K-800**



**K-900Z** Telescopic



# 05

Cut Above the Rest



## Lopping Shears

## Lopping Shears

The highlight of Key features

**1 Aluminium handles**  
Lightweight and durable

**2 Shock Absorber**  
(Except for LPA-30L)

**3 Designed Grip**  
Comfortable handling with minimum fatigue.

Lopping Shears



LPB-20 Series

**LPB-20S**

B C 476 825 LPB-20-1 LPB-20-2  

**LPB-20M**

B C 624 940 LPB-20-1 LPB-20-2  

**LPB-20L**

B C 772 1055 LPB-20-1 LPB-20-2  



Replacement Blade for LPB-20 Series



**LPB-20-1**

**LPB-20-2**

LPB-30 Series

**LPB-30S**


B C 482 905 LPB-30-1 LPB-30-2  

**LPB-30M**

B C 630 1020 LPB-30-1 LPB-30-2  

**LPB-30L**

B C 778 1135 LPB-30-1 LPB-30-2  



Replacement Blade for LPB-30 Series



**LPB-30-1**



**LPB-30-2**



## LP-40



Replacement Blade for LP-40



LP-40-1



LP-40-2



## LPA-30L



Replacement Blade for LPA-30L



LPA-30-1



LPA-30-2

# 06

Cut Above the Rest




# Long Reach Pruners



# Long Reach Pruners

The highlight of Key features



## Telescopic Long Reach Pruners



**160ZF-3.0-5**



**160ZF-2.0-3**



**180ZF-3.0-5**



**180ZF-2.0-3**



Replacement Blade



**160ZR-1** for 160ZF Series / 160R-1.8  
H C

Replacement Blade



**180ZR-1** for 180ZF Series / 180R-1.8  
H C

## Standard Long Reach Pruners



**160R-1.8** Cut & Hold



**180R-1.8** Razor-Edge



## 150Series-Rose Pruner



**150-0.6** Rose Pruner



Replacement Blade



**150-1** for 150-0.6  
H C

Replacement Blade



**160ZR-1** for 160ZF Series / 160R-1.8  
H C

Replacement Blade



**180ZR-1** for 180ZF Series / 180R-1.8  
H C



## 160Series-Cut & Hold Snipper



**160-1.8**



**160-1.2**



**160-0.6**



**160-0.35**



**160-2.4**



Refer the image to our website.



## 180Series-Razor-Edge Pruner



**180-1.8**



**180-1.2**



**180-2.4**



Refer the image to our website.



### Replacement Blade



**160-1** for 160 Series  
H C


### Replacement Blade



**180-1** for 180 Series  
H C

# Long Reach Lopping Shears

The highlight of Key features



**185-1.5**



**185-1.8**



Refer the image to our website.



### Replacement Blade



**185-1** for 185 Series  
F C

## Powerful LongReach Pruners



**180LR-2.1**



**180LR-1.2**



Refer the image to our website.



**180LR-1.8**



Refer the image to our website.



### Replacement Blade



**180L-1** for 180LR Series  
H C

# 07

Cut Above the Rest



# 08

Cut Above the Rest



## Maintenance



Maintenance

## Promotional Materials



Promotional Materials



**9F-10** Saw Sharpener

220 50



**GO-1** Maintenance

Weight : 100ml



**SD-100-BT** Sharpener

230 105



**SD-95-PN** Sharpener

220 75



**POSTER-A**

H841mm x W594mm



**POSTER-B**

H841mm x W594mm



**CAP-A**



**FLAG-A**

H841mm x W1189mm



**BEANIE-A**



**STICKER-A**

H157mm x W298mm



**STICKER-B**

H200mm x W200mm



**CATALG**



**CATALG-S**



## SHIRT-P-B

M/L/LL/3L



## SHIRT-P-R

M/L/LL/3L



## DISP-VS

H410mm x W465mm



## DISP-EXP

H693mm x W670mm



## DISP-TRG

H1800mm x W550mm

The Art of the Perfect Cut.  
Since 1876.

