

## Finishes


---

### finishes

---

#### BASIC

Ref. 43880A



purjai red



white



black



bronze



steel



anthracite



red



khaki



taupe



ecru



beige



ice



notte blue



crema



green



orange

#### Matt Polyethylene

#### SELF-WATERING

Ref. 43880R




purjai red




white



black




bronze



steel



anthracite



red




khaki



taupe



ecru




beige




ice



notte blue



crema



green



orange

Self-watering system included in all planters except those with basic finish

## LACQUERED

Ref. 43880RF



modo green



purjai red



white



black



bronze



steel



anthracite



champany



red



khaki



taupe



ecru



beige

Lacquered Polyethylene

## lighting

---


WHITE LED  
Ref. 43880W



ice

White internally lit unit with LED technology. Available only in matte ice white finish.

RGBW LED  
Ref. 43880L



ice

Unit with internal lighting with RGBW LED technology and remote control unit for switching colors. Available only in matte ice white finish. Remote control included.

RGBW LED DMX  
Ref. 43880D



ice

Unit with internal lighting with RGBW LED technology and remote control unit for switching colors. Also controlled by DMX-1024 (wireless), enabling communication between one or more products simultaneously via the DMX transmitter (not included). There are two options to choose from: Professional XLR DMX and Home WIFI DMX. (Remote control included). Optional battery

## RGBW LED BATTERY

Ref. 43880Y



ice

Unit with internal lighting with battery-powered RGBW LED technology. Includes charger and remote control for switching colors and charger. Available only in matte ice white finish.

## RGBW LED DMX BATTERY

Ref. 43880DY



ice

Unit with internal lighting with RGBW LED technology and remote control unit for switching colors. Also controlled by DMX-1024 (wireless), enabling communication between one or more products simultaneously via the DMX transmitter (not included). There are two options to choose from: Professional XLR