Model: WBB2225052

Flotec Under-Sink Mounted Utility Sink Pump System

★★★★★ (1)



Ships within 1 Business Day

Product Description

Easy-to-install system attaches directly to underside of sink. Allows for installation of bar or utility sink without direct access to drain plumbing.

Key Features:

- Complete compact system
- Perfect for basement bars, laundry, utility sinks, etc.
- Easy to install - eliminates need for traps, vents, and costly labor charges easily mounts underneath your sink
- Quiet, trouble-free design

Specifications

Weights & Dimensions

Length	10.4 in
Width	9.4 in
Height	13.6 in
Weight	15.3 lbs
Cord Length	8 ft
Discharge Connection Size	1-1/4 in

Product Details

Max Fluid Temperature	120 °F
Gallons per Minute	31 gal/min
Float Switch	Yes
Material	Thermoplastic
Phase	1
Discharge Connection Type	NPT
Manufacturers Part Number	FPUS1860A-01
Temperature of Liquid Pumped	120
Brand	Flotec
Solids Handling	Yes
Type	Utility Sink Pump
Horsepower	1/3 HP
Color	Black
Amperage	15 A

Hertz	60 Hz
Switch Type	Internal Pressure Sensor
Voltage	115 V
Gallons per Hour	1860 gal/hr
Includes	1-1/4 In Check Valve 1-1/4 In Ball Valve 8' Grounded Power Cord Gasket Seal O-Ring And Sink Drain Screen
Shaft Seal Material	Silicone Carbide
Max Pressure	62 psi

Warranty

Warranty	1 yr