User's manual	Manual del usuario	Manuel de l'utilisateur
Customer Service US: 1-800-645-2986	Servicio de atención al Cliente US: 1-800-645-2986	Service à la clientèle Canada: 888-645-2986

GONDOLA SHELVING -
Double Side - Aisle Starter & Aisle Add-On

Model(s):
243458/243459/243460/243461/243462/243463/243464/243465/243466/243467/243468/243469




Note: Owner/Operator must read and understand this instruction manual before using the GONDOLA SHELVING

Rev A: 3/31/25

GONDOLA SHELVING

TOOLS NEEDED: Leveling Wrench(included)



Two Person Assembly Recommended

Global PN: 243458


No	Global PN	Description	Quantity
1	243416	Upright 72"	2
2	243419	Base Bracket 22"	4
3	243437	Base End Trim Pair 22" - Black	4
4	243423	Bottom Rail 48"	1
5		Top Rail 48"	1
6		Center Rail 48"	1
7	243433	Pegboard Back Panel 46-17/32" x 65-13/16" H	2
8	243447	Base Shelf 48" x 22"	2
9	243416	Upright End Trim 72"	2
10		Tube Cap for Upright	2
11	243421	Closed Base Front 48" -Black	2
12		Leveling Wrench	1

NOTE: If you need to assemble the Add-on, please start from page 12.

The loaded capacity of the shelf depends on the shelves. Please refer to the shelf loaded capacity limits on page 8.

GONDOLA SHELVING

TOOLS NEEDED: Leveling Wrench(included)



Two Person Assembly Recommended

Global PN: 243460


NO	Global PN	Description	Quantity
1	243414	Upright 54 ″	2
2	243419	Base Bracket 22 ″	4
3	243437	Base End Trim Pair 22 ″- Black	4
4	243423	Bottom Rail 48 ″	1
5		Top Rail 48 ″	1
6		Center rail 48 ″	1
7	243431	Pegboard Back Panel 46-17/32 ″ x 47 - 13/16 ″ H	2
8	243447	Base Shelf 48 ″ x 22 ″	2
9	243440	Upright End Trim 54 ″	2
10		Tube Cap for Upright	2
11	243421	Closed Base Front 48 ″- Black	2
12		Leveling Wrench	1

NOTE: If you need to assemble the Add-on, please start from page 12.


The loaded capacity of the shelf depends on the shelves. Please refer to the shelf loaded capacity limits on page 8.

GONDOLA SHELVING

TOOLS NEEDED: Leveling Wrench(included)



Two Person Assembly Recommended



Global PN: 243462

NO	Global PN	Description	Quantity
1	243415	Upright 60 ″	2
2	243419	Base Bracket 22 ″	4
3	243437	Base End Trim Pair 22 ″ - Black	4
4	243423	Bottom Rail 48 ″	1
5		Top Rail 48 ″	1
6		Center Rail 48 ″	1
7	243432	Pegboard Back Panel 46 - 17/32 ″ x 53 - 13/16 ″ H	2
8	243447	Base Shelf 48 ″ x 22 ″	2
9	243441	Upright End Trim 60 ″	2
10		Tube Cap for Upright	2
11	243421	Closed Base Front 48 ″ - Black	2
12		Leveling Wrench	1




NOTE: If you need to assemble the Add-on, please start from page 12.




The loaded capacity of the shelf depends on the shelves. Please refer to the shelf loaded capacity limits on page 8.

GONDOLA SHELVING

TOOLS NEEDED: Leveling Wrench(included)



Two Person Assembly Recommended



Global PN: 243464


No	Global PN	Description	Quantity
1	243414	Upright 54"	2
2	243418	Base Bracket 16"	4
3	243436	Base End Trim Pair 16" -Black	2
4	243423	Bottom Rail 48"	1
5		Top Rail 48"	1
6		Center Rail 48"	1
7	243431	Pegboard Back Panel 46- 17/32" x 47-13/16" H	2
8	243446	Base Shelf 48" x 16"	2
9	243440	Upright End Trim 54"	2
10		Tube cap for upright	2
11	243421	Closed Base Front 48" -Black	2
12		Leveling Wrench	1

NOTE: If you need to assemble the Add-on, please start from page 12.

The loaded capacity of the shelf depends on the shelves. Please refer to the shelf loaded capacity limits on page 8.

GONDOLA SHELVING

TOOLS NEEDED: Leveling Wrench(included)





Two Person Assembly Recommended

Global PN: 243466


No	Global PN	Description	Quantity
1	243415	Upright 60"	2
2	243418	Base Bracket 16"	4
3	243436	Base End Trim Pair 16" -Black	2
4	243423	Bottom Rail 48"	1
5		Top Rail 48"	1
6		Center Rail 48"	1
7	243432	Pegboard Back Panel 46-17/32" x 53-13/16" H	2
8	243446	Base Shelf 48" x 16"	2
9	243441	Upright End Trim 60"	2
10		Tube cap for upright	2
11	243421	Closed Base Front 48" -Black	2
12		Leveling Wrench	1

NOTE: If you need to assemble the Add-on, please start from page 12.

The loaded capacity of the shelf depends on the shelves. Please refer to the shelf loaded capacity limits on page 8.

GONDOLA SHELVING

TOOLS NEEDED: Leveling Wrench(included)





Two Person Assembly Recommended

Global PN: 243468

No	Global PN	Description	Quantity
1	243416	Upright 72"	2
2	243418	Base Bracket 16"	4
3	243436	Base End Trim Pair 16" -Black	2
4	243423	Bottom Rail 48"	1
5		Top Rail 48"	1
6		Center Rail 48"	1
7	243433	Pegboard Back Panel 46- 17/32" x 65-13/16" H	2
8	243446	Base Shelf 48" x 16"	2
9	243442	Upright End Trim 72"	2
10		Tube cap for upright	2
11	243421	Closed Base Front 48" -Black	2
12		Leveling Wrench	1



NOTE: If you need to assemble the Add-on, please start from page 12.




The loaded capacity of the shelf depends on the shelves. Please refer to the shelf loaded capacity limits on page 8.

Shelf Load Capacity

SHELF TYPE	SHELF WIDTH	SHELF ANGLES	SHELF DEPTH 16" RECOMMENDED UNIFORM LOAD CAPACITY	SHELF DEPTH 22" RECOMMENDED UNIFORM LOAD CAPACITY
Base Shelf (Deck)	36"	Deck	600 LBS (275 KGS)	800 LBS (365 KGS)
	48"	Deck	600 LBS (275 KGS)	800 LBS (275 KGS)
Multi Position Shelf	36"	Flat	500 LBS (230 KGS)	500 LBS (230 KGS)
		17° Downslant	250 LBS (115 KGS)	250 LBS (115 KGS)
	48"	Flat	500 LBS (230 KGS)	500 LBS (230 KGS)
		17° Downslant	250 LBS (115 KGS)	250 LBS (115 KGS)

NOTE:
Reduce capacities shown by 30% when only the front half of the shelf/deck is loaded or by 50% if the shelf/deck is less than 36" wide.

GONDOLA SHELVING




Step 1.

Push 2pcs of ②bracket into ①upright slots from two sides, then push down to secure. (It is necessary to secure the spring on the ②bracket.)

Repeat for the other set of②bracket and ①upright assembling.


NOTE: Do not adjust leveling legs on base brackets or uprights currently.



Step 2.

Two persons work together. One person lifts the previously assembled uprights and base brackets assembly. The other person installs ④bottom rail and ⑥center rail onto the ①upright, and then install 2pcs ⑪the closed base front of both sides.


GONDOLA SHELVING



Step 3.

Insert⑦Pegboard from top to bottom, make sure the board is secured by slot on the rails, then insert the other side repeatedly.


IMPORTANT! If ceiling height is not adequate to drop panels from top, you can pull the upright apart to make an angle, let the upside opening larger and then install the Pegboard from the front. The pegboard can be bent slightly, but don't use too much force, otherwise the pegboard will break.





Step 4.

Install 4pcs③base end trim according to the detailed picture. Insert⑤top rail onto the top, then insert 2pcs ⑨upright trim from top to bottom, finally assemble 2pcs ⑩top cap with the upright.

IMPORTANT! Base end trim must slide behind the flanges on base bracket at the front and rear side, and be seated properly. Base bracket end trim must be installed before base decks.








Step 5.

Install 2pcs ⑧based desk onto the Base Bracket on both sides, after the installing, if it is not level, use the wrench to adjust the height of the levelers on Upright and Base Bracket, until the shelf is straight and level.

GONDOLA SHELVING

TOOLS NEEDED: Leveling Wrench(included)





Two Person Assembly Recommended


Global PN: 243459

NO	Global PN	Description	Quantity
1	243416	Upright 72 ″	1
2	243419	Base Bracket 22 ″	2
3	243423	Bottom Rail 48 ″	1
4		Top Rail 48 ″	1
5		Center rail 48 ″	1
6	243433	Pegboard Back Panel 46 - 17 /32 ″ x 65 - 13/16 ″ H	2
7	243447	Base Shelf 48 ″ x 22 ″	2
8		Tube Cap for Upright	1
9	243421	Closed Base Front 48 ″ - Black	2
10		Leveling Wrench	1

IMPORTANT! The loaded capacity of the shelf depends on the shelves. Please refer to the shelf loaded capacity limits on page 8.

GONDOLA SHELVING

TOOLS NEEDED: Leveling Wrench(included)





Two Person Assembly Recommended


Global PN: 243461

NO	Global PN	Description	Quantity
1	243414	Upright 54 ″	1
2	243419	Base Bracket 22 ″	2
3	243423	Bottom Rail 48 ″	1
4		Top Rail 48 ″	1
5		Center Rail 48 ″	1
6	243431	Pegboard Back Panel 46 - 17/32 ″ x 47 - 13/16 ″ H	2
7	243447	Base Shelf 48 ″ x 22 ″	2
8		Tube Cap for Upright	1
9	243421	Closed Base Front 48 ″ - Black	2
10		Leveling Wrench	1

IMPORTANT! The loaded capacity of the shelf depends on the shelves. Please refer to the shelf loaded capacity limits on page 8.

GONDOLA SHELVING

TOOLS NEEDED: Leveling Wrench(included)



Two Person Assembly Recommended


Global PN: 243463

NO	Global PN	Description	Quantity
1	243415	Upright 60 ″	1
2	243419	Base Bracket 22 ″	2
3	243423	Bottom rail 48 ″	1
4		Top rail 48 ″	1
5		Center rail 48 ″	1
6	243432	Pegboard Back Panel 46 - 17 /32 ″ x 53 - 13/16 ″ H	2
7	243447	Base Shelf 48 ″ x 22 ″	2
8		Tube Cap for Upright	1
9	243421	Closed Base Front 48 ″ - Black	2
10		Leveling Wrench	1

IMPORTANT! The loaded capacity of the shelf depends on the shelves. Please refer to the shelf loaded capacity limits on page 8.

GONDOLA SHELVING

TOOLS NEEDED: Leveling Wrench(included)





Two Person Assembly Recommended


Global PN: 243465

No	Global PN	Description	Quantity
1	243414	Upright 54"	1
2	243418	Base Bracket 16"	2
3	243423	Bottom Rail 48"	1
4		Top Rail 48"	1
5		Center Rail 48"	1
6	243431	Pegboard Back Panel 46-17/32" x 47-13/16" H	2
7	243446	Base Shelf 48" x 16"	2
8		Tube cap for upright	1
9	243421	Closed Base Front 48" - Black	2
10		Leveling Wrench	1

IMPORTANT! The loaded capacity of the shelf depends on the shelves. Please refer to the shelf loaded capacity limits on page 8.

GONDOLA SHELVING

TOOLS NEEDED: Leveling Wrench(included)





Two Person Assembly Recommended


Global PN: 243467

No	Global PN	Description	Quantity
1	243415	Upright 60"	1
2	243418	Base Bracket 16"	2
3	243423	Bottom Rail 48"	1
4		Top Rail 48"	1
5		Center Rail 48"	1
6	243432	Pegboard Back Panel 46-17/32" x 53-13/16" H	2
7	243446	Base Shelf 48" x 16"	2
8		Tube cap for upright	1
9	243421	Closed Base Front 48" - Black	2
10		Leveling Wrench	1

IMPORTANT! The loaded capacity of the shelf depends on the shelves. Please refer to the shelf loaded capacity limits on page 8.

GONDOLA SHELVING

TOOLS NEEDED: Leveling Wrench(included)






Two Person Assembly Recommended

Global PN: 243469

No	Global PN	Description	Quantity
1	243416	Upright 72"	1
2	243418	Base Bracket 16"	2
3	243423	Bottom Rail 48"	1
4		Top Rail 48"	1
5		Center Rail 48"	1
6	243433	Pegboard Back Panel 46-17/32" x 65-13/16" H	2
7	243446	Base Shelf 48" x 16"	2
8		Tube cap for upright	1
9	243421	Closed Base Front 48" - Black	2
10		Leveling Wrench	1

IMPORTANT! The loaded capacity of the shelf depends on the shelves. Please refer to the shelf loaded capacity limits on page 8.

GONDOLA SHELVING




IMPORTANT! If ceiling height is not adequate to drop panels from top, you can pull the upright apart to make an angle, let the upside opening larger and then install the Pegboard from the front. The pegboard can be bent slightly, but don't use too much force, otherwise the pegboard will break.

Step 1.

Assemble the uprights and bracket first.

Then install the ③ bottom rail and the ⑤ center rail to connect the upright of starter and upright of the add-on.


Finally, install 2pcs ⑨ the closed base front from two sides.




Step 2.

Insert ⑥ Pegboard from top to bottom, make sure the board is secured by slot on the rails, then insert the other side repeatedly.

GONDOLA SHELVING





IMPORTANT! Base end trim must slide behind the flanges on base bracket at the front and rear side, and be seated properly. Base bracket end trim must be installed before base decks.

Step 3.

Install 2pcs ③ (from starter) base end trim according to the detailed picture. Insert ④ top rail onto the top, then insert ⑨ (from starter) upright trim from top to bottom, finally assemble ⑧top cap with the upright.

Step 4.

Install 2pcs ⑦ based desk onto the Base Bracket on both sides, after the installing, if it is not level, use the wrench to adjust the height of the levelers on Upright and Base Bracket, until the shelf is straight and level.