Model: WBB2225002

Flotec Submersible Cast Iron and Zinc Sump Pump 1/3 HP

★★★★★ (0)



Ships within 1 Business Day

Product Description

Rugged cast iron base and corrosion-resistant zinc body for heavy duty applications with an energy-efficient motor that is thermally protected against overload. Vertical on/off float switch can be used in smaller sump basins.

Key Features:

- Cast Iron base - provides strength and durability for years of use
- Zinc motor housing - dissipates heat quickly and extends motor life
- Stainless steel fasteners and hardware - for long life
- Smooth Flow Hydraulics - delivers high performance for demanding applications

Specifications

Weights & Dimensions

Length	7.63 in
Width	7.63 in
Height	14-1/4 in
Weight	14.6 lbs
Cord Length	8 ft
Switch Off Height	3 in
Switch On Height	7-1/2 in
Max Diameter Solids	1/4 in
Discharge Connection Size	1-1/2 in
Min Sump Pit Diameter	10

Product Details

Max Fluid Temperature	70 °F
Impeller Material	Plastic
Phase	1
Discharge Connection Type	NPT
Manufacturers Part Number	FPCI3350
Temperature of Liquid Pumped	32 to 70
Brand	Flotec
Solids Handling	Yes
Type	Submersible Sump Pump
Horsepower	1/3 HP

Color	Black
Amperage	15 A
Hertz	60 Hz
Switch Type	Piggyback
Voltage	115/12 V
Gallons per Hour	4200 gal/hr
Housing Material	Cast Iron
Base Material	Cast Iron
Shaft Seal Material	Silicone Carbide

Warranty

Warranty	2 Years Limited