Model: WB300846

BESTSELLER

Water Transfer Pump 3" Intake/Outlet 6.5HP Honda Engine

★★★★★ (2)







In Stock, Ships in 3-4 days

Product Description

Industrial Water Transfer Pump

BE Pressure 3" Commercial water transfer pump was built to move large volumes of water while smooth running and long lasting. Used for draining a pool, Irrigating lawn, filling or emptying resevoirs, emptying a flooded basement and much more in no time. Our pump has a 3-Inch MNPT intake & 3-inch outlet connection. It is run by a strong Honda GX200 engine and has a max flow of 264 GPM. Discharge Hose Kits Sold Seperately.

- GX200 Honda Engine (6.5)
- Recoil Start
- Fuel Tank Capacity, 0.82. GAL. (3.1L)

- 3" Intake Connection MNPT
- 3" Outlet Connection MNPT
- 264 GPM
- Centrifugal Aluminum Pump
- Heavy Duty Cast Iron Impeller
- 1 Year Pump Warranty
- 3 Year Engine Warranty

Specifications

Weights & Dimensions

Length	20 in
Width	16 in
Height	17 in
Weight	65 lbs
Suction Head Maximum	26 ft
Discharge Head	106 ft
Inlet Connection	3 in
Max Diameter Solids	No Solids
Discharge Connection Size	3 in

Product Details

Impeller Material	Heavy Duty Cast Iron
Material	Aluminium
Discharge Connection Type	MNPT
Manufacturers Part Number	WP-3065HL
Brand	BE Pressure
Type	Water Pump
Horsepower	6-1/2 HP

Fuel Tank Capacity	0.82 gal
Gallons per Hour	15900 gal/hr
Includes	Strainer & Clamps
Engine	Honda GX200 160CC
Recommended Oil Type	SAE 10W30
Fuel Type	Gasoline
Inlet Connection Type	MNPT
Engine Displacement	160cc cm^3
Housing Material	Aluminium
Starter System	Recoil
Shaft Seal Material	Ceramic Carbon

Warranty

Warranty	1 Year on Pump, 3 Year on Engine