Model: WB292647

EXCLUSIVE BRANDS | BESTSELLER

Global Industrial™ 16" Confined Space Blower Fan, 32' Flexible Duct, 2 Speed, 2850 CFM, 1 HP

★★★★★ (15)







Ships within 1 Business Day

Product Description

✓ Efficiently moves up to 2850 CFM of air
✓ Includes 32' duct to use as an exhaust fan
✓ 10' long, 3-prong GFCI power cord

Efficiently vent & cool tight spaces like tanks, crawl spaces, and manholes with the 2-speed Global Industrial® 16" Confined Space Blower Fan. This model includes a 32-foot long, 2-

ply fire-retardant flexible polyvinyl duct with a quick-connect coupling that converts the fan to an exhaust system. It features a 120V, single-phase, permanently-lubricated motor with aluminum alloy fan blades that move up to 2850 CFM of air at 83 dB. A 10-foot long GFCI-protected power cord helps guard users from electrical shock when set up in areas where the fan may come into contact with water. Its durable steel housing & blade guard have a bright, high-visibility yellow finish and a large carry handle for portability. OSHA & UL507-compliant, ETL & cETL listed. Limited 1-Year Warranty.

- Two selectable speeds: 2422 & 2850 CFM
- 1 HP, 120V AC, single-phase motor produces 3250 RPM
- Three aluminum alloy fan blades with sturdy steel wire guard
- 3-prong grounded GFCI power cord protects against electrical shock and fires
- Four rubber feet help minimize vibration & reduce noise
- No assembly required

Specifications

Weights & Dimensions

Weight	67 lbs
Cord Length	10 ft
Duct Length	32 ft
Fan Diameter	16 in

Product Details

Assembly Required	No
Max Ambient Temperature	104 °F
Number of Speeds	2
Number of Blades	3
Motor Type	Totally Enclosed
Wattage	720 W
Material	Polyvinyl / Steel
Phase	1

Blade Type	Die Casted Aluminum Alloy
Manufacturers Part Number	292647
Indoor/Outdoor	Indoor
Sound Level	83
Brand	Global Industrial
RPM	3250 rpm
Type	Blower Fan
CFM	2422/2850 CFM
Horsepower	1 HP
Color	Yellow
Amperage	6.0 A
Drive Type	Direct Drive
Hertz	60 Hz
RPM High	3,250 rpm
Voltage	120 V
Package Quantity	1
Oscillating/Non Oscillating	Non Oscillating
Power Cord Type	GFCI

Warranty

Warranty	1 yr

Compliance & Certifications

Certifications	ETL, cETL Listed, OSHA, UL507