Model: WB246644

SALE

Dyna-Glo™ Propane Convection Heater, 25000 BTU

★★★★★ (20)





Ships within 1 Business Day

Product Description

This Dyna-Glo 25,000 BTU portable convection gas fired propane (LP) heater is designed to provide a consistent, long term solution for spaces up to 600 ft². Ideal for homeowner workshops or construction sites, and this convection heater will operate using a standard 20 lbs liquid propane tank (Tank not included), no electricity required for operation. 10'L regulator and hose assembly included. Not for use in residential living areas or in inadequately ventilated areas. Proper ventilation required during operation.

Features:

- Continuously variable BTU's

- 360° heat radius
- Inner windshield
- 2 piece knockdown burn chamber
- Auto safety shutoff
- Large sturdy base prevents tipping
- 1 hand piezo ignition
- 10'L regulator and hose assembly included
- CSA certified
- Runtimes for a 20 lbs tank 29 hrs at 15,000K, 22 hrs at 20,000K, and 17 hrs at 25,000K. Runtimes for a 40 lbs tank 58 hrs at 15,000K, 43 hrs at 20,000K, and 35 hrs at 25,000K. Runtimes for a 100 lbs tank 144 hrs at 15,000K, 108 hrs at 20,000K, and 86 hrs at 25,000K
- Limited warranty of 1 year

Specifications

Weights & Dimensions

Length	11-11/16 in
Width	11-11/16 in
Height	12-7/8 in
Weight	6 lbs
Coverage Area	600 ft²

Product Details

Type	Convection Heater
Max Run Time	1 hr
Color	Silver
Includes	10' Regulator and Hose Assembly
Material	Steel

Ignition Type	Piezo
Manufacturers Part Number	RMC-LPC25DG
BTU	15000/25000 BTU
Fuel Type	Propane
Thermostat	No
Brand	Dyna-Glo

Warranty

Warranty	1 yr

Compliance & Certifications

Certifications	CSA