Model: WBB2225035

BESTSELLER

Flotec Thermoplastic Sprinkler Pump 1 HP

★★★★★ (3)



Ships within 1 Business Day

Product Description

Corrosion-resistant, self priming sprinkler pumps are constructed of rugged, heavy-duty fiberglass-reinforced thermoplastic and capable of operating up to 30 sprinkler heads.

Key Features:

- Superior performance at depths to water of 20' or less
- Fiberglass-reinforced thermoplastic pump housing for the highest corrosion resistance
- Ready-to-install 230 volt motor (dual voltage)

- Self-priming after pump housing is initially filled (Check Valve or Foot Valve required)

Specifications

Weights & Dimensions

Length	22 in
Width	12-5/16 in
Height	13-1/8 in
Weight	30.6 lbs
Cord Length	10.0 ft
Inlet Connection	1-1/2 in
Discharge Connection Size	1-1/2 in

Product Details

Gallons per Minute	55.0 gal/min
Seal Material	Silicone Carbide
Phase	1.0
Discharge Connection Type	NPT
Manufacturers Part Number	FP5162-08
PSI	42.0 psi
Brand	Flotec
Type	Sprinkler Pump
Horsepower	1 HP
Color	Black
Amperage	15/20 A

Hertz	60 Hz
Voltage	115/230 V
Includes	Threaded Ports For Pressure Gauge
Package Quantity	1
Inlet Connection Type	NPT
Housing Material	Thermoplastic

Warranty

Warranty	1.0