Model: WB989043

EXCLUSIVE BRANDS BESTSELLER

Global Industrial™ Adjustable Pivoting Forklift Jib Boom Crane, 86-5/8"-146-5/8"L,6000 Lbs.Cap.

★★★★★ (0)







Ships within 1 Business Day

Product Description

Quickly and easily convert your forklift into a mobile pivoting boom lift, ideal for when the job includes hard-to-reach and high objects. Telescoping boom adjusts from 87" to 146" horizontally in 7-1/2" increments and adjusts vertically five elevations up to 37 degrees (99-1/2") above horizontal. The jib crane features a 3' restraining chain with grab hook, swivel hooks with safety latches, ten alternate hook positions and a boom locking T-pin. **1 Year Limited Warranty.**

Maximum Load on a Single Hook:
At 36" Hook Position = 6000 lbs.
At 60" Hook Position = 4500 lbs.
At 84" Hook Position = 3500 lbs.
At 99" Hook Position = 2900 lbs.
At 114" Hook Position = 2450 lbs.
At 129" Hook Position = 2075 lbs.
At 146-5/8" Hook Position = 1800 lbs.

**** "S" Dimension is the dimension from the center to center of the fork tine sleeves.**

NOTE: OSHA requires contacting the manufacturer of your truck for written approval for the use of any fork truck attachments.

Specifications

Weights & Dimensions

Width	32 in
Height	31-1/2 in
Weight Capacity	6000 lbs
Weight	473 lbs
Extended Length	146 in
Center to Center of Fork Tine	24 in
Fork Opening	7-1/4 x 2-5/8 in
Retracted Length	87 in

Product Details

Assembly Required	No
Type	Adjustable Pivoting Boom Crane
Color	Blue

Material	Steel
Manufacturers Part Number	989043
Brand	Global Industrial