Model: WB761318

EXCLUSIVE BRANDS BESTSELLER

Global Industrial™ 4-1/2" - 6'L Energy Absorbing Lanyard, Rebar Hook

★★★★★ (0)



Ships Same Day

Product Description

✓ Elastic leg construction provides variable working length from 4-1/2' to 6'
✓ Durable tubular polyester webbing
✓ Alloy steel snap hook for harness attachment and rebar hook

We provide high quality compliance at an economical price with the Global Industrial™ 4-1/2 to 6'L Energy Absorbing Lanyard. Designed to reduce the force imposed on the user, this

lanyard's high-modulus internal elastic effortlessly expands and contracts with each movement and retains its elasticity longer than woven materials. A full-length internal energy absorber delivers flexible low-profile user comfort compared to traditional pack-style lanyards. The elastic leg construction helps to reduce tripping hazards, while its durable tubular polyester webbing resists abrasion and UV degradation for long-lasting use. Its rebar hook features transverse load rated gate. ANSI Z359.11-2021, CSA Z259.10-2018, OSHA 1926.502, OSHA 1910.140 compliant. 1-Year Limited Warranty.

- We've partnered with FallTech® to bring you the best in safety protection for you and your business.

Specifications

Weights & Dimensions

Weight Capacity	130-310 lbs
Lanyard Length	4-1/2 to 6 ft
Adjustable Length	Yes

Product Details

Harness Connection Material	0.82" Plated Alloy Steel
Type	Tubular Webbing
Number of Legs	1
Color	Blue
Anchorage Connection	Rebar Hook
Material	Polyester
Package Quantity	1
Lanyard Material	Polyester
Anchorage Connection Material	2.44" Plated Alloy Steel
Harness Connection	Snap Hook
Brand	Global Industrial

Compliance & Certifications

Certifications	ANSI Z359.13-2013