



2023-2024 LIST PRICE GUIDE



MAZE
NAILS

Building
America
one NAIL
at a time

*American Made.
American Owned.*

mazenails.com · 800.435.5949

W. H. MAZE COMPANY CELEBRATES 175 YEARS OF SERVING THE BUILDING INDUSTRY

When it comes to running not just a family business, but a family-oriented business, Maze Nails in Peru, Illinois is second to none – and it's been that way for 175 years now.

Founded in 1848 by Irish immigrant Samuel Nesbitt Maze, Maze Nails began out of a need for a better solution.

"My great-great-grandfather came to America in 1836 and started working as a masonry contractor," said Roelif Loveland, President of Maze Nails. "When the Illinois and Michigan Canal opened up and gave a direct route to Chicago from Peru, he opened Maze Lumber right along the river so that he could sell brick and lumber to local residents."

Samuel had a small barge (named "The Elk") built for the lumberyard – and used it to take the 100-mile long trip to and from Chicago. The trip up was with his barge full of local farmers' grain for the commodity markets – and the backhaul was a bargeload of white pine lumber for his little yard.

In the late 1800's, Maze Lumber was selling market-standard nails with their lumber. But when customers came back complaining that the nails were rusting and the cedar shingle roofs of their homes were blowing off, Samuel's son Walter purchased a single nail machine and the yard began making their own. Instead of making them out of steel, which quickly rusted, Walter used pure zinc for the nails. The LaSalle Peru area was a huge smelter of zinc at the time (since they had lots of coal needed for the process) so accessing the raw zinc for the nails was easy. The result was rust-proof nails that dependably kept Maze Lumber's cedar shingles on the roofs of their customers' homes.

It wasn't long before the nails made at Maze Lumber became known to other local lumberyards – and they asked Maze to sell them some of their production. And so the small, used nail machine purchased for a part-time solution started running full-time. And soon, more machines were added.

There was a small problem, though. Because Maze Lumber was situated so close to the Illinois River, any time the river rose and water came into the plant, production of nails had to be shut down. So, in 1922, the third-generation Maze boys – Hamilton and James – purchased an empty plot of land on higher ground, and Maze Nails was born.

"We started very small and built from there," Roelif said. "We had just a handful of employees at the time, and made only one or two types of nails."

Things have changed since then – the company now employs over 80 people and makes over 2,800 types of nails, claiming the title of America's Premier Specialty Nail Maker.

"We are basically the last man standing in the specialty nail business," Roelif said. "Many other companies thought they could compete by matching the import prices, which was their downfall. You have to drive your business with the quality of your products, speedy delivery times, and with a good variety."

And though much has changed in the scope of nail making, the business has stayed within the community and in the family. Roelif works alongside his two brothers, Pete and Jim, two of his three sons and five close relatives. He is the fifth generation to own and operate the Maze operation - and the sixth generation is soon to take over.



David Loveland and Chadd Kreofsky, 6th generation Maze family members, stand alongside raw material used to make solid copper slating and flashing nails.

The level of community involvement at Maze Nails is more than just charming – it's for a reason. Maze Nails is a part of the Certified Production Technician Program at the local Illinois Valley Community College (IVCC), which provides skills to students coming out of high school who are looking for a technical degree.

"If a student takes classes at IVCC and comes to work for us for at least a year, we will reimburse them the full cost for that course," plant manager Jim Loveland said. "We have been involved in the program for about three years."

Jim believes that if the skills gap in manufacturing is going to close, it will have to be with the help of manufacturers investing their time and resources into younger generations.

"Manufacturers need to make it happen. We can't operate without people who know what they're doing. One way or another, we're going to continue making our nails in the state of Illinois," Jim said.

It's this kind of attitude that has kept Maze Nails around for so long... a genuine excitement about the products Maze Nails produces and the top notch people hired to help make and sell them.



Multiple generations of Maze family all currently working for the company are pictured here: L-R: David Loveland, Chadd Kreofsky, Roelif Loveland, Andrew Kreofsky, Jim Loveland, Pete Loveland, Kyle Loveland, David Kreofsky, Sam Loveland.

ORDERING INFORMATION

How Do I Get Maze Nails?

Simple . . . just call our Customer Service Department at **1-800-435-5949**. We will assist you with information and direct you to your closest Maze Nail Dealer!

E-mail us at **info@mazenails.com** with your request. Even check out our website at **www.mazenails.com** for up-to-date Maze information!

Top-notch lumberyards, home centers and hardware stores nationwide insist on stocking and promoting quality Maze Nails. Please support those retailers – and let them know that it PAYS TO STOCK MAZE.

How to Place Orders



E-mail to: orders@mazenails.com



Call: 800-435-5949



Fax to: 815-223-7585

Payment terms: 1%-10; net 30 days except for credit card payments. No COD shipments. Prices subject to change without notice.

Broken Carton Shipments

An extra **\$10.00** will be charged whenever a standard carton of any type packing must be broken open before shipment. Does not apply to Painted Stainless Steel and Aluminum Trim Nails on page 23.

Backorder Policy

We strive to ship every order promptly and complete. However, with the customer's prior approval, we will ship all available and backorder the balance for shipment when available. The customer is responsible for all freight charges if the backorder quantity does not meet prepaid freight minimums.

Returned Goods

Full bulk cartons, full master cartons of packaged nails or full cartons of collated Maze Nails still offered in our current catalog may be returned **freight prepaid** for credit only – but not without prior authorization. **Painted nails** are handled on a special basis and may not be accepted for return. A 30% restocking charge typically applies. However, **additional restocking charges may apply** after receipt and inspection of nails at our Peru, IL warehouse. Maze Nails, at their discretion, may opt not to accept a return of nails. Credit is based on original purchase price and subject to our count. **No credit will be issued for field-destroyed or "buy-back" nails.**

Painting Extra

Applicable to most nails in this catalog. For Gutter Spikes see page 24. Prices subject to change without notice.

MINIMUM PAINTED NAIL ORDER - 200 POUNDS OF A SIZE AND COLOR AND PACKAGING & 50 POUND INCREMENTS BEYOND.

However, some sizes and colors of Split-Less® Nails, Rubber Washer Nails and Trim Nails are kept in stock. Call for availability.

PAINTED NAIL PRICING GUIDE

For bulk, hand-driven nails:	For collated stick & coil nails:
50# boxes - Add \$40.00	Add \$34.00
25# boxes - Add \$20.00	per carton
5# boxes - Add \$ 4.00	
1# boxes - Add \$ 0.82	

HAMMER CAPS - Offered to reduce chipping on painted nails during application. Packaged two caps per peg-holed bag. Twenty-five bags in a master carton. May also be ordered in individual packs. Will fit 16 or 20 oz. round hammers. List price is \$8.00 per bag.



Color Matched Nails save BIG \$\$\$ in time and labor on prestained and prefinished jobs!

Maze Nails has over 200 colors available.

Here are the 101 most popular colors



REMEMBER TO USE HAMMER CAPS WHEN HAND DRIVING PAINTED NAILS!

For paint pricing, see above.

M-61	M-58	M-2537	M-181	M-38	M-54	M-160	M-2	M-101	M-148	M-107	M-52
M-227	M-28	M-190	M-39	M-2633	M-158	M-180	M-34	M-245	M-232	M-53	M-159
M-63	M-32	M-154	M-127	M-116	M-9614	M-3611	M-31	M-47	M-3601	M-50	M-224
M-22	M-503	M-37	M-3634	M-40	M-3637	M-139	M-97	M-186	M-77	M-239	M-173
M-46	M-130	M-223	M-1057	M-196	M-121	M-197	M-9	M-42	M-8	M-67	M-500
M-12	M-233	M-194	M-132	M-1	M-115	M-29	M-231	M-237	M-189	M-249	M-240
M-2516	M-220	M-244	M-5	M-64	M-165	M-6	M-109	M-55	M-206	M-43	M-155
M-167	M-953	M-955	M-51	M-150	M-21	M-238	M-45	M-30	M-26	M-41	M-7
M-236	M-174	M-241	M-215	M-20							

NOTE: Actual paint colors may vary from the representations on this chart. For stainless steel trim nail info see page 23.

MAZE NAIL COLOR REFERENCE KEY

(Easy color reference to help you find the "right nail" for your building projects!)

- **COLLATED NAILS**
- **SIDING NAILS**
- **DECK, GUTTER & TRIM NAILS**
- **ROOFING NAILS**
- **SPECIALTY NAILS**

COLLATED PAPER TAPE NAILS

Clipped Head 28° and 31° 10, 11

COLLATED 20° STICK NAILS

Composite Decking Nails - Stainless Steel 304 & 316 7
 Composite Decking Nails - *STORMGUARD*® 7
 Fiber Cement Siding Nails - Hot-Dipped 9
 Fiber Cement Siding Nails - Stainless Steel 304 9
 Fiber Cement Siding Nails - Stainless Steel 316 9
 Framing Nails - Bright 7
 Post & Timber Frame 10
 PTL Decking Nails - Hot-Dipped 7, 10
 PTL Decking Nails - Stainless Steel 304 7
 PTL Decking Nails - Stainless Steel 316 7
 Wood Siding Nails - Hot-Dipped 8
 Wood Siding Nails - Stainless Steel 304 8
 Wood Siding Nails - Stainless Steel 316 8

COIL-ATED® 15° COIL NAILS

Siding Nails 13
 Cedar & Redwood Split-Less® Siding Nails 11
 Cedar Shake Nails 13
 Fiber Cement Siding Nails - Hot-Dipped 12, 13, 14
 Fiber Cement Siding Nails - Stainless Steel 13
 PVC Molding & Trim Nails - Stainless Steel 12
 Roofing Nails - Electro-Galvanized 14
 Roofing Nails - Stainless Steel 14
 Roofing Nails - *STORMGUARD*® 14
 Slim-Jim® Wood Siding Nails - Stainless Steel 12

COIL-ATED® 0° COIL NAILS

Aluminum Fencing Nails 15
 Bright Nails 15
 Decking Nails 15
 Fiber Cement Siding 15

FOR SIDING

Aluminum and Steel - Hot-Dipped 17
 Aluminum Nails for Siding 17, 18
 Box Nails for Wood, Engineered Wood
 Siding & Trim 17
 Cedar Shake Siding 16
 Coil-ated® Nails in Coils 11-14
 Collated 20° Stick - Hot-Dipped 8, 9
 Collated 20° Stick - Stainless Steel 8, 9
 Engineered Wood 17, 18, 19
 Fiber Cement - Hot-Dipped 18, 19
 Hammer Caps (for painted nails) 3
 Original Small Head Siding Nails 18
 Slim-Jim® Wood Siding - Stainless Steel 16
 Split-Less® Wood Siding 16
 Vinyl (Large Head) - Aluminum 17
 Vinyl (Large Head) - Hot-Dipped 17
 Vinyl (Large Head) - Stainless Steel 17

FOR DECKS, GUTTERS AND TRIM

Casing 22
 Collated 20° Stick Nails 7
 Common Nails - Stainless Steel 20
 Connector Nails 21
 Finishing - Hot-Dipped 22
 Garage Door Jamb Seal Nails - Hot-Dipped 22
 General Purpose Ring Shank Nails 24
 Gutter Ferrules 24
 Gutter Hanger Nails 24
 Gutter Spikes - Hot-Dipped 24
 Joist Hanger - Hot-Dipped 21
 JPainted Trim Nails - Aluminum 23
 Painted Trim Nails - Hot-Dipped 22
 Painted Trim Nails - Stainless Steel 23
 Pressure Treated Lumber PTL® - Hot-Dipped 20
 PTL® Stainless Steel 304, 316 20
 PVC Molding & Trim Nails - Stainless Steel 22
 Treated Lumber 20

FOR ROOFING

Asphalt & Fiberglass Shingle 25
 Cedar Shingle and Shake Nails - Hot-Dipped 27
 Cedar Shingle and Shake Nails - Stainless Steel 316 27
 Copper Slating & Flashing 26
 Insulation Roof Deck 25
 Ridge Vent Nails 25
 Roofing Nails - Aluminum 17, 18
 Roofing Nails - Electro-Galvanized 25
 Roofing Nails - Stainless Steel 26

METAL ROOFING NAILS

Rubber Washer 28
 Silicone Fat-Head® Washer 28

SPECIALTY NAILS

Ardox® Spikes 32
 Bridge Spikes 32
 Common Nails 34
 Common Nails - Hot-Dipped 34
 Copper Slating 26
 Cut Masonry 34
 Duplex Nails 34
 Fence Staples - One Legged 33
 Fiberglass Liner Panel Nails - Stainless Steel 30
 Flooring 35
 Foundry Nails 32
 Hardened Metal Lath 35
 Hardwood Trim 34
 Log Home Spikes 31
 Masonry - Fluted 35
 Masonry - Heavy Duty Plated 31
 Pallet 32
 Pan Nails 32
 Plastic-Hed® Cap 33
 Plywood 35
 Post-Frame - Bright & Hardened 29
 Post-Frame - Hot-Dipped 30
 Post-Frame - Stainless Steel 30
 Post & Truss - Bright & Hardened 29
 Post & Truss - Hot-Dipped 30
 Round-Cap® 33
 Sill Plate Nails - Hot-Dipped 34
 Sinker Nails 34
 Spikes 31, 32
 Square-Cap® 33
 Tile Backerboard Nails 33
 Underlayment 35

★ **FOR A SELECTION OF SCREWS, ★**
SEE PAGES 40-43

NAIL INDEX BY ITEM NUMBER

MAZE #	Page	MAZE #	Page	MAZE #	Page	MAZE #	Page	MAZE #	Page	MAZE #	Page	MAZE #	Page
200HD	15	CLCEM116A	13, 27	CS207A	8, 9	H521A	29	R112M22	22	S259S	18	T449A	20
225HD	15	CLCEM117	13, 27	CS207S	8	H521S	29	R112M61	22	S2590	18	T449S	20
250HD	15	CLCEM117A	13, 27	CS209	8	H523A	29	R113	27	S2590S	18	T4490	20
521A	29	CLCEM119	13, 27	CS209A	8, 9	H523S	29	R113A	27	S2591	18	T4490A	20
523A	29	CLCEM119A	13, 27	CS209S	8	H524A	29	R113M22	22	S2591S	18	T4490S	20
523S	29	CLD500148	15	CS2091	8	H524S	29	R113M61	22	S2592	18	T4491	20
525A	29	CLHD115	12	CS2091A	8	H525A	29	R114	27	S2592S	18	T4491A	20
525S	29	CLHD116	12	CSS5WS	16	H525S	29	R114A	27	S263	17	T4491S	20
526A	29	CLHD117	12	CSS8WS	16	H526A	29	R115	27	S265	17	T4492	20
526S	29	CLHD119	12	CSS10WS	16	H526S	29	R115A	27	S265S	17	T4492A	20
527A	29	CLS222A	11	CSS16WS	16	H527A	29	R116	27	SF4	33	T4492S	20
527S	29	CLS223A	11	CST2	23	H527S	29	R116A	27	SINK8	34	T4493	20
528A	29	CLS224A	11	CST2A	23	H528A	29	R117	27	SINK10	34	T4493A	20
528S	29	CLS225A	11	CST3	23	H528S	29	R159	25	SINK12	34	T4494	20
530A	29	CLS226A	11	CST3A	23	H530A	29	R159A	25	SINK16	34	T4494A	20
530S	29	CLS227A	11	CT350148AZ	7, 10	H530S	29	R1591	25	SS5WS	16	T4494S	20
532A	29	CLS229A	11	CT445	7	H532A	29	R1591A	25	SS5WS316	16	T4496	20
534A	29	CLS227A	11	CT445A	7	H534A	29	R1592	25	SS6WS	16	T4496A	20
853A	33	CLS229A	11	CT445S	7	H678A	29	R1593	25	SS6WS316	16	T4496S	20
854A	33	CLSS6WS	12	CT447	7	H680A	29	R1593A	25	SS8WS	16	TH447A	30
854AR	33	CLSS8WS	12	CT447A	7	HD6	18	R1595A	25	SS8WS316	16	TH449A	30
855A	33	CLSSCEM113A316	13, 27	CT449	7	HD8	18	R163AF	28	SS10WS	16	TH449S	30
855AR	33	CLSSCEM115A	13	CT449A	7	HD10	18	R163FH	28	SS10WS316	16	TH490S	30
855ARZ	33	CLSSCEM115A316	13, 27	CT449S	7	HD16	18	R164AF	28	SS16WS	16	TH4491A	30
855AZ	33	CLSSCEM117A	13	CT4490A	7	HD103S	33	R164FH	28	SS16WS316	16	TH4491S	30
856A	33	CLSSCEM117A316	13, 27	CT4490S	7	HF167	35	R165AF	28	SS175135A	30	TH4492A	30
856AR	33	CLSSHD115	13	CT4490S	7	HML50	35	R165FH	28	SSDK6	20	TH4492S	30
856ARZ	33	CLSSHD117	13	CT4491	7	H516	32	R166AF	28	SSJ131	21	TH4493A	30
856AZ	33	CLSSPVC6	12	CT4491A	7, 10	HT100	34	R166FH	28	SSJ148	21	TH4495	30
857A	33	CLSSPVC8	12	CT4491S	7	HT125	34	R167AF	28	SSR112A	27	TH4497A	30
857AR	33	CLSSPVC10	12	CT400148AZ	10	HT150	34	R167FH	28	SSR113A	27	TH4498A	30
857ARZ	33	CLWHD115	14	CT450148AZ	10	HT200	34	R169FH	28	SSR114A	27	VTRGG6P	31
859A	33	CLWHD115A	14	CT500148AZ	10	HT250	34	R1691FH	28	SSR115A	27	VTRGG8P	31
859AR	33	CU100	26	CU100	26	J131	21	R1693AF	28	SSRFG3A	26	VTRGG16P	31
859ARZ	33	CU125	26	CU125	26	J148	21	S103	17	SSRFG4A	26	X150148A	32
859AZ	33	CU150	26	CU175	26	J148A	21	S104	17	SSRFG5A	26	X225113CC	35
861AR	33	CU200	26	CU200	26	L8	31	S105	17	SSRFG6	26	X700313	32
863AR	33	CU250	26	CU300	26	L10	31	S107	17	SSRFG6A	26	X700313A	32
865ARZ	33	CU100A	26	CU100A	26	L12	31	S109	17	SSRFG8A	26	X800313A	32
AF5	24	CU125A	26	CU125A	26	L368A	31	S14	32	SSRFG8	26	XCOM8Z	34
ARD7	32	CU150A	26	CU150A	26	L369A	31	S16	32	SST2	23	XCOM10Z	34
ARD8	32	CU175A	26	CU175A	26	LP8	18	S17	32	SST2A	23	XCOM16Z	34
ARD8Z	32	CU200A	26	CU200A	26	PCP28238113AZ	10	S18	32	SST3	23	XFN300135	32
ARD10	32	CU250A	26	CU250A	26	PCP28325120AZ	10	S202A	17	SST3A	23	XFN400135	32
ARD10Z	32	CXSS6	8	CU300A	26	PCP28325131	10	S203	17	SST4	23	XFN500135	32
ARD12	32	CXSS6316	8	CXSS6	8	PCP31238113AZ	11	S205	17, 18	SST5	23	XFN600135	32
ARD200148Z	24	CXSS8	8	CXSS8	8	PCP31238120	11	S206A	17	SST5A	23	XFN800135	32
ARD250148Z	24	CXSS8316	8	CXSS8316	8	PCP31325120AZ	11	S207	17	SSV4A	17	XH615Z	35
AS4	18	CXSS10	8	CXSS10	8	PCP31325131	11	S207A	17, 18	SSV5A	17	XR109A	25
AS5	18	CXSS16	8	CXSS16	8	PH03	33	S207S	17	SSXR162A	21	XR162A	21
AS6	18	CXSS16316	8	CXSS16316	8	PH05	33	S209	17	T305	22	XR163A	21
AS8	18	CXSSDK8	7	CXSSDK8	7	PH06	33	S209A	17, 18	T307	22	XR164A	21
AS10	18	PH08	33	CXSSDK8316	7	PH08	33	S209S	17	T309	22	XR165A	21
AT31177	23	DUP8	34	DUP8	34	PVC6A8252	22	S2091	17	T3091	22	XR167A	21
AT38252	23	DUP8Z	34	DUP8Z	34	PVC8A8252	22	S212A	24	T3092	22	XR175S	24
AV4	17	DUP16	34	DUP16	34	PVC8A8252	22	S213A	22, 24	T315	22	XSST443A	20
AV4A	17	DUP16Z	34	DUP16Z	34	R100	25	S214A	22, 24	T317	22	XSST445A	20
AV5A	17	F141	35	F141	35	R100A	25	S225	16	T319	22	XSST445A316	20
AV6	17	F142	35	F142	35	R101	25	S226	16	T364	24	XSST447A	20, 30
AV6A	17	F143	35	F143	35	R101A	25	S226A	16	T364A	24	XSST447A316	20
AV8A	17	F145	35	F145	35	R102	25	S227	16	T365	24	XSST449A	20, 30
CCEM6	9	F147	35	F147	35	R102A	25	S227A	16	T365A	24	XSST449A316	20
CCEM8	9	F3	33	F3	33	R102ZP	25	S228	16	T366	24	XSST4496A	20, 30
CCEM10	9	F4	33	F4	33	R103	25	S228A	16	T366A	24	XSST4496A316	20
CEM6	18	GH6S	24	GH6S	24	R103A	25	S229	16	T368	24	XT650A	24
CEM8	18	GH8S	24	GH8S	24	R103S	25	S229A	16	T368A	24, 31	XT658A	24
CEM10	18	HAMMERCAPS	3	HAMMERCAPS	3	R104	25	S2290A	16	T369	24	XT700313AZ	32
CF447	7	H52S	35	H52S	35	R104A	25	S2291A	16	T369A	24	XT700313Z	32
CF4490	7	H53S	35	H53S	35	R104S	25	S2292	16	T445	20	XT750A	24
CHD6	9	H54S	35	H54S	35	R105	25	S2292A	16	T445A	20	XT800313AZ	32
CHD8	9	H55S	35	H55S	35	R105A	25	S234A	16	T455	20	XT800313Z	32
CHD10	9	H56S	35	H56S	35	R105A	25	S235A	16	T477	20	ZL8	31
CHDSS6	9	H57S	35	H57S	35	R107	25	S255S	18	T477A	20	ZL8A	31
CHDSS8	9	H59S	35	H59S	35	R107A	25	S255	18	T477S	20	ZL10	31
CHDSS10	9	H60S	35	H60S	35	R112	27	S257	18	T499	20	ZL10A	31
CHDSS6316	9	H61S	35	H61S	35			S257S	18			ZL12	31
CL400148Z	15	H63S	35	H63S	35			S259	18			ZL12A	31
CL500148Z	15											ZL3691A	24, 31
CLCEM113A	13, 27											ZL3692A	24, 31
CLCEM115	13, 27												
CLCEM115A	13, 27												
CLCEM116	13, 27												

20-22 DEGREE COLLATED STICK NAILS

DESIGNED TO FIT THE FOLLOWING:

BOSTITCH.....N79RH	CAMPBELL HAUSFELD ... NS2090	DUO-FAST.....CN 350B	HALSTEADRN-90	MAXGS683RH-EX	PASLODE5350 SRH	SENCO.....602 FRH
BOSTITCH.....N88RH	CRAFTSMAN18365	DUO-FAST.....SNP 83	HAUBOLD.....RN 90 PII	MAXSN89RH	PASLODEF350-21	SENCO.....702 FRH
BOSTITCH.....F21PL	CRAFTSMAN18465	FASCOF5C-RHN20-83	HILTIRHN 9020	MAXSN883RH	PORTER CABLEFR350	SENCO.....752 FRH
BOSTITCH.....F21PL2	DEWALTD51844	FASCOF6C-RHN20-90	HITACHINR-83A	MAXSN890RH	PORTER CABLEFR350A	SENCO.....700XL FRH
BOSTITCH.....N90RHN	DEWALTD51845	FASCOR45C RHN20-90	HITACHINR-90AC	MAXSN90	RIDGIDR350RHA	SENCO.....750XL FRH
BOSTITCH.....N95162	DEWALTDCN21PLM1	HALSTEADHNS-24	HITACHINR-90AE	METABONR3690DR	SENCOSN 60	SENCO.....FN8111
BOSTITCH.....N95RHN	DEWALTDWF83PL	HALSTEADHNS-32	MAKITAAN922	MILWAUKEE2744-20	SENCOSN 65	SENCO.....FRAME PRO
BOSTITCH.....KN85PP-1	DEWALTDW325PL	HALSTEADHNS-39	MAKITAAN924	MILWAUKEE7200-20	SENCO600 FRH	325 FRHXP
BOSTITCH.....BTF83PL	DUO-FAST.....CN 350B-SH	HALSTEADHN-212	MAKITAAN-8300			

(Pneumatic tool names may be trademarks of their respective companies.)

DOUBLE HOT-DIPPED GALVANIZED P.T.L.® NAILS



PTL nails are the type of galvanized nails recommended by wood treaters - and will last far longer and look much better than cheap "galv." nails that rust soon after application. **LIFETIME WARRANTY!**

For The New Treated Lumber



STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	NAILS/CTN	LBS/CTN	PRICE PER CARTON
CT445	2"	.120"	9/32"	1,700	14	\$90.93
CT447	2 1/2"	.120"	9/32"	1,400	14	\$86.19
CT449	3"	.131"	9/32"	1,100	15	\$84.47
CT4490	3 1/4"	.131"	9/32"	1,000	15	\$82.60
CT4491	3 1/2"	.131"	9/32"	1,000	16	\$86.58

STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	NAILS/CTN	LBS/CTN	PRICE PER CARTON
CT445A	2"	.120"	9/32"	1,700	14	\$93.65
CT447A	2 1/2"	.120"	9/32"	1,400	14	\$88.58
CT449A	3"	.131"	9/32"	1,100	15	\$89.67
CT4490A	3 1/4"	.131"	9/32"	1,000	15	\$85.95
CT4491A	3 1/2"	.131"	9/32"	1,000	16	\$89.12
CT350148AZ	3 1/2"	.148"	5/16"	1,000	18	\$130.87

STOCK NUMBERS SPIRAL SHANK	LENGTH	GAUGE	HEAD	NAILS/CTN	LBS/CTN	PRICE PER CARTON
CT445S	2"	.120"	9/32"	1,700	14	\$94.07
CT447S	2 1/2"	.120"	9/32"	1,400	14	\$88.69
CT449S	3"	.131"	9/32"	1,100	15	\$88.98
CT4490S	3 1/4"	.131"	9/32"	1,000	15	\$86.34
CT4491S	3 1/2"	.131"	9/32"	1,000	16	\$88.93

STAINLESS STEEL (304) SPIRAL SHANK DECKING NAILS



Great for cedar, redwood and pressure treated lumber decks. These tough spiral nails drive well and hold tighter than smooth nails. Made from type 304 Stainless. Discontinued item ... while supplies last.



LIFETIME WARRANTY! SPIRAL SHANK

STOCK NUMBERS SPIRAL SHANK	LENGTH	GAUGE	HEAD	NAILS/CTN	LBS/CTN	PRICE PER CARTON
CXSSDK8	2 1/2"	.113"	9/32"	1,500	13	\$261.60

STAINLESS STEEL (316) SPIRAL SHANK DECKING NAILS



Great for cedar, redwood and pressure treated lumber decks. Ideal for coastal applications. These tough spiral nails drive well and hold tighter than smooth nails. Made from type 316 Stainless. Discontinued item ... while supplies last. **LIFETIME WARRANTY!**



STOCK NUMBERS SPIRAL SHANK	LENGTH	GAUGE	HEAD	NAILS/CTN	LBS/CTN	PRICE PER CARTON
CXSSDK8316	2 1/2"	.113"	9/32"	1,500	13	\$282.12

DOUBLE HOT-DIPPED GALVANIZED COMPOSITE DECKING NAILS



Ideal for the popular composite decking such as Trex®, ChoiceDek®, TimberTech®, Fiberon® etc. The manufacturers of these deck products recommend and specify Hot-Dipped Galvanized or stainless steel fasteners. **LIFETIME WARRANTY!**



STOCK NUMBERS SPIRAL SHANK	LENGTH	GAUGE	HEAD	NAILS/CTN	LBS/CTN	PRICE PER CARTON
CT449S	3"	.131"	9/32"	1,100	15	\$88.98
CT4490S	3 1/4"	.131"	9/32"	1,000	15	\$86.34
CT4491S	3 1/2"	.131"	9/32"	1,000	16	\$88.93

STICK NAILS PACKED 140 BOXES PER SKID.

FOR FRAMING



BRIGHT FRAMING NAILS

These bright, full round head nails fit popular 20 degree tools. Plain shank. Made in the USA.

PLAIN SHANK

Handy "Job Pack" — 140 Cartons per Skid



STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	NAILS/CTN	LBS/CTN	PRICE PER CARTON
CF447	2 1/2"	.120"	9/32"	1,400	12	\$68.09
CF4490	3 1/4"	.131"	9/32"	1,000	13	\$66.30

20-22 DEGREE COLLATED STICK NAILS

FULL ROUND HEAD - DOUBLE HOT-DIPPED GALVANIZED & STAINLESS STEEL

The full round head gives excellent bearing on the nailing surface – and ring and screw shanks give outstanding holding power. Maze collated nails use a carefully engineered plastic to greatly reduce the “flagging” of plastic pieces under the nail head that can occur with other collated fasteners. **100% MADE IN THE USA!**

DOUBLE HOT-DIPPED GALVANIZED BOX NAILS FOR SIDING

Fine nails for applying wood, engineered wood, and fiber cement siding. The full, round head gives excellent bearing surface.



LIFETIME WARRANTY!
PLAIN SHANK

STORMGUARD® Double Hot-Dipped Zinc-Coated.

STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	NAILS/CTN	LBS/CTN	PRICE PER CARTON
CS207	2 1/2"	.113"	9/32"	1,500	13	\$90.87
CS209	3"	.113"	9/32"	1,200	13	\$83.31
CS2091	3 1/2"	.120"	9/32"	1,100	15	\$91.73



LIFETIME WARRANTY!
RING SHANK

STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	NAILS/CTN	LBS/CTN	PRICE PER CARTON
CS205A	2"	.113"	9/32"	1,800	14	\$106.64
CS207A	2 1/2"	.113"	9/32"	1,500	14	\$99.97
CS209A	3"	.113"	9/32"	1,200	13	\$87.65
CS2091A	3 1/2"	.120"	9/32"	1,100	15	\$96.67



LIFETIME WARRANTY!
SPIRAL SHANK

STOCK NUMBERS SPIRAL SHANK	LENGTH	GAUGE	HEAD	NAILS/CTN	LBS/CTN	PRICE PER CARTON
CS205S	2"	.113"	9/32"	1,800	14	\$116.36
CS207S	2 1/2"	.113"	9/32"	1,500	14	\$94.58
CS209S	3"	.113"	9/32"	1,200	13	\$87.57
CS2091S	3 1/2"	.120"	9/32"	1,100	15	\$99.39



PAINTED NAILS - For painted nail adders, see page 3.

STAINLESS STEEL (304) RING SHANK SIDING NAILS

Popular for cedar, redwood and fiber cement sidings. The ring shanks hold tighter than smooth nails, and the textured head holds paint and stain. Made from Type 304 Stainless Steel.

Note: Use Type 316 Stainless Steel Fasteners for the highest degree of corrosion-resistance in environments such as sea-coastal areas.




LIFETIME WARRANTY!
RING SHANK

STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	NAILS/CTN	LBS/CTN	PRICE PER CARTON
CXSS6	2"	.113"	9/32"	1,800	13	\$168.29
CXSS8	2 1/2"	.113"	9/32"	1,500	13	\$166.28
CXSS10	3"	.113"	9/32"	1,200	12	\$155.43
CXSS16	3 1/2"	.131"	9/32"	1,000	15	\$173.93

STICK NAILS PACKED 140 BOXES PER SKID.

STAINLESS STEEL (316) RING SHANK SIDING NAILS

Type 316 Stainless Steel Nails provide the highest degree of corrosion-resistance - especially in sea-coastal areas.



LIFETIME WARRANTY!
RING SHANK

STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	NAILS/CTN	LBS/CTN	PRICE PER CARTON
CXSS6316	2"	.113"	9/32"	1,800	13	\$235.39
CXSS8316	2 1/2"	.113"	9/32"	1,500	13	\$221.64
CXSS16316	3 1/2"	.135"	9/32"	1,000	15	\$240.72



20-22 DEGREE STICK NAILS

- CONVENIENT JOB PACKS
- QUALITY-MADE IN USA
- HIGHLY CORROSION-RESISTANT



20-22 DEGREE COLLATED STICK NAILS

DOUBLE HOT-DIPPED GALVANIZED NAILS FOR FIBER CEMENT SIDING

These specially engineered nails are recommended for face and blind nailing many types of fiber cement siding such as Allura™ and HardiPlank®. The **STORMGUARD®** Double Hot-Dipped Galvanized coating on these nails ensures excellent long-term rust protection. For stainless steel fiber cement siding nails, see category at right.



(Labeled for HardiPlank® Lap Siding)
Plain Shank - Hot-Dipped Galvanized



LIFETIME WARRANTY!
PLAIN SHANK

STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	NAILS/CTN	LBS/CTN	PRICE PER CARTON
CHD6	2"	.113"	9/32"	1,800	13	\$95.61
CHD8	2 1/2"	.113"	9/32"	1,500	13	\$90.87
CHD10	3"	.113"	9/32"	1,200	13	\$83.31


(Labeled for Fiber Cement Siding)



LIFETIME WARRANTY!
PLAIN SHANK

STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	NAILS/CTN	LBS/CTN	PRICE PER CARTON
CCEM6	2"	.113"	9/32"	1,800	13	\$95.61
CCEM8	2 1/2"	.113"	9/32"	1,500	13	\$90.87
CCEM10	3"	.113"	9/32"	1,200	13	\$83.31

Ring Shank - Hot-Dipped Galvanized



LIFETIME WARRANTY!
RING SHANK

STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	NAILS/CTN	LBS/CTN	PRICE PER CARTON
CS205A	2"	.113"	9/32"	1,800	14	\$106.64
CS207A	2 1/2"	.113"	9/32"	1,500	14	\$99.97
CS209A	3"	.113"	9/32"	1,200	13	\$87.65



All Collated Nails available painted. For painted nail adders, see page 3.

140 BOXES/SKID



STAINLESS STEEL (304) NAILS FOR FIBER CEMENT SIDING

Type 304 Stainless Steel Nails provide a high degree of corrosion-resistance. (Labeled for HardiPlank® Lap Siding)



LIFETIME WARRANTY!
(Type 304)
Plain Shank - Stainless Steel

STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	NAILS/CTN	LBS/CTN	PRICE PER CARTON
CHDSS6	2"	.113"	9/32"	1,800	13	\$147.22
CHDSS8	2 1/2"	.113"	9/32"	1,500	13	\$148.58
CHDSS10	3"	.113"	9/32"	1,200	13	\$156.22

140 BOXES/SKID

STAINLESS STEEL (316) NAILS FOR FIBER CEMENT SIDING

Type 316 Stainless Steel Nails provide the highest degree of corrosion-resistance - especially in sea-coastal areas.



LIFETIME WARRANTY!
(Type 316)
Siding nail for HardiPlank®

STOCK NUMBER PLAIN SHANK	LENGTH	GAUGE	HEAD	NAILS/CTN	LBS/CTN	PRICE PER CARTON
CHDSS6316	2"	.113"	9/32"	1,800	13	\$250.69

140 BOXES/SKID



100% made in the **USA**

BE SAFE! USE SAFETY GLASSES WHENEVER DRIVING ANY NAILS



Call Toll-Free: 1-800-435-5949

FOR TIMBER & POST FRAME CONSTRUCTION

20-22 DEGREE COLLATED STICK NAILS

MAZE **STORMGUARD**[®] DOUBLE HOT-DIPPED GALVANIZED NAILS

Great for Post Frame and Timber Frame Construction, Bridge Building, Heavy Duty Crating and much more... The sharp ring shanks hold tight and resist pullout. These nails are specifically designed for use in the MAX HS 130 High Pressure PowerLite™ Tool and Bostitch BRT 130.



100%
made in the
USA

LIFETIME WARRANTY!

RING SHANK

STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	NAILS/CTN	LBS/CTN	PRICE PER CARTON
CT4491A*	3 1/2"	.131"	9/32"	1,000	16	\$89.12
CT350148AZ*	3 1/2"	.148"	5/16"	1,000	18	\$130.87
CT400148AZ	4"	.148"	5/16"	700	16	\$116.64
CT450148AZ	4 1/2"	.148"	5/16"	900	22	\$144.02
CT500148AZ	5"	.148"	5/16"	900	25	\$138.35

*These nails are also compatible with the pneumatic tools listed on page 7.

Similar Maze Nails are available for hand driving.

Call 1-800-435-5949 for details.

DESIGNED TO FIT

MAX HS130 High Pressure PowerLite

Bostitch BRT 130


FOR FRAMING & DECKING

28 DEGREE CLIPPED HEAD PAPER TAPE NAILS

28° TRI-COAT HI GALV RING SHANK FRAMING AND DECKING NAILS

These ring shank nails are galvanized using a triple protection process. The manufacturer claims that the rust-fighting finish is designed for use in many outdoor applications. Made in the U.S.A.

For The New Treated Lumber



**CLIPPED
HEAD**

RING SHANK

STOCK NUMBERS RING SHANK	LENGTH	GAUGE	NAILS/CTN	LBS/CTN	PRICE PER CARTON
PCP28238113AZ	2 3/8"	.113"	3,200	23	Call for pricing
PCP28325120AZ	3 1/4"	.120"	1,800	24	Call for pricing



**Handy "Job Pack" — 140
Cartons per Skid**

BRIGHT FRAMING NAILS

These bright, clipped head nails fit popular 28 degree paper tape stick framing tools. Smooth shank. Packed in handy "job packs". Made in the U.S.A.



**CLIPPED
HEAD**

PLAIN SHANK

STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	NAILS/CTN	LBS/CTN	PRICE PER CARTON
PCP28325131	3 1/4"	.131"	1,820	23	Call for pricing

DESIGNED TO FIT ALL 28° NAILERS

AIRY ANB2883C	CAMPBELL HAUSFELD ... NS289000	GREX SF 9028
ALFIT SF9028S	CRAFTSMAN 18320	GRIP RITE GRPWCH350
ATRO Helen 90	CRAFTSMAN 18430	MAX SN883CH
ATRO CHS900	CRAFTSMAN 18420X	MAX SN890CH/28
ATRO CHS928	DEPOAN DPN-6C51/CN2890	PRIME AIR PWCH350
BASSO N90SB	DEVILBISS SFN 6	RELIANT DD231
BOSTITCH N80 SB	EZ-FASTEN SRN 90/28	TECH FORGE 1526B
BOSTITCH N100S	FASCO R5 CHHN28-90SSCT	ULTRA APACHE AN-9028 AC
	FASCO F5 HHN28-83	UNICATCH UNS 350PB
	FASCO F6 HHN28-90	


(Pneumatic tool names may be trademarks of their respective companies.)

Call Toll-Free: 1-800-435-5949

30-34 DEGREE CLIPPED HEAD PAPER TAPE NAILS

33° TRI-COAT HI GALV RING SHANK FRAMING AND DECKING NAILS

These ring shank nails are galvanized using a triple protection process. The manufacturer claims that the rust-fighting finish is designed for use in many outdoor applications. Made in the U.S.A.



CLIPPED HEAD

RING SHANK

STOCK NUMBERS RING SHANK	LENGTH	GAUGE	NAILS/CTN	LBS/CTN	PRICE PER CARTON
PCP31238113AZ	2 3/8"	.120"	3,000	25	Call for pricing
PCP31325120AZ	3 1/4"	.120"	2,010	23	Call for pricing



Handy "Job Pack"
140 Cartons per Skid

BRIGHT FRAMING NAILS

These bright, clipped head nails fit popular 30-34 degree paper tape stick framing tools. Smooth shank. Packed in handy "job packs". Made in the U.S.A.



CLIPPED HEAD

PLAIN SHANK

STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	NAILS/CTN	LBS/CTN	PRICE PER CARTON
PCP31238120	2 3/8"	.120"	3,400	27	Call for pricing
PCP31325131	3 1/4"	.131"	2,100	27	Call for pricing

DESIGNED TO FIT ALL 30° TO 34° NAILERS (INCLUDING SENCO AND PASLODE)

AIRY.....	AMB0546C	GRIP RITE.....	GRPCH 350	PRIME AIR.....	PCH 350
ALFIT.....	BN3490S	HILTI.....	CHN-9033	SENCO.....	SN325, SN325+
A-PLUS.....	S-90E	HITACHI.....	NR83AA, NR83AA2	SENCO.....	SN2, SN2+, SN3, SN4
ATRO.....	933CH	HITACHI.....	NR83AA3, NR90AA	SENCO.....	SN70, Framepro 600E
BOSTITCH.....	N90PT, F33PT	HITACHI.....	NR90AD	SENCO.....	650E, 700XL, 700E-XL
CRAFTSMAN.....	18422	MAX.....	SN890/CH34	SENCO.....	750XL, 750E-XL
DEPOAN.....	DPN-6C52/CN	MAX.....	GS683CH-EX	STAN TECH.....	SDN 11PT-1
DEWALT.....	D51823	MAKITA.....	AN942	SUPCO.....	SNR90A, SDF-88
EZ-FASTEN.....	SCN-100	PASLODE.....	5300S, 5325S	TECH FORGE.....	1521, 1524
FASCO	F5CHHU31-90A SS(CT)	PASLODE.....	5350S, SK312	ULTRA APACH.....	AN-9034AC
FASCO	F5CHHN31-90A SS(CT)	PASLODE.....	Impulse IM325	UNICATCH.....	UN 350 P4
GREX.....	SF9034	PASLODE.....	Impulse IM350	WOODTECH.....	958-336
		PORTER CABLE.....	FC350		

(Pneumatic tool names may be trademarks of their respective companies.)

FOR CEDAR SIDING & PVC TRIM

15 DEGREE PLASTIC COIL-ATED® NAILS

DESIGNED TO FIT THE FOLLOWING:

BOSTITCH #N63CP*	MAX #CN565
BOSTITCH #N64CP*1	MAX #CN565S
BOSTITCH #N65CP*	MAX #CN565S3
BOSTITCH #N66C-1	MAX #HN65
BOSTITCH #N75C-1	MAX #HN90F*
DEWALT DW66C-1	PORTER CABLE #COIL200
FASCO #F45C	SENCO #SCN49 XP*
HITACHI #NV65AH	SENCO #SCN56'
HITACHI #NV75AG	SENCO #SCN55S*
HITACHI #NV75AN	SENCO #SN71P1*
MAKITA #AN611	STANTECH #SDCN14B*
MAKITA #AN613*	




(Pneumatic tool names may be trademarks of their respective companies.)

*These tools have "switch pins" which enable conversion from wire to plastic collation. *Must have conversion kit.

DOUBLE HOT-DIPPED SPLIT-LESS® WOOD SIDING NAILS

Slender ring shanks greatly reduce wood splitting. Small checkered heads blend well with siding and enhance paint/stain adhesion. Recommended for cedar, redwood and other split-prone wood sidings. **STORMGUARD® Double Hot-Dipped Galvanized.** For jobs that will be left natural or treated with a clear or semi-transparent finish, we recommend our stainless steel **Slim-Jim®** nails on page 12. Compatible with most 15-degree plastic sheet coil siding tools. These very popular nails are **"the right nails for the job!"** 200 nails per coil. Available painted. For painted nail adders, see page 3.



LIFETIME WARRANTY!
RING SHANK

STOCK NUMBERS RING SHANK	SIZE	LENGTH	GAUGE	HEAD	NAILS/CTN	LBS/CTN	PRICE PER CARTON
CLS222A	3d	1 1/4"	.095"	.219"	3,200	12	\$146.09
CLS223A	4d	1 1/2"	.095"	.219"	3,200	13	\$152.51
CLS224A	5d	1 3/4"	.095"	.219"	3,200	14	\$155.96
CLS225A	6d	2"	.095"	.219"	3,200	15	\$160.62
CLS226A	7d	2 1/4"	.095"	.219"	3,200	16	\$167.91
CLS227A	8d	2 1/2"	.095"	.219"	3,200	17	\$172.18
CLS229A*	10d	3"	.095"	.219"	2,400	16	\$169.47


*3" length can only be driven with Hitachi NV75AG, NV75AN and Bostitch N75C-1 tools.

15 DEGREE PLASTIC COIL-ATED® NAILS

STAINLESS STEEL SLIM-JIM® (304) WOOD SIDING NAILS

Slim-Jim® Wood Siding Nails are the Type 304 **Stainless Steel** version of our very popular Split-Less® nails and fit most 15-degree plastic sheet coil siding tools. Blunt points and slender ring shanks greatly reduce wood splitting. Small checkered heads blend well with siding and enhance paint/stain adhesion. Recommended for jobs that will be left natural or treated with clear or semi-transparent finishes. **200 nails per coil. 16 coils per carton.**


Available painted.



LIFETIME WARRANTY!
RING SHANK

STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	NAILS/CTN	LBS/CTN	PRICE PER CARTON
CLSS6WS	2"	.099"	.219"	3,200	15	\$303.57
CLSS8WS	2 1/2"	.099"	.219"	3,200	17	\$331.42

64 CARTONS/SKID




100%
made in the
USA

BE SAFE! USE SAFETY GLASSES WHENEVER DRIVING ANY NAILS

The California Redwood Association and the Western Red Cedar Lumber Association recommend stainless steel and domestic Hot-Dipped Galvanized nails for the application of their fine wood sidings. Both types of nails can react with the natural extractives in these species under some circumstances, resulting in unsightly staining. For sidings left natural or with transparent or semi-transparent finishes, stainless steel nails are recommended. Type 316 stainless is recommended in sea-coastal applications. Available on page 16.

STAINLESS STEEL (304) CELLULAR PVC TRIMBOARD NAILS

Ideal for applying the popular cellular PVC trim such as KLEER™, KOMA® and AZEK® trimboards. Cellular PVC manufacturers recommend high quality fasteners such as stainless steel or Hot-Dipped Galvanized. In sea-coastal areas, Type 316 stainless steel nails are recommended.



LIFETIME WARRANTY!
PLAIN SHANK



For painted nail adders, see page 3.

*** AVAILABLE PAINTED ***

STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	NAILS/CTN	LBS/CTN	PRICE PER CARTON
CLSSPVC6	2"	.099"	.219"	3,200	15	\$289.30
CLSSPVC8	2 1/2"	.099"	.219"	3,200	17	\$320.48
CLSSPVC10*	3"	.099"	.219"	2,400	16	\$289.10


*3" length can only be driven with Hitachi NV75AG, NV75AN and Bostitch N75C-1 tools.



FOR FIBER CEMENT & LP SMARTSIDE® SIDING

DOUBLE HOT-DIPPED GALVANIZED 15° COIL-ATED® FIBER CEMENT NAILS

(Labeled for HardiPlank® and HardiPanel®)
Maze **STORMGUARD®** nails are specially made for applying HardiPlank®, HardiPanel®, HardiSoffit® and HardiTrim® fiber cement products. Double Hot-Dipped Galvanized with a **LIFETIME WARRANTY**, these nails are "the right nails for the job"! **200 nails per coil.**



PLAIN SHANK

*3" length can only be driven with Hitachi NV75AG, NV75AN and Bostitch N75C-1 tools.




Available in **prefinished colors** to match ALLURA™, JAMES HARDIE COLOR-PLUS® and LP SMARTSIDE® Siding and Trim.

15 DEGREE PLASTIC COIL-ATED® NAILS

DOUBLE HOT-DIPPED GALVANIZED 15° COIL-ATED® FIBER CEMENT NAILS

(Labeled for Fiber Cement and untreated Cedar Shakes & Shingles)
MAZE **STORMGUARD®** Double Hot-Dipped Galvanized Nails are recommended by many of the fiber cement manufacturers and the Cedar Shake and Shingle Bureau for untreated shakes and shingles. These coil nails, along with Maze bulk & collated stick nails are **"the right nails for the job"!** 200 nails per coil.




LIFETIME WARRANTY!
PLAIN SHANK



STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	NAILS/CTN	LBS/CTN	PRICE PER CARTON
CLCEM115	2"	.095"	.219"	3,200	15	\$148.96
CLCEM116	2¼"	.095"	.219"	3,200	16	\$155.21
CLCEM117	2½"	.095"	.219"	3,200	17	\$158.46
CLCEM119*	3"	.095"	.219"	2,400	16	\$150.41

*3" length can only be driven with Hitachi NV75AG, NV75AN and Bostitch N75C-1 tools.



LIFETIME WARRANTY!
RING SHANK



STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	NAILS/CTN	LBS/CTN	PRICE PER CARTON
CLCEM113A	1½"	.095"	.219"	3,200	13	\$152.51
CLCEM115A	2"	.095"	.219"	3,200	15	\$160.62
CLCEM116A	2¼"	.095"	.219"	3,200	16	\$167.91
CLCEM117A	2½"	.095"	.219"	3,200	17	\$172.18
CLCEM119A*	3"	.095"	.219"	2,400	16	\$169.47

*3" length can only be driven with Hitachi NV75AG, NV75AN and Bostitch N75C-1 tools.



Available in prefinished colors to match ALLURA™, JAMES HARDIE COLOR-PLUS® and LP SMARTSIDE® Siding and Trim.

STAINLESS STEEL TYPE 304 15° COIL-ATED® FIBER CEMENT NAILS

Long-lasting fiber cement siding deserves great nails. Maze Nails now has Stainless Steel Fiber Cement Siding Nails in coils to fit 14 popular coil nailers! Customers can have the excellent, long-term rust protection of Maze Stainless Steel nails . . . and the speed and convenience of pneumatic application! These, along with Maze bulk & collated stick nails, are **"the right nails for the job"!**



LIFETIME WARRANTY!
PLAIN SHANK



STOCK NUMBER PLAIN SHANK	LENGTH	GAUGE	HEAD	NAILS/CTN	LBS/CTN	PRICE PER CARTON
CLSSHD115	2"	.099"	.219"	3,200	15	\$289.30
CLSSHD117	2½"	.099"	.219"	3,200	17	\$320.48



LIFETIME WARRANTY!
RING SHANK



STOCK NUMBER RING SHANK	LENGTH	GAUGE	HEAD	NAILS/CTN	LBS/CTN	PRICE PER CARTON
CLSSCEM115A	2"	.099"	.219"	3,200	15	\$303.57
CLSSCEM117A	2½"	.099"	.219"	3,200	17	\$331.42



Available in prefinished colors to match ALLURA™, JAMES HARDIE COLOR-PLUS® and LP SMARTSIDE® Siding and Trim.



FOR CEDAR SHAKES & SHINGLES

STAINLESS STEEL (316) 15° COIL-ATED® CEDAR SHAKE AND SHINGLE NAILS

Top-quality Type 316 STAINLESS STEEL Ring Shank Cedar Shake and Shingle Nails are ideal for the dependable application of cedar shakes and shingles. Mandatory within 15 miles of salt water areas as per the Cedar Shake and Shingle Bureau (www.cedarbureau.org) – and for applying pressure-impregnated preservative or fire-retardant treated shakes and shingles. (Check with treater for specific fastener requirements.) Type 316 Stainless Steel produces the most corrosion-resistant nails available – for a lifetime of worry-free service.



LIFETIME WARRANTY!
RING SHANK



STOCK NUMBER RING SHANK	LENGTH	GAUGE	HEAD	NAILS/CTN	LBS/CTN	PRICE PER CARTON
CLSSCEM113A316	1½"	.099"	.219"	3,200	13	\$303.20
CLSSCEM115A316	2"	.099"	.219"	3,200	15	\$339.05
CLSSCEM117A316	2½"	.099"	.219"	3,200	17	\$357.04



Available in prefinished colors to match ALLURA™, JAMES HARDIE COLOR-PLUS® and LP SMARTSIDE® Siding and Trim.

Call Toll-Free: 1-800-435-5949

FOR ROOFING AND BLIND NAILING FIBER CEMENT SIDING

15 DEGREE WIRE COIL-ATED® ROOFING NAILS

DESIGNED TO FIT THESE POPULAR NAILERS:

BOSTITCH #N12B
BOSTITCH #RN45B
BOSTITCH #RN46
CAMPBELL HAUSFELD #RN154S
DEWALT #DCN45RNB

DEWALT #DCN45RND1
DEWALT #DW45RN
DUOFAST #RN-175A
DUOFAST #DRN-45
FASCO #F42 CN15W -45

FASCO #F48A CN15W -45
GRIP RITE GRTCR175
HILTI #RFC-134B
HITACHI #NV45AB
MAKITA #AN451

MAKITA #AN454
MAX #CN450R
MAX #CN445R3
MILWAUKEE #7220-20

PORTER CABLE #134R
PORTER CABLE #RN175
RIDGID #R175RNA

SENCO #SCN40R
SENCO #ROOF PRO 445 XP

(Pneumatic tool names may be trademarks of their respective companies.)

DOUBLE HOT-DIPPED GALVANIZED 15° COIL-ATED® ROOFING NAILS

MIAMI-DADE COUNTY APPROVED

Ideal for the quality application of Asphalt and Fiberglass Shingles, for blind-nailing Fiber Cement Siding, for attaching Backerboard, for nailing felt. Packed in convenient job packs of 3,600 nails – in plain shank and ring shank. Wire weld collation. **120 nails per coil. 30 coils per carton. 40 cartons per pallet. LIFETIME WARRANTY!**




STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	NAILS/CTN	LBS/CTN	PRICE PER CARTON
CLWR101	1"	.120"	3/8"	3,600	16	\$146.04
CLWR102	1 1/4"	.120"	3/8"	3,600	19	\$151.17
CLWR103	1 1/2"	.120"	3/8"	3,600	22	\$163.08
CLWR104*	1 3/4"	.120"	3/8"	3,600	24	\$178.13
STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	NAILS/CTN	LBS/CTN	PRICE PER CARTON
CLWR102A	1 1/4"	.120"	3/8"	3,600	19	\$172.27
CLWR103A	1 1/2"	.120"	3/8"	3,600	22	\$180.33
CLWR104A*	1 3/4"	.120"	3/8"	3,600	24	\$188.75

*1 3/4" length not able to be driven in all tools listed. Please refer to your Owners Manual.

E.G. (ELECTRO-GALVANIZED) COIL-ATED® ROOFING NAILS

100% made in the USA

Due to popular demand, Maze now makes e.g. (electro-galvanized) coil roofing nails. These roofing nails are 100% Made in the USA, and meet the criteria of the "Buy American Act." Plain shank. **120 nails per coil. 30 coils per carton.**



STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	NAILS/CTN	LBS/CTN	PRICE PER CARTON
CLWZPR102	1 1/4"	.120"	3/8"	3,600	18	\$114.20

STAINLESS STEEL (304) 15° COIL-ATED® ROOFING NAILS

These ring shank nails are made from Type 304 stainless steel for excellent rust protection. Wire weld collation. **120 nails per coil. 30 coils per carton. LIFETIME WARRANTY!**



40 CARTONS/SKID

STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	NAILS/CTN	LBS/CTN	PRICE PER CARTON
CLWSSRFG3A	1 1/4"	.120"	3/8"	3,600	19	\$355.44
CLWSSRFG4A	1 1/2"	.120"	3/8"	3,600	22	\$401.91



FOR FIBER CEMENT SIDING

15 DEGREE WIRE COIL-ATED® SIDING NAILS

DESIGNED TO FIT THESE POPULAR NAILERS:

BOSTITCH #BT83C
BOSTITCH #N63CP*
BOSTITCH #N64CP*
BOSTITCH #N65CP*
BOSTITCH #N66C
BOSTITCH #N75C-1

BOSTITCH #N80CB
DEWALT #DWE6C-1
DEWALT #DWF83C
FASCO #F33 CN15W-PS 50SCR
FASCO #F45C

FASCO #F48AC CN15W-57A
FASCO #F58A CN15W-70
FASCO #F58AC CN15W-80
HITACHI #NV65AH
HITACHI #NV75AG

HITACHI #NV83A2
MAKITA #AN621
MAKITA #AN902
MAX #CN565
MAX #CN565S

MAX #CN890F2
MAX #CN665D
MAX #HN65
METABO #NV90AGS
PORTER CABLE #COIL200

SENCO #SCN56
SENCO #SCN55S*
SENCO #SCN60 XP
SENCO #SCN65 XP
STANTECH #SDCN14B*

*These tools have "switch pins" which enable conversion from wire to plastic collation. (Pneumatic tool names may be trademarks of their respective companies.)

DOUBLE HOT-DIPPED GALVANIZED 15° COIL-ATED® FIBER CEMENT SIDING NAILS

MAZE **STORMGUARD®** Double Hot-Dipped Galvanized Nails are recommended by many of the fiber cement manufacturers and the Cedar Shake and Shingle Bureau. Due to the overlap of the heads on wire-weld Coil-ated® nails, **painting of this product line is not recommended.**

LIFETIME WARRANTY!



STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	NAILS/CTN	LBS/CTN	PRICE PER CARTON
CLWHD115	2"	.095"	.219"	3,200	15	\$148.96
CLWHD116	2 1/4"	.095"	.219"	3,200	16	\$155.21
CLWHD117	2 1/2"	.095"	.219"	3,200	17	\$158.46
CLWHD119*	3"	.095"	.219"	3,000	19	\$168.37



*3" length can only be driven with Hitachi NV75AG, NV75AN and Bostitch N75C-1 tools.

STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	NAILS/CTN	LBS/CTN	PRICE PER CARTON
CLWHD115A	2"	.095"	.219"	3,200	15	\$160.62
CLWHD117A	2 1/2"	.095"	.219"	3,200	17	\$172.18

0° DEGREE PLASTIC COIL-ATED® NAILS

DOUBLE HOT-DIPPED GALVANIZED 0° COIL-ATED® SIDING NAILS

These nails are specially made for applying HardiPlank®, HardiPanel®, HardiSoffit® and HardiTrim® fiber cement products. Double Hot-Dipped Galvanized with a **LIFETIME WARRANTY**, these nails are “the right nails for the job”!
300 nails per coil. 12 coils per carton.



Designed to fit Duo-Fast® #RCN60/225 ADJ, CNP65Y SF and RCN70/275A tools

(DUO-FAST® is a registered trademark of Illinois Tool Works, Inc. Maze Nails manufactures nails that are compatible with DUO-FAST® tools.)

STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	NAILS/CTN	LBS/CTN	PRICE PER CARTON
200HD	2"	.095"	.219"	3,600	18	\$180.49
225HD	2 1/4"	.095"	.219"	3,600	22	\$193.53
250HD*	2 1/2"	.095"	.219"	3,600	24	\$194.05

*2-1/2" length can only be driven with RCN70/275A tool.



Order your coil nails painted to match your siding. Only one carton minimum. For painted nail adders, see page 3.

64 CARTONS/SKID

FOR BRIDGEWORK & DECKING

DOUBLE HOT-DIPPED GALVANIZED 0° COIL-ATED® DECKING & BRIDGE NAILS

These top-quality double Hot-Dipped Galvanized nails are designed for use in the popular multi-impact nailers by Max Tools. Great for special applications such as bridgework, decks, etc. where using a hand-driven nail is too difficult. Discontinued item ... while supplies last. **50 nails per coil. 18 coils per carton. LIFETIME WARRANTY!**



Designed to fit MAX CNV400 & CNV400A MULTI-IMPACT NAILERS




STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	NAILS/CTN	LBS/CTN	PRICE PER CARTON
CL400148Z	4"	.148"	5/16"	900	21	\$185.49
CL500148Z	5"	.148"	5/16"	900	27	\$202.11

64 BOXES/SKID

Toll-Free: 1-800-435-5949

ALUMINUM FENCING NAILS 0° COIL-ATED®

Ideal for the quality application of cedar and redwood fencing . . . and for many other applications! Packed in convenient job packs — in spiral shank for good holding power! **300 nails per coil. 12 coils per carton.**



STOCK NUMBER SPIRAL SHANK	LENGTH	GAUGE	HEAD	NAILS/CTN	LBS/CTN	PRICE PER CARTON
CLZAWS188	1 7/8"	.099"	.219"	3,600	6	\$213.38

BRIGHT 0° COIL NAILS

Ideal for the packaging industry and for fastening large timbers together. Yellow coating improves holding power. **150 nails per coil. 12 coils per carton.**



Designed to fit Duo-Fast® N500A



(DUO-FAST® is a registered trademark of Illinois Tool Works Inc. Maze Nails manufactures nails that are compatible with DUO-FAST® tools.)

PLAIN SHANK

STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	NAILS/CTN	LBS/CTN	PRICE PER CARTON
CLD500148	5"	.148"	5/16"	1,800	50	\$222.41

24 CARTONS/SKID



HAND-DRIVEN NAILS FOR SIDING

SPLIT-LESS® WOOD SIDING NAILS

Specially designed for split-prone woods such as cedar and redwood. Slim, sturdy shank and special blunt point virtually eliminate splits. **STORMGUARD®** double-dipped in molten zinc. Checkered head enhances paint adhesion on color-matched nails. High count greatly reduces per-nail cost. Especially popular for sidings scheduled for finishing with paints or pigmented stains. For jobs that will be left natural or treated with a clear or semi-transparent finish, we recommend our Type 304 Stainless Steel Slim-Jim® Nails. For Split-Less® Nails in coils for coil siding nailers, see page 11. **LIFETIME WARRANTY!**

NOTE: Use Type 316 Stainless Steel Fasteners for the highest degree of corrosion-resistance in environments such as sea-coastal areas.



PLAIN SHANK

STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD /LB	NAILS /LB	PRICE			
					50 LB	25 LB	5 LB	1 LB
S225	2"	14	3/16"	283	\$246.68	\$128.40	\$27.65	\$6.09
S226	2 1/4"	14	3/16"	248	\$248.49	\$126.80	\$27.16	\$6.03
S227	2 1/2"	13	7/32"	189	\$244.70	\$126.76	\$27.13	\$5.91
S228	2 3/4"	13	7/32"	171	\$244.44	—	—	—
S229	3"	13	7/32"	153	\$244.64	\$126.57	\$27.17	\$5.96
S2292	4"	12	1/4"	89	\$252.31	—	—	—



RING SHANK

STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD /LB	NAILS /LB	PRICE			
					50 LB	25 LB	5 LB	1 LB
S225A	2"	14	3/16"	283	\$289.57	\$148.03	\$31.80	\$6.92
S226A	2 1/4"	14	3/16"	248	\$281.74	\$146.09	\$31.08	\$6.80
S227A	2 1/2"	13	7/32"	189	\$282.37	\$143.53	\$30.77	\$6.77
S228A	2 3/4"	13	7/32"	171	\$279.50	—	\$29.61	—
S229A	3"	13	7/32"	153	\$282.31	\$141.00	\$31.05	\$6.82
S2290A	3 1/4"	12	1/4"	113	\$276.66	—	\$29.13	—
S2291A	3 1/2"	12	1/4"	104	\$271.62	—	\$29.81	\$6.52
S2292A	4"	12	1/4"	89	\$286.13	—	\$31.48	—

Shipped in Standard 50-lb or 25-lb Bulk Cartons Unless Otherwise Specified. (6) 5-lb boxes per master. (12) 1-lb boxes per master.

CEDAR SHAKE SIDING FACE NAILS

Ideally suited for untreated shake shingle sidewall applications. Slim shank, blunt point, small checkered brad head. **STORMGUARD®** double-dipped in molten zinc.



LIFETIME WARRANTY! RING SHANK

STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD /LB	NAILS /LB	PRICE		
					50 LB	5 LB	1 LB
S234A	1 3/4"	14	1/8"	346	\$275.55	\$28.11	\$6.31
S235A	2"	14	1/8"	310	\$253.23	\$27.74	\$6.15



STAINLESS STEEL SLIM-JIM® WOOD SIDING NAILS (304)

These slender, blunt-pointed wood siding nails are made from high tensile Type 304 **Stainless Steel** to minimize bending and reduce splitting. Excellent for redwood and cedar siding, especially on wood to be left natural or to receive treatment with semi-transparent coatings or clear finishes (to give the "natural" look). Small checkered head should only be driven flush – not countersunk. *Also available from stock-painted in cedar/redwood color in 25-lb bulk cartons only. For painted nail adders, see page 3.



RING SHANK

STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE		
					25 LB	5 LB	1 LB
VSS3WS**	1 1/4"	.083"	3/16"	257	\$253.23	—	—
SS5WS	1 3/4"	.099"	7/32"	276	\$266.37	\$62.03	\$13.24
SS6WS	2"	.099"	7/32"	250	\$281.77	\$60.01	\$12.97
SS8WS*	2 1/2"	.099"	7/32"	171	\$272.38	\$58.90	\$12.74
SS10WS*	3"	.115"	7/32"	128	\$271.11	\$58.68	\$12.61
SS16WS	3 1/2"	.120"	7/32"	104	\$271.86	\$55.37	—

Stocked in 25-lb Bulk Cartons. \$10.00 broken carton charge applies to any increment of less than a full carton.

(6) 5-lb boxes per master. (12) 1-lb boxes per master.

**Available while quantities last.

STAINLESS STEEL SLIM-JIM® WOOD SIDING NAILS (316)

Made from Type 316 **Stainless Steel** for ultimate corrosion-resistance. Perfect for coastal applications. Excellent for cedar and redwood sidings where wood is to be left natural or coated with a semi-transparent finish.



RING SHANK

STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE
					25 LB
SS5WS 316	1 3/4"	.099"	7/32"	276	\$286.20
SS6WS 316	2"	.099"	7/32"	250	\$316.67
SS8WS 316	2 1/2"	.099"	7/32"	171	\$304.44
SS10WS 316	3"	.115"	7/32"	128	\$287.22
SS16WS 316	3 1/2"	.120"	7/32"	104	\$260.59

STAINLESS STEEL SLIM-JIM® WOOD SIDING NAILS (204Cu)

Made from Type 204Cu **Stainless Steel**. Popular for cedar and redwood sidings where wood is left natural or coated with a semi-transparent finish. Not recommended for coastal applications.

**Available while quantities last.



RING SHANK

STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE
					25 LB
CSS5WS**	1 3/4"	.099"	7/32"	276	\$249.11
CSS8WS**	2 1/2"	.099"	7/32"	171	\$236.80
CSS10WS**	3"	.115"	7/32"	128	\$232.90
CSS16WS**	3 1/2"	.120"	7/32"	104	\$230.10

HAND-DRIVEN NAILS FOR SIDING

DOUBLE HOT-DIPPED GALVANIZED BOX NAILS FOR WOOD & ENGINEERED WOOD SIDING

Dependable **STORMGUARD**® Double Hot-Dipped Galvanized Nails with our **LIFETIME WARRANTY** provide long-term corrosion-resistance for these long-lasting sidings. Checkered heads enhance paint adhesion. 1½" penetration into framing is recommended. Meets the specifications of the American Hardboard Association and Composite Panel Association. See page 8 for Collated Box Nails. **LIFETIME WARRANTY!**



PLAIN SHANK

STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB	5 LB	1 LB
S203	1½"	14	7/32"	392	\$228.32	\$24.40	\$5.40
S205	2"	12½	17/64"	194	\$210.97	\$23.32	\$5.41
S207	2½"	11½	9/32"	123	\$209.69	\$23.48	—
S209	3"	11½	9/32"	103	\$219.68	\$23.73	—
S2091	3½"	11	9/32"	80	\$220.53	—	—

Shipped in Standard 50-lb Bulk Cartons Unless Otherwise Specified.
(6) 5-lb boxes per master. (12) 1-lb boxes per master.



RING SHANK

STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB	5 LB	1 LB
S202A	1¼"	14	7/32"	442	\$293.97	—	—
S203A	1½"	14	7/32"	392	\$256.02	\$28.66	\$6.84
S205A	2"	12½	17/64"	194	\$231.10	\$25.74	\$6.13
S206A	2¼"	12½	17/64"	180	\$220.93	—	—
S207A	2½"	11½	9/32"	123	\$234.27	\$25.45	\$5.57
S209A	3"	11½	9/32"	103	\$234.68	\$26.92	\$5.53

Shipped in Standard 50-lb Bulk Cartons Unless Otherwise Specified.
(6) 5-lb boxes per master. (12) 1-lb boxes per master.



SPIRAL SHANK

STOCK NUMBERS SPIRAL SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB	5 LB
S207S	2½"	11½	9/32"	123	\$229.51	\$25.59
S209S	3"	11½	9/32"	103	\$239.10	—

Shipped in Standard 50-lb Bulk Cartons Unless Otherwise Specified.
(6) 5-lb boxes per master.

DOUBLE HOT-DIPPED GALVANIZED NAILS FOR ALUMINUM & STEEL SIDING

Dependable **STORMGUARD**® Double Hot-Dipped Galvanized Nails are compatible with both types of siding and drive far better than aluminum nails.




**PLAIN SHANK
LIFETIME WARRANTY!**

STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB	5 LB
S263	1½"	12	5/16"	228	\$203.99	\$23.06
S265	2"	12	5/16"	178	\$196.75	\$22.70

ALUMINUM NAILS FOR VINYL SIDING

DRIVE-RITE® Aluminum nails are used for applying vinyl siding. Large, flat head allows proper "hanging" of siding. Diamond point makes driving the nail easy and true. Ring shank provides maximum holding power; also suitable for application of asphalt shingles.



PLAIN SHANK

STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	APPROXIMATE NAILS / LB.	PRICE 50 LB	1 LB
AV4	1½"	9	7/16"	360	\$583.29	\$15.50
AV6	2"	9	7/16"	284	\$561.38	\$14.99

(25) 1-lb. boxes per master.



RING SHANK

STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB
AV4A	1½"	9	7/16"	360	\$774.77
AV5A	1¾"	9	7/16"	326	\$621.43
AV6A	2"	9	7/16"	284	\$500.09
AV8A**	2½"	9	7/16"	234	\$478.34

**2½" nails packed/priced in 40 lb. bulk boxes.

HOT-DIPPED NAILS FOR VINYL SIDING

Larger 3/8" heads are preferred by many applicators. **STORMGUARD**® Double Hot-Dipped Galvanized.



**PLAIN SHANK
LIFETIME WARRANTY!**

STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB	25 LB	5 LB
S103	1½"	11	3/8"	180	\$216.26	\$112.58	\$23.66
S104	1¾"	11	3/8"	156	\$209.97	\$109.34	\$23.29
S105	2"	11	3/8"	136	\$211.47	\$109.43	\$23.52
S107	2½"	11	3/8"	112	\$210.94	\$107.96	\$23.08
S109	3"	10	3/8"	72	\$202.79	—	\$23.14

Shipped in Standard 50-lb or 25-lb Bulk Cartons Unless Otherwise Specified. (6) 5-lb boxes per master.

STAINLESS STEEL NAILS FOR VINYL SIDING (304)

Made from high-quality Type 304 Stainless Steel. Ring shanks provide maximum holding power.



RING SHANK

STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	APPROXIMATE NAILS / LB.	PRICE 25 LB
SSV4A	1½"	9	27/64"	120	\$276.81
SSV5A	1¾"	9	27/64"	108	\$272.80



BE SAFE! USE SAFETY GLASSES WHENEVER DRIVING ANY NAILS

Call Toll-Free: 1-800-435-5949

HAND-DRIVEN NAILS FOR SIDING

DOUBLE HOT-DIPPED GALVANIZED FIBER CEMENT/ENGINEERED WOOD

These specially engineered nails are recommended for face and blind nailing many types of fiber cement siding such as Allura™ or HardiPlank®. The **STORMGUARD®** Double Hot-Dipped Galvanized coating on these nails ensures excellent long-term rust protection. These nails meet the blind and face nail specification for lap siding 8¼" or less. Wider width sidings require blind (roofing) nails. See pages 9, 12, 13 and 14 for fiber cement nails in coils and 20 degree sticks. **2½" lengths (stock numbers HD-8 and CEM-8) available painted in 5-lb. boxes in all James Hardie Colorplus® colors and Allura™ colors.**



LIFETIME WARRANTY!
PLAIN SHANK

STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB	25 LB	5 LB
HD6	2"	.113"	9/32"	147	\$206.71	\$109.65	\$23.40
HD8*	2½"	.113"	9/32"	129	\$209.69	\$113.73	\$23.48
HD10	3"	.113"	9/32"	108	\$219.68	—	\$23.73
HD16	3½"	.120"	9/32"	80	\$220.53	—	\$24.54

*For painted nails with hammer caps pricing/program, see page 19.



LIFETIME WARRANTY!
PLAIN SHANK

STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB	25 LB	5 LB
CEM6	2"	.113"	9/32"	147	\$206.71	\$109.65	\$23.40
CEM8*	2½"	.113"	9/32"	129	\$209.69	\$113.73	\$23.48
CEM10	3"	.113"	9/32"	108	\$219.68	—	\$23.73

*For painted nails with hammer caps pricing/program, see page 19.



LIFETIME WARRANTY!
PLAIN SHANK

STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB	25 LB	5 LB
LP8*	2½"	.113"	9/32"	129	\$209.69	\$113.73	\$23.48

*For painted nails with hammer caps pricing/program, see page 19.

THESE NAILS ALSO AVAILABLE IN 20 DEGREE STICKS (SEE PAGES 8 & 9).



LIFETIME WARRANTY!
RING SHANK

STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB	5 LB	1 LB
S205A	2"	.099"	17/64"	194	\$231.10	\$25.74	\$6.13
S207A	2½"	.113"	9/32"	123	\$234.27	\$25.45	\$5.57
S209A	3"	.113"	9/32"	103	\$234.68	\$26.92	\$5.53

THESE NAILS ALSO AVAILABLE IN 20 DEGREE STICKS (SEE PAGES 8 & 9).

DOUBLE HOT-DIPPED GALVANIZED "ORIGINAL" SMALL HEAD SIDING NAILS

These nails, made originally to the specifications of the early producers of hardboard siding, now have a multitude of other uses with other types of siding, trim, fencing, decking, etc. They are great all-around nails. Extra stiff shank for easy driving. Self-seating heads. **STORMGUARD®** Double-dipped in molten zinc. Refer to Wood Siding Box Nails for specifications requiring a larger diameter head (page 17).



LIFETIME WARRANTY!
PLAIN SHANK

STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB	25 LB	5 LB	1 LB
S255	2"	12	3/16"	181	\$213.10	—	—	—
S257	2½"	12	3/16"	146	\$212.54	\$98.22	\$23.55	\$5.19
S259	3"	11	7/32"	98	\$195.56	—	—	—
S2590	3¼"	11	7/32"	90	\$203.88	—	—	—
S2591	3½"	11	7/32"	82	\$202.10	—	—	—
S2592	4"	11	7/32"	73	\$201.56	—	—	—



LIFETIME WARRANTY!
SPIRAL SHANK

STOCK NUMBERS SPIRAL SHANK	LENGTH	GAUGE	HEAD	NAILS /LB	PRICE 50 LB	25 LB	5 LB	1 LB
S255S	2"	12	3/16"	181	\$242.80	\$117.94	\$27.45	\$5.89
S257S	2½"	12	3/16"	146	\$237.53	\$121.73	\$26.45	\$5.79
S259S	3"	11	7/32"	98	\$230.09	\$119.03	\$24.54	\$5.50
S2590S	3¼"	11	7/32"	90	\$232.00	—	\$25.15	—
S2591S	3½"	11	7/32"	82	\$229.58	\$117.80	\$25.17	\$5.56
S2592S	4"	11	7/32"	73	\$222.10	—	—	—

Shipped in Standard 50-lb or 25-lb Bulk Cartons Unless Otherwise Specified. (6) 5-lb boxes per master. (12) 1-lb boxes per master.

ALUMINUM SIDING NAILS

DRIVE-RITE® nails are made from high tensile aluminum alloy. Compatible with aluminum sidings. Provide ultimate protection from red rust.



PLAIN SHANK

STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB	1 LB
AS4	1½"	.120"	3/8"	536	—	\$16.74
AS5	1¾"	.120"	3/8"	500	\$598.40	—
AS6	2"	.120"	3/8"	420	—	\$16.06
AS8	2½"	.120"	3/8"	359	—	\$15.40
AS10	3"	.120"	3/8"	305	—	\$14.10

Shipped in 50-lb Bulk Cartons or 1-lb boxes, 25 per master.




BE SAFE! USE SAFETY GLASSES WHENEVER DRIVING ANY NAILS

PREFINISHED HAND-DRIVEN NAILS FOR SIDING

As America's top prefinisher of nails for many exterior applications, Maze paints a wide variety of Double Hot-Dip Galvanized and Stainless Steel siding nails for use with America's major siding brands.


We make a serious effort to keep the most popular colors of hand-drive nails in stock – for quick shipment. For non-stock colors, Maze has a 200-lb. minimum order requirement. These nails are packed in 5-lb. boxes – 6 per master case – and each box includes two hammer caps to greatly reduce the amount of paint chipping when the nails are driven.

If the contractor prefers to drive the prefinished nails pneumatically, our various Maze coil and stick nails are painted on demand - and are generally shipped in just a few days. They may be ordered in any stock color – in as small a quantity as a single carton.



\$36.16 LIST PRICE

(per 5-lb. box – packed 6 per master)



To determine Maze's closest color match to the siding – simply scan the QR codes below – or enter the URL provided. We do our best to keep current – which is a tall order!



mazenails.com/assets/pdf/color-allura.pdf




mazenails.com/assets/pdf/color-james-hardie.pdf




mazenails.com/assets/pdf/color-lp-smartside.pdf



Color Matched Nails save BIG \$\$\$ in time and labor on prestained and prefinished jobs!



Prefinished Maze stick and coil nails!



HAND-DRIVEN NAILS FOR DECKING & TRIM

DOUBLE HOT-DIPPED GALVANIZED P.T.L.[®] NAILS FOR THE NEW TREATED LUMBER

These nails are made from stiffer stock steel so the shanks can be smaller in diameter to help reduce wood splitting without bending. Ring and spiral shanks provide exceptional holding power. Producers of treated lumber and many building codes specify Hot-Dipped Galvanized or stainless steel nails because they have a life expectancy comparable to that of the treated lumber. Maze **STORMGUARD[®]** P.T.L.[®] Nails are Double Hot-Dipped Galvanized. See page 7 for Collated P.T.L.[®] Nails.

Shipped in Standard 50-lb or 25-lb Bulk Cartons Unless Otherwise Specified. (6) 5-lb boxes per master. (12) 1-lb boxes per master.



LIFETIME WARRANTY!
PLAIN SHANK

STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	NAILS /LB	PRICE			
					50 LB	25 LB	5 LB	1 LB
T445	2"	11	9/32"	137	\$203.12	—	\$23.25	\$5.14
T447	2 1/2"	11	9/32"	111	\$205.60	—	\$23.39	\$5.17
T449	3"	10	19/64"	75	\$210.72	\$112.76	\$23.45	\$5.17
T4490	3 1/4"	10	19/64"	69	\$211.84	—	\$23.90	—
T4491	3 1/2"	9	5/16"	54	\$211.39	\$112.46	\$24.02	\$5.31
T4492	4"	7	3/8"	33	\$200.44	—	\$23.40	\$5.21
T4493	4 1/2"	7	3/8"	29	\$204.15	—	—	—
T4494	5"	5 1/2	15/32"	20	\$198.41	—	—	—
T4496	6"	5 1/2	15/32"	18	\$202.09	—	—	—



LIFETIME WARRANTY!
RING SHANK

STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	NAILS /LB	PRICE			
					50 LB	25 LB	5 LB	1 LB
T445A	2"	11	9/32"	137	\$228.66	\$108.09	\$25.55	\$5.65
T447A	2 1/2"	11	9/32"	111	\$227.26	\$118.65	\$25.53	\$5.60
T449A	3"	10	19/64"	75	\$225.36	\$115.58	\$24.98	\$5.49
T4490A	3 1/4"	10	19/64"	69	\$220.65	\$113.41	\$24.82	\$5.43
T4491A	3 1/2"	9	5/16"	54	\$222.32	\$115.45	\$25.10	\$5.49
T4492A	4"	7	3/8"	33	\$219.03	\$113.07	\$24.38	\$5.38
T4493A	4 1/2"	7	3/8"	29	\$220.05	—	\$24.83	—
T4494A	5"	5 1/2	15/32"	20	\$219.54	\$118.01	\$24.98	—
T4496A	6"	5 1/2	15/32"	18	\$215.61	—	\$24.81	—



LIFETIME WARRANTY!
SPIRAL SHANK

STOCK NUMBERS SPIRAL SHANK	LENGTH	GAUGE	HEAD	NAILS /LB	PRICE			
					50 LB	25 LB	5 LB	1 LB
T445S	2"	11	9/32"	137	\$227.64	—	\$25.60	\$5.60
T447S	2 1/2"	11	9/32"	111	\$228.37	\$114.31	\$25.57	\$5.63
T449S	3"	10	19/64"	75	\$224.00	\$118.14	\$24.81	\$5.51
T4490S	3 1/4"	10	19/64"	69	\$223.19	—	\$24.64	\$5.48
T4491S	3 1/2"	9	5/16"	54	\$220.94	\$117.38	\$25.07	\$5.48
T4492S	4"	7	3/8"	33	\$218.60	—	\$24.77	\$5.47
T4493S	4 1/2"	7	3/8"	29	\$216.22	—	\$24.06	—
T4494S	5"	5 1/2	15/32"	20	\$217.12	\$112.78	\$24.26	—
T4496S	6"	5 1/2	15/32"	18	\$217.56	—	\$23.87	—

STAINLESS STEEL (304) NAILS FOR THE NEW TREATED LUMBER

Type 304 STAINLESS STEEL P.T.L.[®] NAILS are for applications requiring even higher corrosion-resistance than offered by Double Hot-Dipped Galvanized nails.

RING SHANK



STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE	
					25 LB	5 LB
XSST443A	1 1/2"	11 1/2	9/32"	206	\$374.12	—
XSST445A	2"	11 1/2	9/32"	158	\$341.85	—
XSST447A	2 1/2"	11	9/32"	119	\$294.19	\$68.58
XSST449A	3"	10	9/32"	83	\$279.30	\$67.49
XSST4491A	3 1/2"	9	5/16"	58	\$281.93	—
XSST4492A	4"	7	3/8"	35	\$275.14	\$67.05
XSST4494A	5"	5 1/2	15/32"	23	\$286.41	\$64.03
XSST4496A	6"	5 1/2	15/32"	19	\$284.20	—

* (6) 5-Lb boxes per master.

STAINLESS STEEL (316) NAILS FOR THE NEW TREATED LUMBER

Made from Type 316 STAINLESS STEEL for ultimate corrosion-resistance. Recommended for the application of skirt boards treated with corrosive preservatives.

RING SHANK



STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE
					25 LB
XSST445A316	2"	11 1/2	9/32"	158	\$398.38
XSST447A316	2 1/2"	11	9/32"	119	\$360.16
XSST449A316	3"	10	9/32"	83	\$356.92
XSST4491A316	3 1/2"	9	5/16"	58	\$359.64
XSST4492A316	4"	8	3/8"	42	\$358.13
XSST4496A316	6"	5 1/2	15/32"	19	\$347.10

STAINLESS STEEL DECKING NAILS

These Screw-Down[®] nails hold tight on a wide variety of outdoor applications. Ideal for use on cedar & redwood decks where a durable nail is needed to drive into the pressure treated lumber joists. Textured head holds paint and stain. Manufactured from top-grade, Type 304 Stainless Steel. See page 7 for Collated Stainless Steel Nails.




STOCK NUMBERS SPIRAL SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE
					25 LB
SSDK6	2"	11 1/2	13/64"	172	\$256.58




The 2021 International Residential Code – Section R317.3.1 and the 2021 International Building Code – Section 2304.10.5.1 both state: "Fasteners in contact with preservative-treated wood shall be of Hot-Dipped zinc-coated galvanized steel, stainless steel, silicon bronze or copper." Our coating weights for zinc-coated fasteners shall be in accordance with ASTM A-153. Stainless steel fasteners shall be in accordance with the material requirements of ASTM F1667. Maze **STORMGUARD[®]** Double Hot-Dipped, Zinc-Coated Galvanized Nails and Type 304 and Type 316 Stainless Steel Nails meet and exceed those criteria.

DECKING, TRIM & CONNECTOR FASTENERS



STAINLESS STEEL (304) JOIST HANGER NAILS

Maze Nails is a domestic manufacturer of top-quality 304 STAINLESS STEEL Joist Hanger Nails - to attach hangers to the new treated lumber. Note: For maximum protection, use Type 316 Stainless Steel nails. See below.



**Stainless Steel 304
PLAIN SHANK**

STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 25 LB	5 LB
SSJ131	1 1/2"	.135"	9/32"	153	\$299.85	\$65.80
SSJ148	1 1/2"	.148"	5/16"	120	—	\$67.20

(6) 5-lb boxes per master.



**Stainless Steel 304
RING SHANK**

STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 25 LB
SSXR162A	1 1/4"	.135"	3/8"	170	\$249.80
SSXR163A	1 1/2"	.135"	3/8"	146	\$237.51

CAUTION: ALWAYS WEAR SAFETY GLASSES WHEN DRIVING ANY NAILS.

DOUBLE HOT-DIPPED GALVANIZED JOIST HANGER NAILS

These well-threaded nails are **STORMGUARD®** Double Hot-Dipped Galvanized to ensure superior holding power and long-term rust-protection. The Hot-Dipped coating is the type of galvanized coating which is recommended by the makers of treated lumber to use with their products.



**LIFETIME WARRANTY!
RING SHANK**

STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB	5 LB	1 LB
XR162A	1 1/4"	.135"	3/8"	155	\$233.45	\$25.43	\$5.64
XR163A	1 1/2"	.135"	3/8"	128	\$223.62	\$24.58	\$5.54
J148A	1 1/2"	.148"	5/16"	120	\$273.34	\$28.82	—
XR164A	1 3/4"	.135"	3/8"	114	\$223.12	—	—
XR165A	2"	.135"	3/8"	103	\$215.71	—	—
XR167A	2 1/2"	.135"	3/8"	85	\$223.94	—	—

Stocked in 50-lb Bulk Cartons Unless Otherwise Specified.
(6) 5-lb boxes per master. (12) 1-lb boxes per master.

DOUBLE HOT-DIPPED GALVANIZED JOIST HANGER NAILS

These Joist Hanger Nails are manufactured to the specifications of several of the large joist hanger makers. Stock number J-131 crosses-over to the Kant-Sag® "NA11" and Simpson® "N8", while the stock number J-148 crosses-over to Kant-Sag® "NA9D" and Simpson® "N10". The Maze advantage is that our nails are **STORMGUARD® Double Hot-Dipped Galvanized** - for superior corrosion-resistance. And, you can order these top-quality nails along with your other Maze products - in bulk and packaged. **LIFETIME WARRANTY!**



PLAIN SHANK

STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB	5 LB	1 LB
J131	1 1/2"	.135"	9/32"	153	\$224.51	\$24.42	\$5.35
J148	1 1/2"	.148"	5/16"	120	\$217.40	\$23.96	\$5.24

Stocked in 50-lb Bulk Cartons Unless Otherwise Specified.
(6) 5-lb boxes per master. (12) 1-lb boxes per master.



**BE SAFE! USE SAFETY GLASSES
WHENEVER DRIVING ANY NAILS**



DOUBLE HOT-DIPPED GALVANIZED CONNECTOR NAILS

These nails are made from top-grade steel - and are then Double Hot-Dipped Galvanized for use in both bright and galvanized connectors. The MAZE **STORMGUARD®** Hot-Dipped coating meets the specifications of the 2018 International Building Code for nails to be driven into pressure treated lumber. Check with your connector supplier to determine the correct size nails for installing their products - to make certain that structural minimums are met. **LIFETIME WARRANTY!**



PLAIN SHANK

STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB
CN250131	2 1/2"	.131"	9/32"	99	\$240.20
CN250148	2 1/2"	.148"	5/16"	74	\$244.85
CN250162	2 1/2"	.162"	11/32"	61	\$256.79
CN300148	3"	.148"	5/16"	64	\$239.90

Stocked in 50-lb Bulk Cartons Unless Otherwise Specified.

Call Toll-Free: 1-800-435-5949

HAND-DRIVEN TRIM & SPECIALTY NAILS

PAINTED DOUBLE HOT-DIPPED GALVANIZED TRIM NAILS FOR SOFFIT AND FASCIA

Maze **STORMGUARD**® Trim Nails are ideal for applying painted aluminum trim coil, soffit and fascia. The thick, uniform zinc-coating is compatible with aluminum, and the strong steel shank drives much better than aluminum nails. White and Brown trim nails are stock items – in 1-lb boxes, 12 per master carton. Double Hot-Dipped Galvanized. **LIFETIME WARRANTY!** For stainless steel trim nails, see page 23.



PLAIN SHANK

STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 1 LB
R112M61 (WHITE)	1 1/4"	14	7/32"	450	\$8.20
R112M22 (BROWN)	1 1/4"	14	7/32"	450	\$8.20
R113M61 (WHITE)	1 1/2"	14	7/32"	396	\$8.05
R113M22 (BROWN)	1 1/2"	14	7/32"	396	\$8.05

(12) 1-lb boxes per master.

AVAILABLE IN ADDITIONAL PAINT COLORS



STAINLESS STEEL (304) NAILS FOR CELLULAR PVC TRIMBOARDS

Ideal for applying the popular cellular PVC trim such as KLEER™, KOMA® and AZEK® trimboards. Cellular PVC manufacturers recommend high quality fasteners such as stainless steel or Hot-Dipped Galvanized. For "gun-driven" nails, see page 12. In sea-coastal areas, Type 316 stainless steel nails are recommended.



PLAIN SHANK
PAINTED WHITE

STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 5 LB BOX
PVC88252 (WHITE)	2 1/2"	12 1/2	7/32"	190	\$59.10

(6) 5-lb boxes per master.



RING SHANK
PAINTED WHITE

STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 1 LB BOX
PVC6A8252 (WHITE)	2"	12 1/2	7/32"	225	\$13.65
PVC8A8252 (WHITE)	2 1/2"	12 1/2	7/32"	190	\$13.50

(12) 1-lb boxes per master.

STAINLESS STEEL (204Cu) NAILS FOR CELLULAR PVC TRIMBOARDS

Economical 204Cu Stainless Steel for applying the popular cellular PVC trim such as KLEER™, KOMA® and AZEK® trimboards. Cellular PVC manufacturers recommend high quality fasteners such as stainless steel or Hot-Dipped Galvanized. For "gun-driven" nails, see page 12. In sea-coastal areas, Type 316 stainless steel nails are recommended.



PLAIN SHANK
PAINTED WHITE

STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 5 LB BOX	PRICE 1 LB BOX
CPVC88252 (WHITE)	2 1/2"	12 1/2	7/32"	190	\$52.80	\$11.85

(6) 5-lb boxes per master. (12) 1-lb boxes per master.



RING SHANK
PAINTED WHITE

STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 5 LB BOX	PRICE 1 LB BOX
CPVC6A8252 (WHITE)	2"	12 1/2	7/32"	225	\$54.80	\$12.45

(6) 5-lb boxes per master. (12) 1-lb boxes per master.

DOUBLE HOT-DIPPED GALVANIZED FINISHING NAILS

Designed for exterior trim applications. Brad head sets easily and ensures neat finished appearance. **STORMGUARD**® Double Hot-Dipped Galvanized. **LIFETIME WARRANTY!**



PLAIN SHANK

STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB	5 LB	1 LB
T315	2"	14	1/8"	310	\$216.53	\$23.64	\$5.48
T317	2 1/2"	13	9/64"	196	\$199.83	\$23.40	\$5.13
T319	3"	11 1/2	5/32"	109	\$208.37	\$23.81	\$5.26

Shipped in Standard 50-lb Bulk Cartons Unless Otherwise Specified. (6) 5-lb boxes per master. (12) 1-lb boxes per master.

DOUBLE HOT-DIPPED GALVANIZED CASING NAILS

Designed for the secure application of window and door frames, cornices and exterior molding. Eliminate need for counter-sinking and puttying. **STORMGUARD**® Double Hot-Dipped Galvanized.



LIFETIME WARRANTY!
PLAIN SHANK

STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB	5 LB
T305	2"	12 1/2	9/64"	212	\$199.04	\$23.67
T307	2 1/2"	11 1/2	9/64"	131	\$203.56	\$22.92
T309	3"	10	11/64"	85	\$207.18	\$23.32
T3091	3 1/2"	10	11/64"	67	\$204.48	\$22.33
T3092	4"	9	3/16"	48	\$201.10	—

Shipped in Standard 50-lb Bulk Cartons Unless Otherwise Specified. (6) 5-lb boxes per master.

DOUBLE HOT-DIPPED GALVANIZED GARAGE DOOR JAMB SEAL NAILS

These painted, Hot-Dipped Galvanized nails are perfect for applying jamb seals on garage doors. Available in a variety of colors to match manufacturers' colors. **Pricing includes paint charges.**

LIFETIME WARRANTY!



AVAILABLE IN LIMITED PAINT COLORS



PLAIN SHANK

STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB	5 LB	1 LB
R112	1 1/4"	14	7/32"	450	\$269.94	\$29.43	\$8.20
R113	1 1/2"	14	7/32"	392	\$263.64	\$28.63	\$8.05
R114	1 3/4"	14	7/32"	344	\$256.77	\$28.37	\$7.70



AVAILABLE IN LIMITED PAINT COLORS



RING SHANK

STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB	5 LB	1 LB
S213A	1 7/16"	12 1/2	3/16"	262	\$385.74	\$39.95	—
S214A	1 3/4"	12 1/2	3/16"	220	\$381.34	\$39.60	\$9.78

All Nails Above Stocked in 50-lb Bulk Cartons Unless Otherwise Specified. (6) 5-lb boxes per master. (12) 1-lb boxes per master.

Toll-Free: 1-800-435-5949

HAND-DRIVEN PAINTED TRIM NAILS

STAINLESS STEEL PAINTED TRIM NAILS (304)



Hammercaps reduce paint chipping!



High quality painted trim nails for use with trim coil, soffit and fascia. Available painted in many different colors – pre-matched to coil manufacturers' colors. These nails have a checkered head – Specially designed to hold more paint than a flat head. See Hammercaps on page 3.

PLAIN SHANK - PAINTED

STOCK NUMBERS PLAIN SHANK	LENGTH	PENNY SIZE	DIAMETER	HEAD	APPROXIMATE NAILS / LB.	PRICE 1 LB BOX
SST2*	1"	2d	.072"	3/16"	760	Call for pricing
SST3	1 1/4"	3d	.072"	3/16"	615	Call for pricing
SST5**	1 3/4"	5d	.080"	3/16"	340	Call for pricing

*8252 white only

**8252, 9514, 9572 only

RING SHANK - PAINTED

STOCK NUMBERS RING SHANK	LENGTH	PENNY SIZE	DIAMETER	HEAD	APPROXIMATE NAILS / LB.	PRICE 1 LB BOX
SST2A*	1"	2d	.072"	3/16"	760	Call for pricing
SST3A	1 1/4"	3d	.072"	3/16"	615	Call for pricing
SST4A	1 1/2"	4d	.080"	3/16"	443	Call for pricing
SST5A**	1 3/4"	5d	.080"	3/16"	340	Call for pricing

*8252 white only

**10 popular colors

(25) 1-lb boxes per master.

Note: A \$.50 per pound up-charge applies to trim nails ordered in less than full master cartons and/or nails requiring custom labels.



What's the difference between Type 304 and Type 204Cu? Scan to learn more.

STAINLESS STEEL PAINTED TRIM NAILS (204Cu)



Hammercaps reduce paint chipping!



High quality painted trim nails for use with trim coil, soffit and fascia. Available painted in many different colors – pre-matched to coil manufacturers' colors. These nails have a striated head – Specially designed to hold more paint than a flat head. See Hammercaps on page 3. Less expensive and less corrosion-resistant than Type 304 stainless steel. Not recommended for coastal applications.

PLAIN SHANK - PAINTED

STOCK NUMBERS PLAIN SHANK	LENGTH	PENNY SIZE	DIAMETER	HEAD	APPROXIMATE NAILS / LB.	PRICE 1 LB BOX
CST2*	1"	2d	.072"	3/16"	760	Call for pricing
CST3	1 1/4"	3d	.072"	3/16"	615	Call for pricing

*8252 white only

RING SHANK - PAINTED

STOCK NUMBERS RING SHANK	LENGTH	PENNY SIZE	DIAMETER	HEAD	APPROXIMATE NAILS / LB.	PRICE 1 LB BOX
CST2A*	1"	2d	.072"	3/16"	760	Call for pricing
CST3A	1 1/4"	3d	.072"	3/16"	615	Call for pricing

*8252 white only

(25) 1-lb boxes per master.

Note: A \$.50 per pound up-charge after discount applies to trim nails ordered in less than full master cartons and/or nails requiring custom labels.

8252	9573	9606, 9526, 9707, 9678	9668, 9600, 9595, 9645	9770, 9560, 9758	8030	8011	9749	9511
9654, 9753	9541, 9746, 9729	9512	9607, 9613	9538, 9653	9695	9766	9559, 9514, 9675	9550
9658	9519	9588	9713, 9532	9727	1168, 9556	9769	1179	9776
9711	1194	9572, 9596	5053	9587	9702	9747, 9561	9605	9690
9552	9579	9742	9586	5082	5083	9720	0165	9812
9505	9615	5052	5054	5056	9820	9737	9513, 9637	9811
9528	9536	9698	9546	2101, 9704	9568	9503	1096, 9554	9687
9521	1177	0336 (Copper)	9718	9569	9733	7527	9735	0003

◀ **NOTE:** Actual paint colors may vary from the representations on the chart shown. This color chart only applies to Maze Stainless Steel Trim Nails.

See www.mazenails.com/resources/painted-nail-colors for details on color matches and painted color availability by nail type.

Call us for a helpful color chart! This makes color matches easy... 800.435.5949!

We match virtually all leading brands of painted trim coil!

ALUMINUM PAINTED TRIM NAILS

Our quality paint finish is a special baking enamel – for fine durability. Made from .101" wire, with 3/16" flat heads. Available in white and brown finish only.

PLAIN SHANK - PAINTED

STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 1 LB
AT38252 (WHITE)	1 1/4"	.101"	3/16"	1040	\$18.40
AT31177 (BROWN)	1 1/4"	.101"	3/16"	1040	\$18.40

(25) 1-lb boxes per master.

Note: A \$.50 per pound up-charge applies to trim nails ordered in less than full master cartons and/or nails requiring custom labels.

HAND-DRIVEN NAILS FOR GUTTERS AND TRIM

DOUBLE HOT-DIPPED GALVANIZED GUTTER SPIKES

Ideal for aluminum, galvanized & vinyl gutters. The extra-thick **STORMGUARD®** zinc-coating will not react with aluminum. Strong, steel-core spikes drive better than aluminum spikes. For best results, spikes should be driven into rafters or trusses, not only into fascia. Minimum 1 spike every 24". Checkered heads enhance paint adhesion. Add \$63.70 per 50-lbs. for painting. *These items available from stock in WHITE.

LIFETIME WARRANTY!

PLAIN SHANK



STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB
T364	7"	3/16"	7/16"	16	\$232.50
T365	8"	3/16"	7/16"	14	\$222.52
T366	8"	1/4"	9/16"	8	\$228.52
T368	9"	1/4"	9/16"	7	\$228.87
T369	10"	1/4"	9/16"	6.5	\$227.07

LIFETIME WARRANTY!

RING SHANK



STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB
XT650A	6 1/2"	3/16"	7/16"	18	\$261.03
XT658A	6 5/8"	3/16"	7/16"	17	\$266.82
T364A*	7"	3/16"	7/16"	16	\$241.47
XT750A	7 1/2"	3/16"	7/16"	15	\$250.13
T365A*	8"	3/16"	7/16"	14	\$247.32
T366A	8"	1/4"	9/16"	8	\$247.09
T368A	9"	1/4"	9/16"	7	\$238.70
T369A	10"	1/4"	9/16"	6.5	\$242.99
ZL3691A	11"	1/4"	9/16"	6.2	\$294.00
ZL3692A	12"	1/4"	9/16"	5.8	\$308.30

Stocked in 50-lb Bulk Cartons.

ALUMINUM GUTTER FERRULES

Packed 500 pieces per box, these quality ferrules are made from .013" gauge aluminum. The 5" ferrules are commonly used with 7" spikes.



STOCK NUMBERS	LENGTH	GAUGE	WEIGHT PER BOX	PRICE PER BOX
AF5	5"	.013"	5 LBS.	\$54.30

DOUBLE HOT-DIPPED GALVANIZED GUTTER HANGER NAILS


These spiral shank nails are specially threaded so they drive well and hold tight. Their **STORMGUARD®** Double Hot-Dipped Zinc-Coating ensures excellent long-term rust protection.



LIFETIME WARRANTY!

STOCK NUMBERS SPIRAL SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB	5 LB
GH6S	2"	.120"	9/32"	137	\$232.39	—
XR175S	2"	.135"	5/16"	109	\$234.10	—
ARD200148Z	2"	.148"	9/32"	104	\$274.80	—
ARD250148Z	2 1/2"	.148"	9/32"	74	\$256.10	—
GH8S	2 1/2"	.120"	9/32"	111	\$225.20	\$25.40

Stocked in 50-lb Bulk Cartons Unless Otherwise Specified.
(6) 5-lb boxes per master.



DOUBLE HOT-DIPPED GALVANIZED GENERAL PURPOSE RING SHANK NAILS

These **STORMGUARD®** Double Hot-Dipped Galvanized Nails that were originally designed for asbestos siding should be obsolete! However, our customers have found many other applications where extra holding power and dependable corrosion-resistance are desired. Checkered heads enhance paint adhesion. *These two lengths are stocked in 50-lb cartons in the M-61 White color. See "Garage Door Jamb Seal Nails" on page 22 for painted prices. Also available in other colors. **LIFETIME WARRANTY!**



RING SHANK

STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB	5 LB
S212A	1 1/4"	12 1/2	3/16"	304	\$260.17	—
S213A*	1 7/16"	12 1/2	3/16"	262	\$345.74	—
S214A*	1 3/4"	12 1/2	3/16"	220	\$341.34	\$35.60

ORDER AND PRICING INFORMATION:
Fax: 1-815-223-7585 • Toll-Free: 1-800-435-5949

HAND-DRIVEN NAILS FOR ROOFING

DOUBLE HOT-DIPPED GALVANIZED ASPHALT & FIBERGLASS SHINGLE NAILS



Designed for the secure application of asphalt and fiberglass shingles on new construction and re-roofing jobs. Ring and spiral shanks provide extra holding power, especially in high wind/hurricane areas. **STORMGUARD®** Double Hot-Dipped Zinc-Coating provides extra corrosion-resistance. Manufactured to meet ASTM spec. F1667 and ASTM spec. A-153 for Hot-Dipped Zinc-coating. Nails should be long enough to penetrate $\frac{3}{4}$ " into the wood deck lumber, or completely through plywood decking. Type 304

Stainless Steel Roofing Nails also available. **All Maze Nails are 100% Made in the U.S.A.** For Coil-ated® Shingle Nails see page 14. **LIFETIME WARRANTY!**



STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB	5 LB
R100	$\frac{7}{8}$ "	11	$\frac{3}{8}$ "	272	\$217.13	\$24.04
R101	1"	11	$\frac{3}{8}$ "	250	\$216.35	—
R102	$1\frac{1}{4}$ "	11	$\frac{3}{8}$ "	202	\$219.50	\$23.94
R103	$1\frac{1}{2}$ "	11	$\frac{3}{8}$ "	180	\$216.26	\$23.66
R104	$1\frac{3}{4}$ "	11	$\frac{3}{8}$ "	145	\$209.97	\$23.29
R105	2"	11	$\frac{3}{8}$ "	136	\$211.47	\$23.52
R107	$2\frac{1}{2}$ "	11	$\frac{3}{8}$ "	106	\$210.94	\$23.08

Many Maze **STORMGUARD®** Double Hot-Dipped Galvanized Ring Shank Roofing Nails are Miami Dade County Approved!



LIFETIME WARRANTY!



STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB	5 LB
R100A	$\frac{7}{8}$ "	11	$\frac{3}{8}$ "	272	\$249.24	—
R101A	1"	11	$\frac{3}{8}$ "	250	\$231.98	\$25.68
R102A	$1\frac{1}{4}$ "	11	$\frac{3}{8}$ "	202	\$228.81	\$26.34
R103A	$1\frac{1}{2}$ "	11	$\frac{3}{8}$ "	180	\$228.57	\$25.38
R104A	$1\frac{3}{4}$ "	11	$\frac{3}{8}$ "	145	\$225.50	\$24.91
R105A	2"	11	$\frac{3}{8}$ "	136	\$222.04	\$24.99
R107A	$2\frac{1}{2}$ "	11	$\frac{3}{8}$ "	106	\$221.57	\$24.23




LIFETIME WARRANTY!

STOCK NUMBERS SPIRAL SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB
R103S	$1\frac{1}{2}$ "	11	$\frac{3}{8}$ "	180	\$236.29
R104S	$1\frac{3}{4}$ "	11	$\frac{3}{8}$ "	145	\$240.08
R105S	2"	11	$\frac{3}{8}$ "	136	\$229.50

All Nails Above Stocked in 50-lb Bulk Cartons Unless Otherwise Specified. (6) 5-lb boxes per master.

E.G. (ELECTRO-GALVANIZED) ROOFING NAILS

Due to popular demand, Maze now makes e.g (electro-galvanized) roofing nails. These roofing nails are 100% Made in the USA, and meet the criteria of the "Buy American Act." Plain shank. For Coil-ated® shingle nails, see page 14.



STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB
R102ZP	$1\frac{1}{4}$ "	.120"	$\frac{3}{8}$ "	212	\$207.53

INSULATION ROOF DECK/RIDGE VENT NAILS

These extra-long "Asphalt Shingle Nails" are designed for the application of structural roof deck to wood trusses or rafters. Also great for application of shingles over rigid foam insulation into roof decking and for the installation of "ridge vents". Large heads prevent pull-through. Ring shanks provide exceptional holding power. **STORMGUARD®** Double Hot-Dipped Galvanized.



**PLAIN SHANK
LIFETIME WARRANTY!**

STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB
R159	3"	10	$\frac{3}{8}$ "	72	\$202.79
R1591	$3\frac{1}{2}$ "	10	$\frac{3}{8}$ "	62	\$197.17
R1592	4"	9	$\frac{13}{32}$ "	46	\$201.80
R1593	$4\frac{1}{2}$ "	9	$\frac{13}{32}$ "	40	\$185.87



RING SHANK

STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB	5 LB
XR109A	3"	11	$\frac{3}{8}$ "	89	\$234.00	—
R159A	3"	10	$\frac{3}{8}$ "	72	\$215.96	\$24.90
R1591A	$3\frac{1}{2}$ "	10	$\frac{3}{8}$ "	62	\$210.84	—
R1593A	$4\frac{1}{2}$ "	9	$\frac{13}{32}$ "	40	\$246.41	—
R1595A	$5\frac{1}{2}$ "	7	$\frac{13}{32}$ "	23	\$246.53	—

All Nails Above Stocked in 50-lb Bulk Cartons Unless Otherwise Specified. (6) 5-lb boxes per master.

***NOTE: For aluminum ring shank asphalt shingle nails, see aluminum nails on page 17.

**MIAMI-DADE COUNTY
APPROVED**

APPROVED

- Maze **STORMGUARD®** Double Hot-Dipped Galvanized Smooth & Ring Shank Roofing Nails are "Miami Dade County Product Control Approved."
- Maze **STORMGUARD®** Nails withstood and exceeded the ASTM G85 test protocol required for Miami Dade County.
- Maze **STORMGUARD®** Ring Shank Nails provide more than twice the holding power of plain shank nails.
- Maze **STORMGUARD®** Roofing Nails meet the 2021 International Building Code 1507.2.6 and comply with ASTM F1667.

Miami Dade County, Florida NOA (Notice of Acceptance) No: 16-0712.06 Expiration Date: 08.17.26

HAND-DRIVEN NAILS FOR ROOFING

STAINLESS STEEL (304) PLAIN SHANK NAILS FOR ROOFING

These nails are made from highly corrosion-resistant Type 304 Stainless Steel for outstanding rust-protection. The strong shanks drive with ease.




PLAIN SHANK

STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 25 LB
SSRFG5	1 3/4"	11	3/8"	167	\$313.69
SSRFG6	2"	11	3/8"	148	\$313.78
SSRFG8	2 1/2"	11	3/8"	120	\$309.80

Stocked in 25-lb Bulk Cartons.

STAINLESS STEEL (304) RING SHANK NAILS FOR ROOFING

These nails are made from highly corrosion-resistant Type 304 Stainless Steel for outstanding rust-protection. The strong shanks drive with ease and the ring shanks ensure excellent holding power. For coil nails, see page 14.



RING SHANK

STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 25 LB
SSRFG3A	1 1/4"	11	3/8"	226	\$331.99
SSRFG4A	1 1/2"	11	3/8"	194	\$330.90
SSRFG5A	1 3/4"	11	3/8"	167	\$335.59
SSRFG6A	2"	11	3/8"	148	\$323.50
SSRFG8A	2 1/2"	11	3/8"	120	\$330.22

Stocked in 25-lb Bulk Cartons.



COPPER SLATING & FLASHING NAILS

These solid copper nails are the type recommended for use with many major brands of tile and slate roofing – and are the most compatible nails for use with copper flashing. The full 3/8" head gives good bearing pressure on roofing and flashing material. Diamond point and smooth shank make driving easy.



PLAIN SHANK

STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 25 LB	5 LB
CU100	1"	10	3/8"	194	— Call for pricing —	
CU125	1 1/4"	10	3/8"	158	— Call for pricing —	
CU150	1 1/2"	10	3/8"	133	— Call for pricing —	
CU175	1 3/4"	10	3/8"	115	— Call for pricing —	
CU200	2"	10	3/8"	102	— Call for pricing —	
CU250	2 1/2"	10	3/8"	83	— Call for pricing —	
CU300	3"	10	3/8"	70	— Call for pricing —	

Stocked in 25-lb Bulk Cartons (6) 5-lb boxes per master.

COPPER SLATING & FLASHING NAILS

These solid copper nails are the type recommended for use with many major brands of tile and slate roofing – and are the most compatible nails for use with copper flashing. The full 3/8" head gives good bearing pressure on roofing and flashing material. Diamond point makes driving easy. Ring shank holds tight.



RING SHANK

STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 25 LB	5 LB
CU100A	1"	10	3/8"	194	— Call for pricing —	
CU125A	1 1/4"	10	3/8"	158	— Call for pricing —	
CU150A	1 1/2"	10	3/8"	133	— Call for pricing —	
CU175A	1 3/4"	10	3/8"	115	— Call for pricing —	
CU200A	2"	10	3/8"	102	— Call for pricing —	
CU250A	2 1/2"	10	3/8"	83	— Call for pricing —	
CU300A	3"	10	3/8"	70	— Call for pricing —	

Stocked in 25-lb Bulk Cartons (6) 5-lb boxes per master.



CEDAR SHAKE & SHINGLE ROOFING NAILS

DOUBLE HOT-DIPPED GALVANIZED CEDAR SHINGLE AND SHAKE NAILS

Maze **STORMGUARD** Plain and Ring Shank Cedar Shake and Shingle Nails are Double Hot-Dipped Galvanized – which conform to ASTM Standard A153, Class D and conform to the nail specifications of the Cedar Shake and Shingle Bureau for non-saltwater areas. These slender, stiff nails resist splitting, bending and effectively resist rust. Nails should be long enough to penetrate sheathing at least 3/4". Use only two nails per shake or shingle approximately 3/4" from edge and 1 1/2" above the butt line of the next course. Nails should be driven flush, but not so far that the nail head crushes the wood. Excellent for typical, non-coastal (over 15 miles from salt-water) residential applications **not** utilizing pressure-impregnated preservative or fire-retardant treatments. Check with treater for current, specific fastener requirements. Type 316 Stainless Steel nails (below) must be used in those severe conditions.



PLAIN SHANK
LIFETIME WARRANTY!

STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE		
					50 LB	5 LB	1 LB
R112	1 1/4"	14	7/32"	470	\$229.94	\$25.43	\$7.38
R113	1 1/2"	14	7/32"	396	\$223.64	\$24.63	\$7.23
R114	1 3/4"	14	7/32"	342	\$216.77	\$24.37	\$6.88
R115	2"	13	1/4"	232	\$208.59	\$23.65	\$5.20
R116	2 1/4"	13	1/4"	211	\$220.34	\$24.34	—
R117	2 1/2"	13	1/4"	163	\$246.94	—	—



RING SHANK
LIFETIME WARRANTY!

STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE	
					50 LB	5 LB
R113A	1 1/2"	14	7/32"	396	\$297.21	\$33.85
R114A	1 3/4"	14	7/32"	342	\$287.51	—
R115A	2"	13	1/4"	232	\$258.48	—
R116A	2 1/4"	13	1/4"	211	\$252.35	—

Shipped in Standard 50-lb Bulk Cartons Unless Otherwise Specified. (6) 5-lb boxes per master. (12) 1-lb boxes per master.

STAINLESS STEEL (316) CEDAR SHINGLE AND SHAKE NAILS

Top-quality Type 316 STAINLESS STEEL Ring Shank Cedar Shake and Shingle Nails are ideal for the dependable application of cedar shakes and shingles. Mandatory within 15 miles of salt water areas as per the Cedar Shake and Shingle Bureau (www.cedarbureau.org) – and for applying pressure-impregnated preservative or fire-retardant treated shakes and shingles. (Check with treater for specific fastener requirements.) Type 316 Stainless Steel produces the most corrosion-resistant nails available – for a lifetime of worry-free service.




RING SHANK

STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE
					25 LB
SSR112A	1 1/4"	14	7/32"	470	\$376.76
SSR113A	1 1/2"	14	7/32"	428	\$389.27
SSR114A	1 3/4"	14	7/32"	337	\$369.72
SSR115A	2"	13	7/32"	237	\$383.32

Shipped in Standard 25-lb Bulk Cartons.

STAINLESS STEEL (316) 15° COIL-ATED® NAILS

Top-quality Type 316 STAINLESS STEEL Ring Shank Cedar Shake and Shingle Nails are ideal for the dependable application of cedar shakes and shingles. Mandatory within 15 miles of salt water areas as per the Cedar Shake and Shingle Bureau (www.cedarbureau.org) – and for applying pressure-impregnated preservative or fire-retardant treated shakes and shingles. (Check with treater for specific fastener requirements.) Type 316 Stainless Steel produces the most corrosion-resistant nails available – for a lifetime of worry-free service. **200 nails per coil. 16 coils per carton.** Compatible tools listed on page 11.




RING SHANK

STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	NAILS/CTN.	LBS/CTN.	PRICE PER CARTON
CLSSCEM113A316	1 1/2"	.099"	.219"	3,200	13	\$303.20
CLSSCEM115A316	2"	.099"	.219"	3,200	15	\$339.05
CLSSCEM117A316	2 1/2"	.099"	.219"	3,200	17	\$357.04

DOUBLE HOT-DIPPED GALVANIZED 15° COIL-ATED® NAILS

(15° Coil-ated® Nails for Cedar Shakes & Shingles)

MAZE **STORMGUARD** Double Hot-Dipped Galvanized Nails are recommended by the Cedar Shake and Shingle Bureau. These coil nails, along with Maze bulk & collated stick nails are **"the right nails for the job"**! 200 nails per coil.




PLAIN SHANK

STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	NAILS/CTN.	LBS/CTN.	PRICE PER CARTON
CLCEM115	2"	.095"	.219"	3,200	15	\$148.96
CLCEM116	2 1/4"	.095"	.219"	3,200	16	\$155.21
CLCEM117	2 1/2"	.095"	.219"	3,200	17	\$158.46
CLCEM119*	3"	.095"	.219"	2,400	16	\$150.41

*3" length can only be driven with Hitachi NV75AG, NV75AN and Bostitch N75C-1 tools.

MAZE **STORMGUARD** Double Hot-Dipped Galvanized Nails are recommended by the Cedar Shake and Shingle Bureau. These coil nails, along with Maze bulk & collated stick nails are **"the right nails for the job"**! 200 nails per coil.



RING SHANK

STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	NAILS/CTN.	LBS/CTN.	PRICE PER CARTON
CLCEM113A	1 1/2"	.095"	.219"	3,200	13	\$152.51
CLCEM115A	2"	.095"	.219"	3,200	15	\$160.62
CLCEM116A	2 1/4"	.095"	.219"	3,200	16	\$167.91
CLCEM117A	2 1/2"	.095"	.219"	3,200	17	\$173.31
CLCEM119A*	3"	.095"	.219"	2,400	16	\$169.47

*3" length can only be driven with Hitachi NV75AG, NV75AN and Bostitch N75C-1 tools. For Stainless Steel Coils, see page 13.

WASHER NAILS FOR METAL ROOFING



Photo courtesy of Jack Walters & Sons Corporation

DOUBLE HOT-DIPPED GALVANIZED FLAT RUBBER WASHER NAILS

Widely used for fastening corrugated metal roofing and siding. Also popular for aluminum and fiberglass products. These **STORMGUARD®** Nails are double dipped in molten zinc after threading so no raw steel is exposed. EPDM rubber washers seal nail holes. Ring shanks hold tight. Available from stock in many popular colors. Call for availability. For painted nail adders, see page 3. Non-stocked colors require a minimum order of 200-lbs. per size and color and 50-lb. increments beyond. Most manufacturers recommend minimum nail penetration of 1" into purlin or girt. **LIFETIME WARRANTY!**



Washer size: .375" OD x .135" ID x .090" THICK

RING SHANK

STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE		
					50 LB	5 LB	1 LB
R163AF	1 1/2"	10	3/8"	126	\$278.08	\$29.85	—
R164AF	1 3/4"	10	3/8"	111	\$271.31	\$29.47	\$6.46
R165AF	2"	10	3/8"	100	\$267.93	\$29.32	—
R166AF	2 1/4"	10	3/8"	91	\$270.51	—	—
R167AF	2 1/2"	10	3/8"	82	\$277.97	\$28.12	—
R169AF	3"	10	3/8"	70	\$247.65	—	—
R1693AF	4 1/2"	9	13/32"	39	\$283.15	—	—

Shipped in Standard 50-lb Bulk Cartons Unless Otherwise Specified. (6) 5-lb boxes per master. (12) 1-lb boxes per master.



Photo courtesy of Wick Buildings

DOUBLE HOT-DIPPED GALVANIZED "FAT-HEAD"® GRAY SILICONE WASHER NAILS

These gray silicone washers are twice as thick as our black EPDM washers. The extra resiliency allows them to seal the nail hole even if not driven at a right angle to the sheet. Do not overdrive! Washer should just begin to "balloon" under the nail head, but not bulge over nail head. Most Metal Roofing manufacturers recommend minimum nail penetration of at least 1" into purlin. These **STORMGUARD®** nails are double-dipped in molten zinc. **LIFETIME WARRANTY!**



RING SHANK

Washer size: .300" OD x .145" ID x .200" THICK

STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE	
					50 LB	5 LB
R163FH	1 1/2"	10	13/32"	119	\$320.13	—
R164FH	1 3/4"	10	13/32"	107	\$310.10	—
R165FH	2"	10	13/32"	96	\$299.61	\$33.55
R166FH	2 1/4"	10	13/32"	89	\$294.10	—
R167FH	2 1/2"	10	13/32"	79	\$286.70	—
R169FH	3"	10	13/32"	69	\$284.66	—
R1691FH	3 1/2"	10	13/32"	60	\$300.36	—

QUANTITIES COMMONLY USED - 100 nails per square

Shipped in Standard 50-lb Bulk Cartons Unless Otherwise Specified. (6) 5-lb boxes per master.



PAINTED NAILS AVAILABLE TO MATCH MANY INDUSTRY MANUFACTURERS OF METAL ROOFING AND SIDING!



Photo courtesy of Morton Buildings, Inc.

HAND-DRIVEN POST AND FRAMING NAILS ("POLE BARN" NAILS)

100% American-made "Pole Barn" Nails are strong & dependable. Sharp ring and spiral shanks provide excellent holding power in fastening posts, timbers, trusses, girts, purlins, etc. Oil-quench hardened nails drive well without breaking. Most sizes of stiff stock nails available in **STORMGUARD®** Double Hot-Dipped Zinc-Coated finish. See "PTL" Nails on page 20 for hand-driven and page 7 for collated. Most sizes of oil-quench hardened nails are also available Double Hot-Dipped Galvanized. See page 30.



Photo courtesy of Thomsen Construction

POST-FRAME RING SHANK NAILS

These stiff-stock and oil-quench hardened nails comply with the **ASTM Standard Specification F1667** Table 45, Type 1, Style 30 Post-Frame Ring Shank Nails. Sharp ring shanks provide excellent holding power in posts, trusses and timbers. **Safety glasses are required when driving hardened nails.**



RING SHANK

STOCK NUMBERS STIFF - RING	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB
521A	2 1/2"	11	9/32"	115	\$187.66
523A	3"	10	19/64"	78	\$179.83
525A	3 1/2"	9	5/16"	57	\$182.71
526A	4"	7	3/8"	35	\$176.57
527A	4 1/2"	7	3/8"	30	\$179.27
528A	5"	5 1/2	15/32"	23	\$167.69
530A	6"	5 1/2	15/32"	17	\$167.59
532A	7"	5 1/2	15/32"	16	\$166.30
534A	8"	5 1/2	15/32"	14	\$164.26

STOCK NUMBERS HARDENED - RING	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB	5 LB
H521A	2 1/2"	11	9/32"	115	\$209.90	—
H523A	3"	10	19/64"	78	\$208.45	\$23.94
H524A	3 1/4"	10	19/64"	73	\$199.92	—
H525A	3 1/2"	9	5/16"	57	\$205.69	\$23.39
H526A	4"	7	3/8"	35	\$202.62	\$23.36
H527A	4 1/2"	7	3/8"	30	\$200.54	\$23.63
H528A	5"	5 1/2	15/32"	23	\$184.28	\$21.85
H678A	5"	7	3/8"	26	\$203.32	—
H530A	6"	5 1/2	15/32"	17	\$191.24	\$29.05
H680A	6"	7	3/8"	22	\$200.73	\$25.20
H532A	7"	5 1/2	15/32"	16	\$259.53	—
H534A	8"	5 1/2	15/32"	14	\$257.00	—

Shipped in Standard 50-lb Bulk Cartons Unless Otherwise Specified. (6) 5-lb boxes per master.

POST-FRAME SPIRAL SHANK NAILS

Spiral shanks hold well and greatly assist in preventing racking of nailed truss and post members. Stiff stock or hardened. **Safety glasses required when driving hardened nails.** Also excellent for common nail applications.



SPIRAL SHANK

STOCK NUMBERS STIFF - SPIRAL	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB
523S	3"	10	19/64"	78	\$179.86
525S	3 1/2"	9	5/16"	57	\$177.02
526S	4"	7	3/8"	35	\$177.74
527S	4 1/2"	7	3/8"	30	\$181.10
528S	5"	5 1/2	15/32"	23	\$161.37
530S	6"	5 1/2	15/32"	17	\$173.95

STOCK NUMBERS HARDENED - SPIRAL	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB	5 LB
H521S	2 1/2"	11	9/32"	115	\$214.20	\$25.00
H523S	3"	10	19/64"	78	\$211.88	\$24.28
H524S	3 1/4"	10	19/64"	73	\$205.16	—
H525S	3 1/2"	9	5/16"	57	\$209.92	\$24.46
H526S	4"	7	3/8"	35	\$200.25	—
H527S	4 1/2"	7	3/8"	30	\$201.38	—
H528S	5"	5 1/2	15/32"	23	\$185.78	—
H530S	6"	5 1/2	15/32"	17	\$187.85	—

Shipped in Standard 50-lb Bulk Cartons Unless Otherwise Specified. (6) 5-lb boxes per master.



Maze-Sponsored Nail Pounding Contest at the Annual NFBA Expo. Experienced builders only want to use the best nails at a pounding contest – MAZE!

ORDER AND PRICING INFORMATION • Fax: 1-815-223-7585 • Toll-Free: 1-800-435-5949

HAND-DRIVEN POST AND FRAMING NAILS

Photo courtesy of Cleary Building Corporation



STAINLESS STEEL (304) POST-FRAME NAILS FOR THE NEW TREATED LUMBER

These Type 304 stainless steel post-frame ring shank nails are recommended for the application of preservative-treated skirtboards. They are also excellent for other applications in severely corrosive environments. (Note: For maximum protection, Type 316 stainless steel nails are available on page 20.)



RING SHANK

STOCK NUMBER RING SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 25 LB	5 LB
XSST447A	2 1/2"	11	9/32"	119	\$294.19	\$68.58
XSST449A	3"	10	19/64"	83	\$279.30	\$67.49
XSST4491A	3 1/2"	9	5/16"	58	\$281.93	\$67.25
XSST4492A	4"	7	3/8"	35	\$275.14	\$66.55
XSST4494A	5"	5 1/2	15/32"	23	\$286.41	\$64.03
XSST4496A	6"	5 1/2	15/32"	17	\$284.20	—

Shipped in Standard 25-lb Bulk Cartons. (6) 5-lb boxes per master.

STAINLESS STEEL (304) FIBERGLASS LINER PANEL NAILS

For applying fiberglass reinforced plastic laminated panels for walls, ceilings, dividers and floors. These Type 304 stainless steel nails are ideal for corrosive environments such as agricultural confinement buildings, warehouses, swimming pools and dairy operations.



RING SHANK

STOCK NUMBER RING SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB
SS175135A	1 3/4"	.135"	9/32"	136	\$560.30

Stocked in 50-lb Bulk Cartons. \$10.00 broken carton charge applies to any increment of less than a full 50 lb carton.

STORMGUARD® HOT-DIPPED AND HARDENED POST & TRUSS NAILS

These spiral shank nails are **STORMGUARD®** Double Hot-Dipped Galvanized after threading and hardening - and drive much better than regular commons with fewer wood splits. The superior Hot-Dipped Zinc-coating, recommended for pressure treated lumber, is especially popular in post-frame construction. Spiral shank is preferred by many builders.

Safety glasses required when driving hardened nails.



SPIRAL SHANK

STOCK NUMBERS HOT-DIPPED/HARD	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB	5 LB
TH449S	3"	10	19/64"	75	\$280.46	—
TH4490S	3 1/4"	10	19/64"	70	\$273.54	—
TH4491S	3 1/2"	9	5/16"	54	\$280.34	—
TH4492S	4"	7	3/8"	33	\$260.83	\$32.15

Shipped in Standard 50-lb Bulk Cartons Unless Otherwise Specified. (6) 5-lb boxes per master.

WARNING: WEAR SAFETY GLASSES WHEN DRIVING NAILS – ESPECIALLY HARDENED NAILS!

STORMGUARD® HOT-DIPPED AND HARDENED POST-FRAME NAILS

These ring shank nails are **STORMGUARD®** Double Hot-Dipped Galvanized after threading and hardening. They are recommended for the application of skirtboards and other components treated with the new wood preservatives. They comply with the **ASTM Standard Specification F1667** for Post-Frame Ring Shank nails.

Safety glasses required when driving hardened nails.



RING SHANK

STOCK NUMBERS HOT-DIPPED/HARD	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB	5 LB
TH447A	2 1/2"	11	9/32"	111	\$298.56	—
TH449A	3"	10	19/64"	75	\$259.98	\$28.83
TH4491A	3 1/2"	9	5/16"	54	\$248.57	\$27.57
TH4492A	4"	7	3/8"	33	\$248.17	\$27.22
TH4493A	4 1/2"	7	3/8"	29	\$246.51	—
TH4495A	5"	7	3/8"	24	\$243.50	—
TH4497A	6"	7	3/8"	21	\$245.20	—
TH4498A	8"	5 1/2	15/32"	14	\$313.55	—

Shipped in Standard 50-lb Bulk Cartons Unless Otherwise Specified. (6) 5-lb boxes per master.


ORDER AND PRICING INFORMATION • Fax: 1-815-223-7585 • Toll-Free: 1-800-435-5949

HAND-DRIVEN SPECIALTY NAILS & SPIKES



LOG HOME SPIKES - PLAIN SHANK

Heavy gauge plain shank spikes are ideal for log home construction, securing landscape timbers, or wherever a sturdy, long spike is required. Available bright or **STORMGUARD®** (Double Hot-Dipped Galvanized).



PLAIN SHANK

STOCK NUMBERS BRIGHT - PLAIN SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB
L8	8"	3/8"	1 1/16"	4.1	\$176.71
L10	10"	3/8"	1 1/16"	3.2	\$185.28
L12	12"	3/8"	1 1/16"	2.7	\$164.79

STOCK NUMBERS STORMGUARD® - PLAIN SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB
ZL8	8"	3/8"	1 1/16"	3.7	\$234.24
ZL10	10"	3/8"	1 1/16"	2.9	\$245.09
ZL12	12"	3/8"	1 1/16"	2.5	\$253.65

Shipped in Standard 50-lb Bulk Cartons.

LOG HOME SPIKES - RING SHANK

These spikes are the same style as those above, but with ring shanks, which increase holding power. **STORMGUARD®** (Double Hot-Dipped Galvanized).



RING SHANK

STOCK NUMBERS STORMGUARD® - RING SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB
ZL8A	8"	3/8"	1 1/16"	3.7	\$249.98
ZL10A	10"	3/8"	1 1/16"	2.9	\$255.44
ZL12A	12"	3/8"	1 1/16"	2.5	\$271.96

Shipped in Standard 50-lb Bulk Cartons.

"SKINNY SPIKES®" - RING SHANK

These 1/4" diameter ring shank spikes give a higher nail count per pound than 3/8" spikes. The thinner diameter drives easier and helps to reduce wood splits. Available bright or **STORMGUARD®** (Double Hot-Dipped Galvanized).

RING SHANK



STOCK NUMBERS BRIGHT - RING	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB
L368A	9"	1/4"	9/16"	7.9	\$182.43
L369A	10"	1/4"	9/16"	7.2	\$202.84

STOCK NUMBERS STORMGUARD® - RING	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB
T368A	9"	1/4"	9/16"	7.2	\$238.70
T369A	10"	1/4"	9/16"	6.5	\$242.99
ZL3691A	11"	1/4"	9/16"	6.0	\$294.00
ZL3692A	12"	1/4"	9/16"	5.4	\$308.30

Shipped in Standard 50-lb Bulk Cartons.



MASONRY NAILS - HEAVY DUTY - PLATED

These heavy-duty, fluted masonry nails are made from hardened steel - and are zinc plated. Widely used for nailing down various traffic products into asphalt and gravel ... or wherever a highly durable, rust-resistant nail is needed for a tough application. The fluted shank holds tight and the strong, hardened nails drive well.



FLUTED SHANK

STOCK NUMBERS PLATED - FLUTED SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB
VTRGG6P	2"	.250"	9/16"	35	\$290.00
VTRGG8P	2 1/2"	.250"	9/16"	28	\$277.80
VTRGG16P	3 1/2"	.250"	9/16"	19	\$277.70

Shipped in Standard 50-lb Bulk Cartons.

ORDER AND PRICING INFORMATION • Fax: 1-815-223-7585 • Toll-Free: 1-800-435-5949

HAND-DRIVEN SPECIALTY NAILS & SPIKES

5/16" BRIDGE SPIKES

These heavy duty spikes are designed for tough jobs, such as landscape timbers, railroad ties & bridge construction. Available **STORMGUARD®** Double Hot-Dipped Galvanized if they will be exposed to weather or driven into pressure-treated lumber.



PLAIN SHANK

STOCK NUMBERS BRIGHT - PLAIN SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB BOX
*X700313 Bright	7"	5/16"	9/16"	6.7	\$186.84

STOCK NUMBERS STORMGUARD® - PLAIN SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB BOX
XT700313Z Hot-Dipped	7"	5/16"	9/16"	6.1	\$240.10
XT800313Z Hot-Dipped	8"	5/16"	9/16"	5.3	\$245.05



RING SHANK

STOCK NUMBERS BRIGHT - RING SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB BOX
*X700313A Bright	7"	5/16"	9/16"	6.7	\$218.10
*X800313A Bright	8"	5/16"	9/16"	5.8	\$203.55

STOCK NUMBERS STORMGUARD® - RING SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB BOX
XT700313AZ Hot-Dipped	7"	5/16"	9/16"	6.1	\$255.10
XT800313AZ Hot-Dipped	8"	5/16"	9/16"	5.3	\$254.70

*Not galvanized

Stocked in 50-lb Bulk Cartons.

ARDOX® SPIRAL SPIKES

These are ideal for landscape timbers and log home construction. Ardox® shanks hold tight. Available in **STORMGUARD®** Double Hot-Dipped Galvanized and Bright finish.



STOCK NUMBERS BRIGHT - SPIRAL SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB
*ARD7	7"	5/16"	9/16"	7	\$237.33
*ARD8	8"	5/16"	9/16"	6.1	\$249.65
*ARD10	10"	5/16"	9/16"	5.0	\$275.94
*ARD12	12"	5/16"	9/16"	4.1	\$316.39

STOCK NUMBERS STORMGUARD® - SPIRAL SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB
ARD8Z	8"	5/16"	9/16"	5.6	\$324.09
ARD10Z	10"	5/16"	9/16"	4.5	\$357.79
ARD12Z	12"	5/16"	9/16"	3.7	\$396.68

Ardox® is a registered trademark of Stelwire Ltd.

*Not galvanized

Stocked in 50-lb Bulk Cartons.

PALLET NAILS - SPIRAL SHANK

Designed for the construction and repair of wood pallets. These spiral shank nails are also good for re-nailing wagon beds and trailers.



SPIRAL SHANK

STOCK NUMBERS STIFF - SPIRAL SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB
S14	1 1/2"	11	9/32"	188	\$298.00
S16	2"	11	9/32"	144	\$287.40
S17	2 1/4"	11	9/32"	130	\$285.64
S18	2 1/2"	11	9/32"	115	\$278.10

STOCK NUMBERS HARDENED - SPIRAL SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB
HS16	2"	11	9/32"	144	\$307.40

Stocked in 50-lb Bulk Cartons.

FOUNDRY NAILS

These slim shank nails are widely used in foundries for fastening forms. They are also handy nails for other construction purposes.



Bright finish
PLAIN SHANK

STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB
XFN300135	3"	10	3/8"	77	\$178.83
XFN400135	4"	10	3/8"	58	\$184.17

STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 25 LB
XFN500135	5"	10	3/8"	47	\$94.13
XFN600135	6"	10	3/8"	40	\$93.33
XFN800135	8"	10	3/8"	35	\$89.65

PAN NAILS

Ideal for securing metal pans in place for poured concrete structures. Ring Shanks hold tight; large head ensures reliable hold.



RING SHANK

STOCK NUMBER RING SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB
X150148A	1 1/2"	.148"	7/16"	118	\$212.02

Stocked in 50-lb Bulk Cartons.




BE SAFE! USE SAFETY GLASSES WHENEVER DRIVING ANY NAILS

ORDER AND PRICING INFORMATION • Fax: 1-815-223-7585 • Toll-Free: 1-800-435-5949

HAND-DRIVEN SPECIALTY NAILS

SQUARE-CAP® NAILS – STEEL HEAD

Originally designed for the application of roofing felt, these nails are also widely used for built-up roofing, rigid foam insulation, attaching sidewall curtains in poultry buildings and for general packaging and crating. Many contractors prefer driving these sturdy all-steel nails over plastic cap nails. Large 15/16" domed caps are securely



joined to sturdy ring shanks. Excellent holding power. Please note sizes available in Zinclad® (Hot-Dipped Galvanized) for dependable corrosion-resistance.

RING SHANK

STOCK NUMBERS BRIGHT-RING SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 25 LB
853A	3/4"	11	15/16"	91	\$149.44
854A	7/8"	11	15/16"	89	\$144.04
855A	1"	11	15/16"	86	\$147.25
856A	1 1/4"	11	15/16"	82	\$144.56
857A	1 1/2"	11	15/16"	78	\$139.16
858A	1 3/4"	11	15/16"	68	\$140.10
859A	2"	11	15/16"	64	\$138.89

MANY SIZES AVAILABLE WITH A ROUND METAL CAP – CALL FOR DETAILS.


Zinclad® (Hot-Dipped Galvanized)

STOCK NUMBERS ZINCLAD®-RING SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 25 LB
855AZ	1"	11	15/16"	78	\$174.99
856AZ	1 1/4"	11	15/16"	75	\$173.64
857AZ	1 1/2"	11	15/16"	64	\$171.69
859AZ	2"	11	15/16"	57	\$169.49

Stocked in 25-lb Bulk Cartons only.

ONE-LEGGED FENCE STAPLES

These ring shank staples have excellent holding power, and are offered in bright steel or **STORMGUARD®** (Double Hot-Dipped Galvanized) finish.



The single leg makes it possible to start the staple in the post and then slip the wire into position with the other hand before driving the staple home.

RING SHANK

STOCK NUMBERS BRIGHT-RING SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB
F3	1 1/2"	9	1/2" crown	72	\$242.57
F4	1 3/4"	9	1/2" crown	61	\$233.02

STOCK NUMBER STORMGUARD®-RING SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB
SF4	1 3/4"	9	1/2" crown	58	\$275.65

TILE BACKERBOARD NAILS

These **STORMGUARD®** Double Hot-Dipped Galvanized spiral shank nails are recommended for installing backerboard in areas with high moisture content. (6) 5-lb. boxes per master.




SPIRAL SHANK

STOCK NUMBERS SPIRAL SHANK	LENGTH	GAUGE	HEAD	PRICE 5 LB
HD103S	1 1/2"	11	3/8"	\$26.44

ROUND-CAP® NAILS – STEEL HEAD

Originally designed for the application of roofing felt, these nails are also widely used for built-up roofing, rigid foam insulation, attaching sidewall curtains in poultry buildings and for general packaging and crating. Many contractors prefer driving these sturdy all-steel nails over plastic cap nails. Large 15/16" round caps are securely joined to sturdy ring shanks. Excellent holding power. Please note sizes available in Zinclad® (Hot-Dipped Galvanized) for dependable corrosion-resistance.



RING SHANK

STOCK NUMBERS BRIGHT-RING SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 25 LB
854AR	7/8"	11	15/16"	89	Call for pricing
855AR	1"	11	15/16"	86	Call for pricing
856AR	1 1/4"	11	15/16"	82	Call for pricing
857AR	1 1/2"	11	15/16"	78	Call for pricing
858AR	1 3/4"	11	15/16"	68	Call for pricing
859AR	2"	11	15/16"	64	Call for pricing

STOCK NUMBERS BRIGHT-RING SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 20 LB
861AR	2 1/2"	11	15/16"	58	Call for pricing
863AR	3"	11	15/16"	53	Call for pricing


Zinclad® (Hot-Dipped Galvanized)

STOCK NUMBERS ZINCLAD®-RING SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 25 LB
855ARZ	1"	11	15/16"	78	Call for pricing
856ARZ	1 1/4"	11	15/16"	75	Call for pricing
857ARZ	1 1/2"	11	15/16"	64	Call for pricing
859ARZ	2"	11	15/16"	57	Call for pricing

Stocked in 25-lb or 20-lb Bulk Cartons only.

PLASTIC-HED® YELLOW CAP NAILS

Maze Yellow Plastic-Hed® Cap Nails allow for more nails per pound than metal cap nails. Siding nails drive right through the Plastic-Hed® nail caps to eliminate bending problems often encountered when a skinny siding nail strikes a metal cap. The annular ring shank holds tight, and the plastic head eliminates damage to roofing felt, housewraps and foam insulation. **1" and 1 1/2" sizes also available in 304 stainless steel. SSPH03 and SSPH06 - 2,000-ct. box. Call for pricing.**



200-ct.

80 BOXES/SKID
2,000-ct.



3,000-ct. Bucket
48 BUCKETS/SKID

STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	LBS/ CTN	LBS/ BCKT	PRICE 200 CT	2000 CT	BUCKET 3000 CT
PH03	1"	12	15/16"	9	13	\$8.25	\$58.42	\$92.50
PH05	1 1/4"	12	15/16"	10	14	\$8.48	\$61.07	\$96.65
PH06	1 1/2"	12	15/16"	10	14	\$8.72	\$64.07	\$91.19**
PH08	2"	12	15/16"	12	—	—	\$71.77	—

*200-ct. boxes packed 6 per master. **These nails packed in 2500-count buckets.

HAND-DRIVEN SPECIALTY NAILS

CUT MASONRY NAILS - HARDENED STEEL

These Hardened Steel Cut Masonry nails, manufactured by Tremont Nail Co. in Massachusetts, established 1819, are ideal for attaching wood members to cinder block walls as well as to fresh concrete. The blunt point and tapered shank cause minimal spalling during penetration and offer even greater pull-out resistance than wire masonry nails. $\frac{3}{4}$ " penetration is recommended for satisfactory holding power. Also recommended for face-nailing hardwood flooring. **Use safety glasses when driving any**

hardened nails.



STOCK NUMBERS HARDENED	LENGTH	NAILS/LB	PRICE		
			50 LB	5 LB	1 LB
CMH4	1 1/2"	125	— Call for pricing —		
CMH6	2"	85	— Call for pricing —		
CMH8	2 1/2"	64	— Call for pricing —		
CMH10	3"	48	— Call for pricing —		
CMH16	3 1/2"	34	— Call for pricing —		

Shipped in Standard 50-lb Bulk Cartons Unless Otherwise Specified. (6) 5-lb boxes per master. (12) 1-lb boxes per master.

CUT MASONRY HOT-DIPPED GALVANIZED SILL PLATE NAILS


These nails are designed to attach treated wood sill plates to newly poured concrete. Please note: True Hot-Dipped Galvanizing reduces the temper of hardened square cut nails, so it is important that the nails are applied to "green" uncured concrete. Hot-Dipped Galvanized to specification ASTM A-153 to comply with building code requirements. **For best**

results, a drilling hammer is recommended.



STOCK NUMBERS HOT-DIPPED GALVANIZED	LENGTH	NAILS/LB	PRICE		
			50 LB	5 LB	1 LB
CMH8Z	2 1/2"	64	— Call for pricing —		
CMH10Z	3"	48	— Call for pricing —		

Shipped in Standard 50-lb Bulk Cartons Unless Otherwise Specified. (6) 5-lb boxes per master. (12) 1-lb boxes per master.



HARDWOOD TRIM NAILS

These slim diameter high performance Trim Nails are made from a high carbon steel wire to ensure good driving into Oak, Birch, Walnut and other Hardwoods. There are many more nails per pound than with ordinary finish nails - so they cost less to use. And, there are fewer wood splits!



Shipped in Standard 50-lb Bulk Cartons Unless Otherwise Specified. (6) 5-lb boxes per master. (12) 1-lb boxes per master.

STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE		
					50 LB	5 LB	1 LB
HT100	1"	.072"	7/64"	810	\$304.02	—	—
HT125	1 1/4"	.072"	7/64"	743	\$292.81	\$33.00	\$6.90
HT150	1 1/2"	.072"	7/64"	613	\$282.06	\$32.70	\$6.87
HT200	2"	.072"	7/64"	454	\$273.10	\$32.10	\$6.64
HT250	2 1/2"	.083"	1/8"	272	\$261.53	\$30.85	\$6.50

SINKER NAILS - COATED

Counter-sunk head sinks flush with surface; holds fast in framing permanent construction. Vinyl coated. Checkered countersunk head and diamond point.



STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE		
					50 LB	5 LB	1 LB
SINK8	2 3/8"	11 1/2	17/64"	153	\$157.24	\$20.33	\$4.40
SINK10	2 7/8"	11	9/32"	111	\$161.79	\$20.57	\$4.44
SINK12	3 1/8"	10	5/16"	81	\$165.69	\$20.85	\$4.43
SINK16	3 1/4"	9	11/32"	64	\$156.82	\$20.57	\$4.47

Shipped in Standard 50-lb Bulk Cartons Unless Otherwise Specified. (6) 5-lb boxes per master. (12) 1-lb boxes per master.

COMMON NAILS

Ideal for general construction, carpentry and framing. Bright finish. Flat head and diamond point.



STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE		
					50 LB	5 LB	1 LB
COM4	1 1/2"	12 1/2	1/4"	285	\$176.19	\$21.97	—
COM6	2"	11 1/2	17/64"	167	\$166.26	\$21.47	\$4.62
COM8	2 1/2"	10 1/4	9/32"	101	\$159.76	\$20.63	\$4.46
COM10	3"	9	5/16"	66	\$161.75	\$21.10	\$4.55
COM12	3 1/4"	9	5/16"	61	\$166.06	\$21.08	\$4.52
COM16	3 1/2"	8	11/32"	47	\$159.49	\$20.41	\$4.49
COM20	4"	6	13/32"	29	\$158.78	—	—
COM30	4 1/2"	5	7/16"	23	\$165.78	—	—
COM50	5 1/2"	3	1/2"	13	\$156.91	—	—
COM60	6"	2	17/32"	10	\$162.06	—	—

Shipped in Standard 50-lb Bulk Cartons Unless Otherwise Specified. (6) 5-lb boxes per master. (12) 1-lb boxes per master.

COMMON NAILS HOT-DIPPED GALVANIZED


Ideal for general construction, carpentry and framing. Flat head and diamond point.



STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE	
					50 LB	5 LB
XCOM8Z	2 1/2"	10 1/4	9/32"	98	\$223.01	—
XCOM10Z	3"	9	5/16"	60	\$222.09	—
XCOM16Z	3 1/2"	8	11/32"	43	\$220.15	—

DUPLEX NAILS

Double-headed nail driven into the wood up to the lower head. The second head remains exposed to allow easy pulling when temporary nailing project is completed.



*Length under lower head. **Distance between heads.

STOCK NUMBERS BRIGHT	SIZE	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE	
						50 LB	5 LB
DUP8	8d	2 1/4"	10 1/4	1/4"	90	\$168.00	\$21.60
DUP16	16d	3"	8	3/8"	45	\$170.10	\$21.20

Double Hot-Dipped Galvanized Duplex Nails

STOCK NUMBERS HOT-DIPPED GALVANIZED	SIZE	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE	
						50 LB	5 LB
DUP8Z	8d	2 1/4"	10 1/4	1/4"	87	\$224.10	—
DUP16Z	16d	3"	8	3/8"	42	\$225.80	—

HAND-DRIVEN SPECIALTY NAILS

MASONRY NAILS - HARDENED — FLUTED ROUND WIRE TYPE

Designed for fastening furring strips, floor plates, partition walls to "green" (uncured) concrete. Hardened steel. For best results, drive nails 3" or more from edge of masonry or block allowing 3/4" penetration. **Safety glasses required when driving hardened nails.** For 1/2" size, see Hardened Metal Lath Nails.



STOCK NUMBERS HARDENED - FLUTED	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE		
					50 LB	5 LB	1 LB
H52S	3/4"	9	5/16"	230	\$215.51	\$24.38	\$5.52
H53S	1"	9	5/16"	176	\$209.49	\$24.30	\$5.43
H54S	1 1/4"	9	5/16"	150	\$215.44	\$23.23	\$5.22
H55S	1 1/2"	9	5/16"	129	\$208.45	\$23.52	\$5.30
H56S	1 3/4"	9	5/16"	108	\$205.44	\$22.74	\$5.27
H57S	2"	9	5/16"	95	\$198.99	\$23.28	\$5.22
H59S	2 1/2"	9	5/16"	77	\$200.50	\$22.89	\$5.15
H60S	2 3/4"	9	5/16"	70	—	\$21.35	—
H61S	3"	9	5/16"	62	\$198.15	\$22.69	\$5.12
XH61SZ*	3"	9	5/16"	56	\$275.85	—	—
H63S	3 1/2"	8	3/8"	41	\$190.24	\$22.02	\$5.01

Shipped in Standard 50-lb Bulk Cartons Unless Otherwise Specified. (6) 5-lb boxes per master. (12) 1-lb boxes per master.

*Hot-Dipped Galvanized



HARDENED METAL LATH NAILS

These Hardened Metal Lath nails are ideal for attaching metal lath to masonry surfaces. The head is larger than standard masonry nails to ensure that the lath doesn't pull through. The strong shanks drive well without bending.



STOCK NUMBERS PLAIN SHANK HARDENED	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE	
					50 LB	25 LB
HML50	1/2"	9	3/8"	324	\$235.94	\$119.37

PLYWOOD NAILS

Type recommended by plywood producers for underlayment, sheathing, and sub-floor applications. Sharp ring-shanks ensure extra holding power.



RING SHANK

STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE	
					50 LB	5 LB
F143	1 1/2"	12 1/2	1/4"	285	\$192.50	\$22.40
F145	2"	12	1/4"	190	\$188.44	\$22.12
F147	2 1/2"	11	9/32"	118	\$186.36	\$20.47

Shipped in Standard 50-lb Bulk Cartons Unless Otherwise Specified. (6) 5-lb boxes per master.

UNDERLAYMENT NAILS - FLAT HEAD

Sharp ring-shanks ensure extra holding power. Regular steel shank drives easily.



RING SHANK

STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE		
					50 LB	5 LB	1 LB
F141	1"	14	3/16"	640	\$266.80	—	\$6.66
F142	1 1/4"	14	3/16"	528	\$243.04	\$28.53	\$6.27

Shipped in Standard 50-lb Bulk Cartons Unless Otherwise Specified. (6) 5-lb boxes per master. (12) 1-lb boxes per master.

FLOORING NAILS - CASING HEAD

Sharp spiral thread ensures maximum holding power. Hardened. Casing-type head. Recommended for hand driving. **Safety glasses should be used when driving hardened nails.**



SPIRAL SHANK

STOCK NUMBERS HARDENED - SPIRAL	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE	
					50 LB	1 LB
HF167	2 1/4"	11 1/2	1 1/64"	152	\$212.11	\$5.51

Shipped in Standard 50-lb Bulk Cartons Unless Otherwise Specified. (12) 1-lb boxes per master.

FLOORING NAILS - CEMENT COATED

Ideal for face-nailing 3/4" tongue and groove hardwood flooring. Higher carbon steel allows for ease of driving. Dimpled head.



PLAIN SHANK

STOCK NUMBER PLAIN SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE	
					50 LB	25 LB
X225113CC	2 1/4"	.113"	.150"	158	\$226.19	

Stocked in 50-lb Bulk Cartons.





ALWAYS USE SAFETY GLASSES!



100%
made in the
USA

NAILING TIPS AND APPLICATION GUIDELINES

How many nails will I need? (approximate count)



BOX NAILS FOR HARDBOARD SIDING		
12" Horizontal Siding	2" - 3 1/2"	1,200 nails per 1,000 Sq. Feet
4' x 8' Panel Siding	2" - 3 1/2"	3,300 nails per 1,000 Sq. Feet

NAILS FOR CEDAR AND REDWOOD WOOD SIDING		
1/2" X 4" Siding	2" - 2 1/2"	2,280 nails per 1,000 Lineal Feet
1/2" X 6" Siding	2 1/4" - 2 1/2"	1,520 nails per 1,000 Lineal Feet
3/4" x 8" Siding	2 1/2" - 3"	1,140 nails per 1,000 Lineal Feet
3/4" x 10" Siding	2 1/2" - 3"	912 nails per 1,000 Lineal Feet
3/4" x 12" Siding	3"	760 nails per 1,000 Lineal Feet

FIBER CEMENT SIDING NAILS		
Lap Siding	2" - 3 1/2"	9 nails per 12' piece
4' x 8' Panel Siding	2" - 3 1/2"	16" on Center - 55 Nails per Panel
4' x 8' Panel Siding	2" - 3 1/2"	24" on Center - 49 Nails per Panel

VINYL SIDING NAILS	
1 1/2", 2" and 2 1/2"	115 nails per Square

CEDAR SHAKE SIDING FACE NAILS		
16" Shakes	2"	360 nails per Square
18" Shakes	2"	310 nails per Square

CEDAR SHINGLE NAILS		
16" & 18" - New Roof Over an old Roof	1 1/4" 1 3/4"	860 nails per Square
24" - New Roof Over an old Roof	1 1/2" 2"	570 nails per Square

Please be advised that the counts above are approximate and may vary significantly due to the different amount of exposure desired in each job. Shakes and shingles also come in a variety of widths that may also affect the number of nails used per Square.

ASPHALT & FIBERGLASS SHINGLE NAILS		
On a New Roof	1 1/4"	320 nails per Square
Over an Old Roof	1 3/4"	320 nails per Square (A 3,600-ct case applies approx. 11 squares)


DECKING NAILS		
5/4" x 6" Decking Joists spaced 16" O.C.	2 1/2" - 3"	460 nails per 100 Square Feet
2" x 4" Decking Joists spaced 16" O.C.	3" - 3 1/2"	580 nails per 100 Square Feet
2" x 6" Decking Joists spaced 16" O.C.	3" - 3 1/2"	460 nails per 100 Square Feet


UNDERLAYMENT & PLYWOOD NAILS		
1/4" Pressed and Plywood Underlayment	1 1/4"	500 nails per 100 Square Feet
3/8" Pressed and Plywood Underlayment	1 1/2"	500 nails per 100 Square Feet
1/2", 5/8" 3/4" Plywood and Sheathing	2" & 2 1/2"	150 nails per 100 Square Feet
1" Plywood Subfloor	3"	150 nails per 100 Square Feet


WARNING: SAFETY GLASSES SHOULD BE WORN WHENEVER DRIVING ANY NAILS!

When should I use a nail with a ring or screw shank?

Smooth shank nails are easy to drive – but they don't offer much holding power. For that reason, Maze Nail and Independent Nail engineers set out to design nails that would hold tighter in all sorts of construction applications.

The Maze mill designed and produced the world's first **spiral shank** nails - also called screw thread, Screw-Down® or "drive" nails. These nails have a spiral thread which causes them to turn when they are driven – much like wood screws – and they actually form their own thread in the wood fibers. They offer good holding power and are specifically designed for use with hardwoods and dense materials. Flooring, siding, decking, pallets and truss rafters are typical applications. 

Independent Nail, a Div. of W.H. Maze Company, developed an annular (or ring) thread on their nails that provided even better holding power in many applications. Referred to as **ring shank** (or Anchor-Down® nails), the threads on these nails separate the wood fibers – which then lock back into the rings – thus resisting removal. These are widely used in plywood, underlayment, decking, siding and roofing applications. 

A third type of threading, typical on masonry nails, is a **fluted shank**. This shank style gives those nails excellent holding power in concrete block and masonry applications. The horizontal threads cut the masonry to minimize cracking and provide excellent holding power. 

THREADED NAILS HOLD TIGHTER!

When should I use Stainless Steel instead of Galvanized?

While many associations specify Hot-Dipped Galvanized Nails, there are certain applications where stainless steel nails are preferable to even Double Hot-Dipped Maze **STORMGUARD®** Nails.

- Marine Environments (within 5 miles of the seacoast) – Type 316.
- Cedar & Redwood products (siding and decking), where the wood is left natural or treated with a clear wood finish.
- Severe or Corrosive Conditions, such as fertilizer storage buildings, salt storage buildings, livestock confinement buildings, etc.
- For Fire Treated and CCA Treated Cedar Shakes and Shingles



WARNING - Milled face hammers are not recommended for driving Hot-Dipped Galvanized nails. The highly abrasive surface of the hammer-face may compromise the integrity of the zinc-coating on the nail head . . . reducing its corrosion-resistance. **Smooth face hammers are recommended.**

Is salt spray testing used by MAZE?

No. Lab tests are great ... for some things. But not when it comes to evaluating the superior rust-resistance of Maze Double Hot-Dipped Galvanized **STORMGUARD®** nails compared to other types of so-called "corrosion-resistant" nails. Some lab tests, especially "salt spray", just don't accurately simulate true weathering conditions for nail applications of roofing, siding and trim.

Under the abnormal lab conditions encountered in the salt spray test, the typical "reaction product barrier" or "zinc patina" that protects Hot-Dipped Galvanized hardware is not allowed to form – as it would in the "real world". It is this oxidation barrier that allows Hot-Dipped products to resist nature's attacks – and ensures long-term corrosion protection. Salt spray testing doesn't allow this important layer to form – resulting in misleading results.

So, before you buy nails or screws based on lab tests, find out more about the true test – actual field experience! After all, that's what really counts. And remember that Maze has the best record of any zinc-coated nail producer – over 100 years of providing dependable Hot-Dipped nails to the building industry!

YOUR GUIDE TO GALVANIZED NAILS

All galvanized nails are coated with zinc – but **HOW** the coating is applied makes all the difference in the performance of the nail. What you need to know:



Hot-Dipped Galvanized (HDG)



The most reliable and preferred way to coat steel nails with zinc is "hot-dipping". Those nails are immersed in a bath of molten zinc like french fries in a pot of oil. The intense heat of the zinc bath causes the zinc and steel to bind together and forms multiple alloy layers that act as a base for a heavy zinc coating. This provides the nails with long term protection against rust. Hot dipping meets the all-important ASTM A153 specification. Double Hot-Dipped nails are dipped twice in molten zinc which fills any pinholes and adds thickness to the outer layer of zinc. Dependable corrosion-resistant steel nails rely on two critical zinc factors – thickness and uniformity. **This method of Double Hot-Dipped Galvanizing is used exclusively by Maze Nails.** The Double Hot-Dipped process is marketed under our tradename **STORMGUARD®**.

Electroplating/Electro-Galvanizing (E.G.)

Steel nails are electroplated by placing them in an electrolytic solution. The electric current in the bath deposits a very thin layer of zinc onto the nail surface. Although they look beautiful and shiny when they're brand new, the thin coating oxidizes away rapidly and the nails begin to prematurely rust. Electro-galvanized nails are not intended for exterior applications. Many building product manufacturers warn against using E.G. nails to apply their siding, trim and decking materials.



Hot-Galvanizing (HG)

Hot-Galvanized "HG" nails are NOT Hot-Dipped Galvanized and do not offer the same corrosion resistance or performance as Hot-Dipped nails. Hot-galvanized nails are coated by sprinkling zinc chips onto cold steel nails in a barrel, then rotating the barrel in a furnace to melt and distribute the zinc. The melting zinc washes off on the nails – somewhat like buttering popcorn. Some of the nails get excess zinc and some nails get very little zinc. **Because these "HG" nails are labelled so similarly to Hot-Dipped nails "HDG", many times builders are sold hot-galvanized nails instead of genuine Hot-Dipped Galvanized nails.** The downside to this is that there is a significant difference in the coating on the nails. Actual rust can often be seen on these "HG" nails in their shipping cartons....long before the nails are even used on a building project.



RUSTY HG NAILS ON THE TRIM OF A HOME IN GALVESTON, TX.

Maze Nail Advantages



Lifetime Warranty on MAZE Double Hot-Dipped Nails!

We stand behind our products! Details on the Maze LIFETIME WARRANTY are available from the toll free number below or from our website.



Maze High Carbon Steel Nails Allow Easier Driving!

High carbon steel is more expensive for Maze Nails to buy – but it makes much better nails! They don't bend or snap during driving. And, we can make the nails skinnier – so there are fewer wood splits ... and more nails per box! A much better value for the consumer!!



Wide Variety of Nails for One-Stop Shopping!

- Collated sticks and coils • Bulk and packaged hand drive nails
- Copper, stainless steel, aluminum • Double Hot-Dipped Galvanized
- Plain, ring and spiral shank • and many other varieties!



Made in the USA – Supporting the American Economy!

100% of Maze Nails are made in the U.S.! We do not import any nails!



Huge Inventories for Fast Shipment!



Expert Advice is Just a Phone Call Away!


Our inside sales team has over 100 years of combined experience. Contact us today for nail recommendations!

800-435-5949

Maze Nail Chat Line: www.mazenails.com
Contact Area Sales Rep: www.mazenails.com/where-to-buy/rep-locator



NAIL TERMINOLOGY



HEAD

Round metal piece formed at the top of the nail.

SHANK

The length of the nail between the head and the point.

POINT

Sharpened end opposite the head for ease in driving.

1" = 2d

1¼" = 3d

1½" = 4d

1¾" = 5d

2" = 6d

2¼" = 7d

2½" = 8d

2¾" = 9d

3" = 10d

3¼" = 12d

3½" = 16d

4" = 20d

4½" = 30d

5" = 40d

5½" = 50d

6" = 60d

6½" = 70d

7" = 80d

GAUGE

Referencing the thickness of a nail. Lower numbers indicate greater thickness.

4	.225"	7/32"
5½	.200"	13/64"
7	.177"	11/64"
8	.162"	5/32"+
9	.148"	5/32"-
10	.135"	9/64"-
10¼	.131"	1/8"+
11	.1205"	1/8"-
11½	.113"	7/64"+
12	.1055"	7/64"-
12½	.099"	3/32"+
13	.0915"	3/32"-
14	.080"	5/64"+
15	.072"	1/32"

LENGTH

Distance from the bottom of the head to the point of a nail.

RIGIDITY

The bending and shear resistance of a nail.

Regular Steel Stock

Low to medium carbon content - standard type of wire rod used in fastener manufacturing.

Stiff Stock


Higher carbon content steel - harder and stiffer than regular stock to prevent bending when driven into hardwoods.


Tempered Hardened Steel


Higher carbon content steel is used to make the nail and then the nail is heat treated, which provides even better resistance to bending.


Nail Heads


 **Flat head** - Most common nail head. Provides large surface area for greater holding power.

 **Large flat head** - Larger than standard head, usually more than 3 to 3½ times the shank diameter. Provides greatest surface area for ultimate holding power. For applications such as sheathing and insulation.


 **Checkered flat head** - Helps to stop slippage of the hammer on the head with applications such as framing, where excessive hammering may take place. Improves paint adhesion.


 **Countersunk head** - Conically shaped bearing surface, which compresses the surface of the material under it as it is driven. Aids in concealment of the fastener head.

 **Deep countersunk head** - Reduced holding power, but increased concealment of the fastener head. Used primarily on casing nails.

 **Brad head** - Deep, circular, barrel-shaped head. Reduced holding power, but increased concealment of the fastener head. Used primarily with finish and trim work.

 **Duplex head** - For temporary nailing jobs, such as scaffolding and concrete framing.

 **Cupped head** - Concave or recessed top surface to accommodate material to aid with concealment. Used primarily with drywall fasteners.

 **Oval head** - Used in certain geographic areas primarily with siding to avoid contact between the hammer and the siding.

Nail Shanks

Smooth - Most common for everyday projects. Provides the least amount of holding power.



Ring/Annular thread - A series of closely spaced concentric rings around the shank. Nail does not turn when driven; instead, the wood fibers are forced over the ring shoulders into their annular grooves like wedges. Gives the greatest holding power in soft or medium woods.



Screw/Spiral - Designed to drive into hard woods and dense materials. Nail actually turns when driven, much like wood screws. Very good holding power.



Ardox® - Designed to drive into hard woods and dense materials. Square wire is twisted to form the spiral shank, which results in the threads reaching all the way to the head of the nail. In comparison, most nails are made from round steel wire and the spiral or ring shanks are actually cut into the wire.



Barbed - Horizontal or herring-bone indentations in the shank. Relatively better hold than smooth shank, but far less than a comparable threaded nail.




Fluted - Vertical thread for driving into cinder block, mortar joints, or other relatively soft masonry to minimize cracking and provide high holding power.



Nail Points

 **Diamond point** - Most common nail point. To avoid splitting wood, best for medium to soft wood.

 **Long diamond point** - For use with drywall. Eases driving into harder materials.

 **Blunt point** - Reduces splitting, but not as easy to drive as a diamond point.

Origin of "PENNY-WISE" Nail Designations

There are two explanations for the English "penny" system for designating nail lengths. One thought is that one-hundred eight penny nails cost eight pence, one-hundred six penny nails cost six pence...etc. The other theory is that 1,000 eight penny (8d) nails weighed 8 pounds, 1,000 six penny (6d) nails weighed six pounds...etc.

The "d" abbreviation for penny (8d for example) has its roots in the "denarius" - the popular coin of ancient Rome.

Nails used for wood-to-wood applications (such as wood siding, cedar shingles, cedar shakes, etc.) are traditionally referred to by the "penny" designation, i.e. 5d, 6d, 8d... However, nails for non-wood applications, such as fiber cement siding, metal roofing, asphalt shingles, cellular PVC trim, etc. are often specified by their length in inches.

The Dynamic Duo

**STAR DRIVE SCREWS
& U-BITS™**

EFFECTIVE JULY 2023

While all Maze Nails are 100% American-Made in the USA – we've now committed to stocking a line of top-quality **building code compliant screws** for the convenience of our customers. These screws are provided by **U² Fasteners** – made in Taiwan and beautifully packaged in Thunder Bay, Ontario Canada.



















Provided by:
U² FASTENERS™





















Available from:
MAZE NAILS!



**JULY 2023 MSRP PRICES ON PREMIUM QUALITY STAR DRIVE SCREWS
STOCKED BY MAZE NAILS AT THE PERU, IL. PLANT**








Item Number	Length	Shank Diameter	Head Diameter	Head	UNIVERSAL SCREWS Packaging & Description	Net Weight Lbs.	Approx. Screws	Bit Size	Retail Units per Case	UPC-A 6-96244-...	MSRP (Suggested Retail)
U09102000B	2"	#9	.328"		Universal Screws - in BULK PLASTIC PAILS	28.19	3,700	T-25	1	10003-5	\$262.97
U09102500B	2-1/2"	#9	.328"		Universal Screws - in BULK PLASTIC PAILS	25.01	2,600	T-25	1	10004-2	\$215.65
U09103125B	3-1/8"	#9	.328"		Universal Screws - in BULK PLASTIC PAILS	17.34	1,500	T-25	1	10111-7	\$177.62
U10103125B	3-1/8"	#10	.372"		Universal Screws - in BULK PLASTIC PAILS	22.2	1,500	T-25	1	10126-1	\$209.13
U10103500B	3-1/2"	#10	.372"		Universal Screws - in BULK PLASTIC PAILS	19.82	1,200	T-25	1	10010-3	\$199.04
U10104000B	4"	#10	.372"		Universal Screws - in BULK PLASTIC PAILS	18.81	1,000	T-25	1	10011-0	\$189.72
U12105000B	5"	#12	.439"		Universal Screws - in BULK PLASTIC PAILS	16.62	500	T-25	1	10058-5	\$222.47
U12106000B	6"	#12	.439"		Universal Screws - in BULK PLASTIC PAILS	19.86	500	T-25	1	10013-4	\$290.10
U12106001B	6"	#12	.439"		Universal Screws - BULK PAILS - 3" Thread	19.86	500	T-25	1	11228-1	\$290.10
U12108000B	8"	#12	.439"		Universal Screws - in BULK PLASTIC PAILS	15.69	300	T-25	1	11059-1	\$459.57
U10101625H	1-5/8"	#10	.372"		Universal Screws - in 100-CT. BOXES	0.81	100	T-25	6	11157-4	\$11.10
U09102000H	2"	#9	.328"		Universal Screws - in 100-CT. BOXES	0.77	100	T-25	6	10030-1	\$10.14
U10102250H	2-1/4"	#10	.372"		Universal Screws - in 100-CT. BOXES	1.09	100	T-25	6	11187-1	\$14.44
U09102500H	2-1/2"	#9	.328"		Universal Screws - in 100-CT. BOXES	0.97	100	T-25	6	10031-8	\$11.80
U09103125H	3-1/8"	#9	.328"		Universal Screws - in 100-CT. BOXES	1.17	100	T-25	6	10113-1	\$16.28
U09103125P	3-1/8"	#9	.328"		Universal Screws - in 100-CT. BOXES	3.82	330	T-25	2	10115-5	\$46.13
U10104000H	4"	#10	.372"		Universal Screws - in 50-CT. BOXES	0.95	50	T-25	6	10038-7	\$13.45
H10103000B	3"	#10	.372"		Stainless 316 Univ. Screws - in BULK PAILS	22.83	1,500	T-25	1	10045-5	\$713.02

Item Number	Length	Shank Diameter	Head Diameter	Head	CONSTRUCTION SCREWS Packaging & Description	Net Weight Lbs.	Approx. Screws	Bit Size	Retail Units per Case	UPC-A 6-96244-...	MSRP (Suggested Retail)
S20102500B	2-1/2"	5/16"	.626"		Construction Screws - in BULK PLASTIC PAILS	16.92	600	T-30	1	20001-8	\$185.09
S10102750P	2-3/4"	#10	.626"		Construction Screws - in PLASTIC BUCKETS	2.98	207	T-30	2	20346-0	\$46.13
S20103125B	3-1/8"	5/16"	.626"		Construction Screws - in BULK PLASTIC PAILS	16.95	500	T-30	1	20139-8	\$207.05
S20104000B	4"	5/16"	.626"		Construction Screws - in BULK PLASTIC PAILS	16.16	400	T-30	1	20003-2	\$175.61
S20105000B	5"	5/16"	.626"		Construction Screws - in BULK PLASTIC PAILS	14.70	300	T-30	1	20004-9	\$194.71
S20106000B	6"	5/16"	.626"		Construction Screws - in BULK PLASTIC PAILS	17.28	300	T-30	1	20005-6	\$253.79
S22103125B	3-1/8"	3/8"	.699"		Construction Screws - in BULK PLASTIC PAILS	14.46	300	T-40	1	20426-9	\$215.48
S22104000B	4"	3/8"	.699"		Construction Screws - in BULK PLASTIC PAILS	15.38	300	T-40	1	20348-4	\$233.93
S22106000B	6"	3/8"	.699"		Construction Screws - in BULK PLASTIC PAILS	22.88	300	T-40	1	20006-3	\$362.61
S22108000B	8"	3/8"	.699"		Construction Screws - in BULK PLASTIC PAILS	29.88	300	T-40	1	20008-7	\$575.80
S22110000B	10"	3/8"	.699"		Construction Screws - in CARDBOARD BOXES	36.44	300	T-40	1	20009-4	\$907.62
S22112000B	12"	3/8"	.699"		Construction Screws - in CARDBOARD BOXES	43.07	300	T-40	1	20010-0	\$1,049.11
S10101500H	1-1/2"	#10	.445"		Constr. Screws for Panelized Stone - 40-CT	0.37	40	T-30	6	20332-3	\$7.12
S10102500H	2-1/2"	#10	.445"		Constr. Screws for Panelized Stone - 40-CT	0.54	40	T-30	6	20398-9	\$8.30
S10103125H	3-1/8"	#10	.626"		Construction Screws - in 40-CT BOXES	0.65	40	T-30	6	20123-7	\$11.18
S20104000H	4"	5/16"	.626"		Construction Screws - in 40-CT BOXES	1.63	40	T-30	6	20015-5	\$23.15
S20105000H	5"	5/16"	.626"		Construction Screws - in 40-CT BOXES	1.97	40	T-30	4	20016-2	\$34.70
S20106000H	6"	5/16"	.626"		Construction Screws - in 40-CT BOXES	2.32	40	T-30	4	20017-9	\$44.29
S22106000H	6"	3/8"	.699"		Construction Screws - in 40-CT BOXES	3.06	40	T-40	4	20018-6	\$60.28
S22108000H	8"	3/8"	.699"		Construction Screws - in 40-CT BOXES	4.25	40	T-40	4	20020-9	\$96.30

**JULY 2023 MSRP PRICES ON PREMIUM QUALITY STAR DRIVE SCREWS
STOCKED BY MAZE NAILS AT THE PERU, IL. PLANT**



Item Number	Length	Shank Diameter	Head Diameter	 Packaging & Description	Net Weight Lbs.	Approx. Screws	Bit Size	Retail Units per Case	UPC-A	MSRP (Suggested Retail)
I20102500B	2-1/2"	5/16"	.626"	SS316 CONSTR. SCREWS Packaging & Description	16.8	600	T-30	1	6-96244-...	\$436.44
I20104000B	4"	5/16"	.626"	Stainless 316 Constr. Screws - in BULK PAILS	17.76	400	T-30	1	20033-9	\$437.42
I20106000B	6"	5/16"	.626"	Stainless 316 Constr. Screws - in BULK PAILS	18.74	300	T-30	1	20037-7	\$618.96
				 WHITE FINE SCREWS Packaging & Description						
F08101250H	1-1/4"	#8	.196"	Fine Screws - in 100-CT. BOXES	0.46	100	T-10	6	40219-1	\$7.22
F08101500H	1-1/2"	#8	.196"	Fine Screws - in 100-CT. BOXES	0.54	100	T-10	6	40012-8	\$7.39
F08102000H	2"	#8	.196"	Fine Screws - in 100-CT. BOXES	0.68	100	T-10	6	40013-5	\$9.21
F08102500H	2-1/2"	#8	.196"	Fine Screws - in 100-CT. BOXES	0.83	100	T-10	6	40014-2	\$11.01
E08102000H	2"	#8	.196"	WHITE Fine Screws - in 100-CT. BOXES	0.55	100	T-10	6	40231-3	\$11.79
E08102000P	2"	#8	.196"	WHITE Fine Screws - in PLASTIC BUCKET	2.69	495	T-10	2	40233-7	\$46.13
E08102000B	2"	#8	.196"	WHITE Fine Screws - in BULK PAILS	24.72	3500	T-10	1	40235-1	\$374.38
E08102500H	2-1/2"	#8	.196"	WHITE Fine Screws - in 100-CT. BOXES	0.83	100	T-10	6	40237-5	\$14.08
E08102500P	2-1/2"	#8	.196"	WHITE Fine Screws - in PLASTIC BUCKET	2.76	390	T-10	2	40239-9	\$46.13
F08103125H	3-1/8"	#8	.196"	Fine Screws - in 100-CT. BOXES	0.98	100	T-10	6	40057-9	\$13.45
F08103125B	3-1/8"	#8	.196"	Fine Screws - in BULK PAILS	17.51	2000	T-10	1	40253-5	\$288.38
F09104000B	4"	#9	.232"	Fine Screws - in BULK PAILS	14.22	1000	T-15	1	40005-0	\$308.49
				 WHITE RE-FINE SCREWS Packaging & Description						
Q08102500H	2-1/2"	#8	.196"	WHITE Re-Fine Screws - in 100-CT. BOXES	0.71	100	T-10	6	40267-2	\$14.08
				 SS316 FINE SCREWS Packaging & Description						
K08101500H	1-1/2"	#8	.196"	Stainless 316 Fine Screws - in 100-CT. BOXES	0.57	100	T-10	6	40027-2	\$18.98
K08102000H	2"	#8	.196"	Stainless 316 Fine Screws - in 100-CT. BOXES	0.72	100	T-10	6	40028-9	\$22.63
K08102500H	2-1/2"	#8	.196"	Stainless 316 Fine Screws - in 100-CT. BOXES	0.86	100	T-10	6	40029-6	\$29.35
				 CAP SCREWS Packaging & Description						
C08101250H	1-1/4"	#8	0.423"	Cap Screws - in 100-CT. BOXES	0.50	100	T-15	6	30008-4	\$6.58
C08102500H	2-1/2"	#8	0.423"	Cap Screws - in 100-CT. BOXES	0.89	100	T-15	6	30010-7	\$12.26
C08103125H	3-1/8"	#8	0.423"	Cap Screws - in 100-CT. BOXES	1.06	100	T-15	6	30051-0	\$15.81

**JULY 2023 MSRP PRICES ON PREMIUM QUALITY STAR DRIVE SCREWS
STOCKED BY MAZE NAILS AT THE PERU, IL. PLANT**



Item Number	Bit Size	Bit Length	"U-BITS" (DRIVERS)	Top-Quality U-Bits are color coded for your convenience.	Retail Units per Case	UPC-A 6-96244-...	MSRP (Suggested Retail)
B00210020X	T10	2"	<p>Packaging & Description U-bit T10 - 2 Bits per Card U-bit T15 - 2 Bits per Card U-bit T25 - 2 Bits per Card U-bit T30 - 2 Bits per Card U-bit T40 - 2 Bits per Card</p>		12	60016-0	\$5.64
B00215020X	T15	2"			12	60019-1	\$5.64
B00225020X	T25	2"			12	60022-1	\$5.64
B00230020X	T30	2"			12	60025-2	\$5.64
B00240020X	T40	2"			12	60028-3	\$5.64
B00210020W	T10	2"	<p>Packaging & Description U-bit T10 - 25 Bits per Plastic Box U-bit T15 - 25 Bits per Plastic Box U-bit T25 - 25 Bits per Plastic Box U-bit T30 - 25 Bits per Plastic Box U-bit T40 - 25 Bits per Plastic Box</p>		1	60001-6	\$66.16
B00215020W	T15	2"			1	60004-7	\$66.16
B00225020W	T25	2"			1	60007-8	\$66.16
B00230020W	T30	2"			1	60010-8	\$66.16
B00240020W	T40	2"			1	60013-9	\$66.16

*** CALL FOR PRICING ***

FREE FREIGHT ON 500-LBS. OR MORE.

FREE DISPLAY ON \$1,000 OPENING ORDER.

QUICK SHIPMENT FROM PERU, ILLINOIS.

**ADD THESE TOP-QUALITY FASTENERS
TO YOUR MAZE NAIL ORDERS FOR A
ONE-STOP SHOP.**



MAZE NAILS - 100 CHURCH STREET PERU IL 61354 800-435-5949 WWW.MAZENAILS.COM



**MAZE
NAILS**

Building
America
one NAIL
at a time

*American Made.
American Owned.*

mazenails.com · 800.435.5949