

# LED GLOBE LAMP

LH06G252700K , LH06G252700KC60,  
L06G255000K, L06G252700KC60-7,  
L06G2550K-7

## OVERVIEW

Our LED globe lamp replaces incandescent bulbs while still maintaining decorative appeal. These bulbs offer a wide variety of compatibility for chandeliers, decorative fixtures, wall sconces, and ceiling fan lighting.

## KEY FEATURES

- 25,000-hour lifespan
- Dimmable
- Mercury- and lead-free



25,000  
HOURS



MERCURY-  
FREE



DIMMABLE



## ORDERING INFORMATION


SOURCE	WATTAGE	LAMP TYPE	CCT
L = LED	06 = 6W	G = GLOBE LAMP	27 = 2700K 50 = 5000K

**SPECIFICATIONS**


CATALOG #	WATTS	CCT	LUMENS	CRI	VOLTAGE
LH06G252700K	6W	2700K	450	≥80	120
LH06G252700KC60	6W	2700K	450	≥80	120
L06G255000K	6W	5000K	450	≥80	120
L06G252700KC60-7	6W	2700K	450	≥80	120
L06G2550K-7	6W	5000K	450	≥80	120

**DIMENSIONS**

**PRODUCT**



**PACKAGING**



CATALOG #	H	W
LH06G252700K	5"	3.5"
LH06G252700KC60	5"	3.5"
L06G255000K	5"	3.5"
L06G252700KC60-7	5"	3.5"
L06G2550K-7	5"	3.5"

CATALOG #	L	W	H	CASE QTY	GROSS WT
LH06G252700K	13.9"	11.1"	10.8"	24	5.55 lbs
LH06G252700KC60	16.7"	19.9"	10.7"	60	10.15 lbs
L06G255000K	11"	14.2"	11"	24	5.3 lbs
L06G252700KC60-7	16.7"	19.9"	10.7"	60	10.15 lbs
L06G2550K-7	14"	11"	10.9"	24	5.3 lbs

**5-Year Limited Warranty**



If this globe lamp fails to operate for a 5-year period under normal consumer use (6 hours/day, 7 days/week), from the date of purchase or distribution by an energy conservation program and has been properly installed, AM Conservation will replace the lamp free of charge.

**For warranty claims, please contact:**

customer@amconservation.com

**To learn more, please visit:**

www.amconservation.com

# LED GLOBE LAMP

LH06G252700K , LH06G252700KC60,  
L06G255000K, L06G252700KC60-7,  
L06G2527K-7



DAMP-RATED



INSTANT-ON/OFF



NON-DIMMABLE



HORIZONTAL INSTALLATION



BEAM ANGLE




50,000 HOURS



FLICKER-FREE



DOUBLE INSULATION



PHOTOCELL COMPATIBLE



PC LENS



EASY TO INSTALL



TRUE COLOR



MERCURY FREE



LINKABLE

