MATERIAL SAFETY DATA SHEET

Section 1. Chemical product and company identification

Product Name: CH 530/ 660 Wet Chemical Charge Synonym: Model B260/ B262 Extinguisher Charge

Manufacturer: AMEREX CORPORATION

Internet Address: www.amerex-fire.com
Address: 7595 Gadsden Highway

P.O. BOX 81

Trussville, AL 35173-0081

(205) 655-3271

Emergency Contacts: Chemtrec 1(800) 424-9300 or

(703) 527-3887

Revised: October, 2013

Section 2. Hazard identification and emergency overview

Emergency overview: Clear to opaque liquid solution.

Ingredients	OSHA PEL	ACGIH TLV	DFG MAK*
Potassium acetate	NR	NR	NR
Potassium citrate	NR	NR	NR

^{*}German regulatory limits **NR = Not Regulated

HAZARD SYMBOLS: WHMIS (Canadian workplace hazardous materials identification system)

D2B - Product may irritate skin or mucous membranes

Section 3. Composition/Information on ingredients

Name/ Compound	Weight %	CAS#
Potassium acetate	> 20	127-08-2
Potassium citrate	< 5	866-84-2
Water (H20)	Remainder	

Section 4: First Aid Measures

Eye Exposure: Irrigate eyes at eye wash station for 15 minutes and repeat until pain free. Seek medical attention if irritation develops or persists, or if visual changes occur.

Skin Exposure: In case of contact, wash with plenty of soap and water. Seek medical attention if irritation develops or persists.

Inhalation: If respiratory irritation or distress occurs remove victim to fresh air. Seek medical attention if irritation develops or persists.

Ingestion: If victim is conscious and alert, give 2-3 glasses of water to drink and on the advice of medical personnel induce vomiting. Seek immediate medical attention. Do not leave victim unattended. To prevent aspiration of swallowed product, lay victim on side with head lower than waist. If vomiting occurs and the victim is conscious, give water to further dilute the chemical.

Medical conditions possibly aggravated by exposure: none found

Section 5. Fire fighting measures

Extinguishing media: solution is non combustible and non flammable – product is an extinguishing agent

Unusual fire/ explosion hazards: in a fire this material may decompose, releasing oxides of carbon (see Section 10)

Insensitive to mechanical impact or static discharge.

HMIS hazard ranking: health 1, flammability 0, reactivity 0

Section 6. Accidental release measures

Large spills (one drum or more) should be addressed by hazardous materials technicians following a site – specific emergency response plan and trained in the appropriate use of PPE. Clean up released material using sorbent socks for containment, followed by sorbent material inside containment. If deemed necessary, wear full face APR or PAPR with organic vapor cartridges (Section 8). Bag and drum for disposal. If product is used and/or contaminated use PPE and containment appropriate to the nature of the mixture. Prevent material from entering storm sewer. Handle and dispose of as a hazardous waste unless testing indicates otherwise. Decontaminate with detergent and water.

Section 7. Handling and storage

Store in cool, dry place away from oxidizing agents and wash thoroughly after handling (see Section 8). Keep product tightly closed in original container or extinguisher. Do not mix with other extinguishing agents.

Section 8. Exposure controls/ personal protection

During the application of this product against fires, exhaust gases and the products of incomplete combustion (PICs) are the principal respiratory hazards. In the manufacture of extinguishers, automated systems and point source ventilation controls sufficiently minimize respiratory exposure. Employers and employees must use their collective judgment in determining occupational settings where the use of a respirator is prudent. The need for respiratory protection is not likely for short-term use in well ventilated areas.

Respiratory protection: If high concentrations exist, use an approved NIOSH/MSHA respirator.

Eye protection: Wear chemical safety glasses.

Skin protection: Use nitrile, rubber, or similar gloves and avoid excessive skin contact. Wash contaminated skin and clothing thoroughly after handling.

Section 9. Physical and chemical properties

Appearance: clear to opaque liquid solution

Specific gravity: ~ 1.2

Non-flammable Flash point: none

Vapor pressure: <10 mm Hg at room temperature

pH: 8.5 – 9.0

Melting point: 292° C

No explosive or oxidizing properties

Section 10. Stability and reactivity

Stability: stable

Incompatibles: strong acids, strong bases, and strong oxidizers (bleach)

Decomposition products: heat of fire may release carbon monoxide and carbon dioxide

Possibility of hazardous reactions: none

Section 11. Toxicological information

Acute toxicity: Potassium acetate LD₅₀ oral rat: 3250 mg/ kg body weight

Target organs in man: respiratory system, eyes, skin. This product

is a mild irritant to epithelial tissue, and may aggravate dermatitis. Ingestion may cause gastrointestinal injury. No information was

found indicating the product causes sensitization

Chronic toxicity: This product's ingredients are not considered as "probable"

or "suspected" carcinogens by OSHA, IARC, or ACGIH.

Reproductive toxicity: This product's ingredients are not known to have reproductive

or teratogenic effects.

Section 12. Ecological information

Ecotoxicity: weak environmental toxin, specific negative effects unknown

Persistence/

Degradability moderate biodegradation in soil, rapid photolytic degradation in air

Bioaccummulation: extent unknown

Mobility in soil: water soluble, slow to evaporate, may reach groundwater

Section 13. Disposal considerations

This product is not a RCRA characteristically hazardous or listed hazardous waste. Dispose of according to state or local laws, which may be more restrictive than federal laws or regulations. Used product may be altered or contaminated, creating different disposal considerations.

Section 14. Transportation information

This product is not a hazardous material under U.S. Department of Transportation (DOT) 49 CFR 172, and is not regulated by the DOT.

When shipped in a stored pressure type fire extinguisher, and pressurized with a non-flammable, non-toxic inert expellant gas, the fire extinguisher is considered a hazardous material by the US Department of Transportation and Transport Canada. The proper shipping name shall be FIRE EXTINGUISHER and the UN designation is UN 1044. The DOT hazard class/division is 2.2 Non-Flammable Gas. Packing Group – N/A

Section 15. Regulatory information

International Inventory Status Some ingredients are on the following inventories

Country (ies)	Agency	Status
United States of America	TSCA	Yes
Canada	DSL	Yes
Europe	EINECS/ELINCS	Yes
Australia	AICS	Yes
Japan	MITI	Yes
South Korea	KECL	Yes

European Risk and Safety phrases:

EU Classification Xi. Irritant

R Phrases: 36 Irritating to eyes

S Phrases: 26 In case of contact with eyes, rinse immediately with plenty of water

and seek medical advice

Wear suitable protective clothing.

U.S. federal regulatory information:

None of the chemicals in this product are under SARA reporting requirements or have SARA threshold planning quantities (TPQs) or CERCLA reportable quantities (RQs).

State regulatory information:

Chemicals in this product are not covered under specific State regulations, as denoted below:

Alaska - Designated Toxic and Hazardous Substances: None

California - Permissible Exposure Limits for Chemical Contaminants: None

Florida – Substance List: None Illinois – Toxic Substance List: None

Kansas – Section 302/303 List: None Massachusetts – Substance List: None

IVIASSACTIUSELIS - Substance List. None

Minnesota – List of Hazardous Substances: None

Missouri – Employer Information/Toxic Substance List: None **New Jersey** – Right to Know Hazardous Substance List: None

North Dakota – List of Hazardous Chemicals, Reportable Quantities: None

Pennsylvania – Hazardous Substance List: None Rhode Island – Hazardous Substance List: None

Texas - Hazardous Substance List: No

West Virginia – Hazardous Substance List: None **Wisconsin** – Toxic and Hazardous Substances: None

California Proposition 65: No component is listed on the California Proposition 65 lists.

Section 16. OTHER INFORMATION

This MSDS conforms to requirements under U.S., U.K., Canadian, Australian, and EU regulations or standards, and conforms to ANSI Z400.1- 2004.

The information herein is given in good faith but no warranty, expressed or implied, is made. Updated by Lindsay R. Hill, CIH