

## 1. Product and Company Identification

<b>Product identifier</b>	<b>Sonax ProfiLine NP 03-06 (Sonax ProfiLine Nano Polish)</b>		
<b>Other means of identification</b>	208141, 208300, 208300-755, 208500		
<b>Recommended use</b>	Car Care		
<b>Recommended restrictions</b>	None known.		
<b>Manufacturer/Importer/Supplier/Distributor information</b>			
<b>Manufacturer</b>			
<b>Company name</b>	Sonax GmbH		
<b>Address</b>	Münchener Strasse 75 D-86633 Neuburg/Donau Germany		
<b>Telephone</b>	Phone:	0049 84 31 53-0	
<b>E-mail</b>	Not available.		
<b>Emergency phone number</b>	24-Hour-Number:		
		GBK/Infotrac ID 91785: (USA domestic) 1 800 535 5053	
<b>Supplier</b>	Vision Investments, LLC 4565 W. 16th Street Indianapolis, IN 46222 US Phone: 1-317-295-7056 Email: info@sonaxusa.com		

## 2. Hazards Identification

<b>Physical hazards</b>	Not classified.
<b>Health hazards</b>	Not classified.
<b>Environmental hazards</b>	Not classified.
<b>OSHA defined hazards</b>	Not classified.
<b>Label elements</b>	
<b>Hazard symbol</b>	None.
<b>Signal word</b>	None.
<b>Hazard statement</b>	The mixture does not meet the criteria for classification.
<b>Precautionary statement</b>	
<b>Prevention</b>	Observe good industrial hygiene practices.
<b>Response</b>	Wash hands after handling.
<b>Storage</b>	Store away from incompatible materials.
<b>Disposal</b>	Dispose of waste and residues in accordance with local authority requirements.
<b>Hazard(s) not otherwise classified (HNOC)</b>	None known.
<b>Supplemental information</b>	Not applicable.

## 3. Composition/Information on Ingredients

### Mixtures

Chemical name	Common name and synonyms	CAS number	%
Distillates (petroleum), hydrotreated middle		64742-46-7	10 - 30
Aluminum oxide		1344-28-1	3 - 7
1,2-Propanediol		57-55-6	1 - 5
2-Propanol, 1-methoxy-		107-98-2	1 - 5

**Composition comments** Non hazardous by the CPSC Criteria (Consumer Product Safety Commission). The exact % concentration of composition has been withheld as a trade secret in accordance with paragraph (i) of the OSHA HCS 1910.1200.

---

## 4. First Aid Measures

---

<b>Inhalation</b>	If symptoms develop move victim to fresh air. If symptoms persist, obtain medical attention.
<b>Skin contact</b>	Flush with cool water. Wash with soap and water. Obtain medical attention if irritation persists.
<b>Eye contact</b>	Flush with cool water. Remove contact lenses, if applicable, and continue flushing. Obtain medical attention if irritation persists.
<b>Ingestion</b>	Do not induce vomiting. Never give anything by mouth if victim is unconscious, or is convulsing. Obtain medical attention.
<b>Most important symptoms/effects, acute and delayed</b>	Direct contact with eyes may cause temporary irritation.
<b>Indication of immediate medical attention and special treatment needed</b>	Treat symptomatically.
<b>General information</b>	If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Keep out of reach of children.

---

## 5. Fire Fighting Measures

---

<b>Suitable extinguishing media</b>	Water spray. Foam. Dry chemical. Carbon dioxide.
<b>Unsuitable extinguishing media</b>	None known.
<b>Specific hazards arising from the chemical</b>	Firefighters should wear a self-contained breathing apparatus.
<b>Special protective equipment and precautions for firefighters</b>	Firefighters should wear full protective clothing including self contained breathing apparatus.
<b>Fire-fighting equipment/instructions</b>	Move containers from fire area if you can do so without risk.
<b>Specific methods</b>	Use standard firefighting procedures and consider the hazards of other involved materials.
<b>General fire hazards</b>	No unusual fire or explosion hazards noted.

---

## 6. Accidental Release Measures

---

<b>Personal precautions, protective equipment and emergency procedures</b>	Keep unnecessary personnel away. Keep out of low areas. Keep people away from and upwind of spill/leak. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. For personal protection, see section 8 of the SDS.
<b>Methods and materials for containment and cleaning up</b>	<p>Large Spills: Stop leak if you can do so without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.</p> <p>Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.</p> <p>Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Before attempting clean up, refer to hazard data given above. Small spills may be absorbed with non-reactive absorbent and placed in suitable, covered, labelled containers. Prevent large spills from entering sewers or waterways. Contact emergency services and supplier for advice.</p>
<b>Environmental precautions</b>	Do not discharge into lakes, streams, ponds or public waters.

---

## 7. Handling and Storage

---

<b>Precautions for safe handling</b>	Use according to package label instructions. Ensure adequate ventilation. Avoid prolonged exposure. Wash thoroughly after handling. Use good industrial hygiene practices in handling this material.
<b>Conditions for safe storage, including any incompatibilities</b>	Protect from freezing. Keep at temperatures between 20 and 25°C (68-77°F). Store in a cool, dry, well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS). Keep out of reach of children.

---

## 8. Exposure Controls/Personal Protection

### Occupational exposure limits

#### US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value	Form
Aluminum oxide (CAS 1344-28-1)	PEL	5 mg/m <sup>3</sup>	Respirable fraction.
		15 mg/m <sup>3</sup>	Total dust.
Distillates (petroleum), hydrotreated middle (CAS 64742-46-7)	PEL	5 mg/m <sup>3</sup>	Mist.

#### US. ACGIH Threshold Limit Values

Components	Type	Value	Form
2-Propanol, 1-methoxy- (CAS 107-98-2)	STEL	100 ppm	
	TWA	50 ppm	
Aluminum oxide (CAS 1344-28-1)	TWA	1 mg/m <sup>3</sup>	Respirable fraction.

#### US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value	Form
2-Propanol, 1-methoxy- (CAS 107-98-2)	STEL	540 mg/m <sup>3</sup>	
		150 ppm	
	TWA	360 mg/m <sup>3</sup> 100 ppm	
Distillates (petroleum), hydrotreated middle (CAS 64742-46-7)	STEL	10 mg/m <sup>3</sup>	Mist.
	TWA	5 mg/m <sup>3</sup>	Mist.

#### US. AIHA Workplace Environmental Exposure Level (WEEL) Guides

Components	Type	Value	Form
1,2-Propanediol (CAS 57-55-6)	TWA	10 mg/m <sup>3</sup>	Aerosol.

**Biological limit values** No biological exposure limits noted for the ingredient(s).

**Exposure guidelines** See above

#### US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants

PROPYLENE GLYCOL MONOMETHYL ETHER (CAS 107-98-2) Can be absorbed through the skin.

**Appropriate engineering controls** General ventilation normally adequate.

#### Individual protection measures, such as personal protective equipment

**Eye/face protection** Safety glasses if eye contact is possible.

#### Skin protection

**Hand protection** If there is constant skin contact, rubber gloves are recommended.

**Other** As required by employer code.

**Respiratory protection** Not normally required if good ventilation is maintained.

**Thermal hazards** Not available.

**General hygiene considerations** Follow good hygienic and housekeeping practices. Wash hands before breaks and immediately after handling the product. When using do not eat or drink.

## 9. Physical and Chemical Properties

<b>Appearance</b>	Viscous
<b>Physical state</b>	Liquid.
<b>Form</b>	Liquid.
<b>Color</b>	White
<b>Odor</b>	Characteristic
<b>Odor threshold</b>	Not available.
<b>pH</b>	Not available.

<b>Melting point/freezing point</b>	Not available.
<b>Initial boiling point and boiling range</b>	212 °F (100 °C)
<b>Pour point</b>	Not available.
<b>Specific gravity</b>	Not available.
<b>Partition coefficient (n-octanol/water)</b>	Not available.
<b>Flash point</b>	Not available.
<b>Evaporation rate</b>	Not available.
<b>Flammability (solid, gas)</b>	Not applicable.
<b>Upper/lower flammability or explosive limits</b>	
<b>Flammability limit - lower (%)</b>	Not available.
<b>Flammability limit - upper (%)</b>	Not available.
<b>Explosive limit - lower (%)</b>	Not available.
<b>Explosive limit - upper (%)</b>	Not available.
<b>Vapor pressure</b>	Not available.
<b>Vapor density</b>	Not available.
<b>Relative density</b>	Not available.
<b>Solubility(ies)</b>	Partial miscible
<b>Auto-ignition temperature</b>	Not available.
<b>Decomposition temperature</b>	Not available.
<b>Viscosity</b>	> 20 mm <sup>2</sup> /s @ 40°C
<b>Other information</b>	
<b>Density</b>	0.96 - 0.97 @20°C
<b>Flash point class</b>	Flammable IB

---

## 10. Stability and Reactivity

---

<b>Reactivity</b>	This product may react with oxidizing agents.
<b>Possibility of hazardous reactions</b>	Hazardous polymerization does not occur.
<b>Chemical stability</b>	Stable under recommended storage conditions.
<b>Conditions to avoid</b>	Do not mix with other chemicals.
<b>Incompatible materials</b>	Oxidizers.
<b>Hazardous decomposition products</b>	May include and are not limited to: Oxides of carbon. Oxides of aluminum.

---

## 11. Toxicological Information

---

### Information on likely routes of exposure

<b>Ingestion</b>	Health injuries are not known or expected under normal use.
<b>Inhalation</b>	No adverse effects due to inhalation are expected.
<b>Skin contact</b>	No adverse effects due to skin contact are expected. Components of the product may be absorbed into the body through the skin.
<b>Eye contact</b>	Health injuries are not known or expected under normal use.

**Symptoms related to the physical, chemical and toxicological characteristics** Direct contact with eyes may cause temporary irritation.

### Information on toxicological effects

#### Acute toxicity

Components	Species	Test Results
1,2-Propanediol (CAS 57-55-6)		
<b>Acute</b>		
<i>Dermal</i>		
LD50	Rabbit	20800 mg/kg

Components	Species	Test Results
<i>Inhalation</i> LC50	Not available	
<i>Oral</i> LD50	Dog	19000 mg/kg
	Guinea pig	184000 mg/kg
	Mouse	23900 mg/kg
	Rabbit	14800 mg/kg
	Rat	20000 mg/kg
2-Propanol, 1-methoxy- (CAS 107-98-2)		
<b>Acute</b> <i>Dermal</i> LD50	Rabbit	13000 mg/kg
<i>Inhalation</i> LC50	Guinea pig	15000 mg/L, 10 Hours
	Rat	54.6 mg/L, 4 Hours
<i>Oral</i> LD50	Dog	4600 mg/kg
	Mouse	11700 mg/kg
	Rabbit	5300 mg/kg
	Rat	3739 mg/kg
Aluminum oxide (CAS 1344-28-1)		
<b>Acute</b> <i>Dermal</i> LD50	Not available	
<i>Inhalation</i> LC50	Not available	
<i>Oral</i> LD50	Rat	5000 mg/kg
Distillates (petroleum), hydrotreated middle (CAS 64742-46-7)		
<b>Acute</b> <i>Dermal</i> LD50	Rabbit	2000 mg/kg
<i>Inhalation</i> LC50	Rat	4.6 mg/l/4h
<i>Oral</i> LD50	Rat	7400 mg/kg
<b>Skin corrosion/irritation</b>	Prolonged skin contact may cause temporary irritation.	
<b>Exposure minutes</b>	Not available.	
<b>Erythema value</b>	Not available.	
<b>Oedema value</b>	Not available.	
<b>Serious eye damage/eye irritation</b>	May cause irritation.	
<b>Corneal opacity value</b>	Not available.	
<b>Iris lesion value</b>	Not available.	
<b>Conjunctival reddening value</b>	Not available.	
<b>Conjunctival oedema value</b>	Not available.	
<b>Recover days</b>	Not available.	
<b>Respiratory or skin sensitization</b>		
<b>Respiratory sensitization</b>	Not available.	
<b>Skin sensitization</b>	This product is not expected to cause skin sensitization.	
<b>Germ cell mutagenicity</b>	Non-hazardous by OSHA criteria.	

<b>Carcinogenicity</b>	Non-hazardous by OSHA criteria.
<b>US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)</b>	Not listed.
<b>Reproductive toxicity</b>	Non-hazardous by OSHA criteria.
<b>Specific target organ toxicity - single exposure</b>	Not classified.
<b>Specific target organ toxicity - repeated exposure</b>	Not classified.
<b>Aspiration hazard</b>	Not classified.
<b>Chronic effects</b>	Prolonged exposure may cause chronic effects. Lung scarring (pneumoconiosis) after chronic exposure to aluminum oxide dust and fume
<b>Further information</b>	Not available.

## 12. Ecological Information

<b>Ecotoxicity</b>	Components of this product have been identified as having potential environmental concerns. See below		
<b>Components</b>		<b>Species</b>	<b>Test Results</b>
1,2-Propanediol (CAS 57-55-6)			
Crustacea	EC50	Daphnia	10000 mg/L, 48 Hours
<b>Aquatic</b>			
Crustacea	EC50	Water flea (Daphnia magna)	> 10000 mg/L, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas)	710 mg/L, 96 hours
2-Propanol, 1-methoxy- (CAS 107-98-2)			
Crustacea	EC50	Daphnia	23300 mg/L, 48 Hours
<b>Persistence and degradability</b>	No data is available on the degradability of this product.		
<b>Bioaccumulative potential</b>	No data available.		
<b>Partition coefficient n-octanol / water (log Kow)</b>			
1,2-Propanediol		-0.92	
<b>Mobility in soil</b>	No data available.		
<b>Mobility in general</b>	Not available.		
<b>Other adverse effects</b>	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.		

## 13. Disposal Considerations

<b>Disposal instructions</b>	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Review federal, state and local government requirements prior to disposal.
<b>Local disposal regulations</b>	Dispose in accordance with all applicable regulations.
<b>Hazardous waste code</b>	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
<b>Waste from residues / unused products</b>	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
<b>Contaminated packaging</b>	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

## 14. Transport Information

### U.S. Department of Transportation (DOT)

Not regulated as dangerous goods.

## 15. Regulatory Information

<b>US federal regulations</b>	This product is NOT known to be a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.	
<b>TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)</b>		
2-Methyl-4-isothiazolin-3-one (CAS 2682-20-4)	1.0 % One-Time Export Notification only.	
<b>CERCLA Hazardous Substance List (40 CFR 302.4)</b>		
2-Propanol, 1-methoxy- (CAS 107-98-2)	Listed.	
<b>US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)</b>	Not listed.	

**Superfund Amendments and Reauthorization Act of 1986 (SARA)**

**Hazard categories** Immediate Hazard - No  
 Delayed Hazard - No  
 Fire Hazard - No  
 Pressure Hazard - No  
 Reactivity Hazard - No

**SARA 302 Extremely hazardous substance** No

**SARA 311/312 Hazardous chemical** No

**SARA 313 (TRI reporting)**

Chemical name	CAS number	% by wt.
Aluminum oxide	1344-28-1	3 - 7

**Other federal regulations****Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List**

Not regulated.

**Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)**

Not regulated.

**Safe Drinking Water Act (SDWA)** Not regulated.

**Food and Drug Administration (FDA)** Not regulated.

**US state regulations**

This product does not contain a chemical known to the State of California to cause cancer, birth defects or other reproductive harm.

**US - California Hazardous Substances (Director's): Listed substance**

2-Propanol, 1-methoxy- (CAS 107-98-2) Listed.  
 Aluminum oxide (CAS 1344-28-1) Listed.  
 Distillates (petroleum), hydrotreated middle (CAS 64742-46-7) Listed.

**US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance**

Not listed.

**US - Illinois Chemical Safety Act: Listed substance**

2-Propanol, 1-methoxy- (CAS 107-98-2) Listed.

**US - Louisiana Spill Reporting: Listed substance**

2-Propanol, 1-methoxy- (CAS 107-98-2) Listed.

**US - Minnesota Haz Subs: Listed substance**

1,2-Propanediol (CAS 57-55-6) Listed.  
 2-Propanol, 1-methoxy- (CAS 107-98-2) Listed.  
 Aluminum oxide (CAS 1344-28-1) Listed.  
 Distillates (petroleum), hydrotreated middle (CAS 64742-46-7) Listed.  
 Glycerol (CAS 56-81-5) Listed.

**US - New Jersey RTK - Substances: Listed substance**

1,2-Propanediol (CAS 57-55-6) Listed.  
 2-Propanol, 1-methoxy- (CAS 107-98-2) Listed.  
 Aluminum oxide (CAS 1344-28-1) Listed.  
 Glycerol (CAS 56-81-5) Listed.

**US - Texas Effects Screening Levels: Listed substance**

(Z)-Mono-9-octadecenoate sorbitan (CAS 1338-43-8) Listed.  
 1,2-Benzisothiazolin-3-one (CAS 2634-33-5) Listed.  
 1,2-Propanediol (CAS 57-55-6) Listed.  
 2-Methyl-4-isothiazolin-3-one (CAS 2682-20-4) Listed.  
 2-Propanol, 1-methoxy- (CAS 107-98-2) Listed.  
 Aluminum oxide (CAS 1344-28-1) Listed.  
 Distillates (petroleum), hydrotreated middle (CAS 64742-46-7) Listed.  
 Glycerol (CAS 56-81-5) Listed.

**US. Massachusetts RTK - Substance List**

2-Propanol, 1-methoxy- (CAS 107-98-2) Listed.  
 Aluminum oxide (CAS 1344-28-1) Listed.  
 Distillates (petroleum), hydrotreated middle (CAS 64742-46-7) Listed.  
 Glycerol (CAS 56-81-5) Listed.

**US. Pennsylvania RTK - Hazardous Substances**

1,2-Propanediol (CAS 57-55-6)	Listed.
2-Propanol, 1-methoxy- (CAS 107-98-2)	Listed.
Aluminum oxide (CAS 1344-28-1)	Listed.
Distillates (petroleum), hydrotreated middle (CAS 64742-46-7)	Listed.
Glycerol (CAS 56-81-5)	Listed.

**US. Rhode Island RTK**

Aluminum oxide (CAS 1344-28-1)	Listed.
--------------------------------	---------


<b>Country(s) or region</b>	<b>Inventory name</b>	<b>On inventory (yes/no)*</b>
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s)

**16. Other Information**

LEGEND	
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0

<b>HEALTH</b>	/ 0
<b>FLAMMABILITY</b>	0
<b>PHYSICAL HAZARD</b>	0
<b>PERSONAL PROTECTION</b>	X



**Disclaimer**

The information in the sheet was written based on the best knowledge and experience currently available. Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.

**Issue date**

30-July-2015

**Further information**

For an updated SDS, please contact the supplier/manufacturer listed on the first page of the document.

**Other information**

This Safety Data Sheet was prepared to comply with the current OSHA Hazard Communication Standard (HCS) adoption of the Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

**Prepared by**

Dell Tech Laboratories, Ltd. Phone: (519) 858-5021