

SAFETY DATA SHEET

1. Identification

Product identifier SONAX Profiline Ultimate Cut

Other means of identification

Synonyms 02393000, 02395000, 02390000, 02391410

Recommended use Car care product Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name Sonax GmbH

Address Münchener Strasse 75

Germany

Telephone 0049 84 31 53-0

Emergency CONTACT (24-Hour-Number)

GBK/Infotrac ID 91785: (USA domestic) 1 800 535 5053 or international (001) 352 323 3500

Supplier Vision Investments, LLC

4565 W. 16th Street Indianapolis, IN 46222 US

Email: info@sonaxusa.com Phone: 1-317-295-7056

2. Hazard identification

Physical hazards Not classified.
Health hazards Not classified.
Environmental hazards Not classified.
WHMIS 2015 defined hazards Not classified

Label elements

Hazard symbol None.
Signal word None.

Hazard statement The mixture does not meet the criteria for classification.

Precautionary statement

Prevention Observe good industrial hygiene practices.

Response Wash hands after handling.

Storage Store away from incompatible materials.

Disposal Dispose of waste and residues in accordance with local authority requirements.

WHMIS 2015: Health Hazard(s)

not otherwise classified

(HHNOC)

None known

WHMIS 2015: Physical Hazard(s) not otherwise classified (PHNOC)

None known

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

3. Composition/Information on ingredients

Mixture

Chemical name	Common name and synonyms	CAS number	%
2-Propanol, 1-methoxy-		107-98-2	10 - 30 *

#31241 Page: 1 of 9 Issue date 19-May-2020

Chemical name Common name and synonyms CAS number 64742-46-7 10 - 30 * Distillates (petroleum), hydrotreated All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume. Composition comments *CANADA GHS: The exact percentage (concentration) of composition has been withheld as a trade secret. US GHS: The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200. 4. First-aid measures Inhalation If symptoms develop move victim to fresh air. If symptoms persist, obtain medical attention. Flush with cool water. Wash with soap and water. Obtain medical attention if irritation persists. Skin contact Eye contact Flush with cool water. Remove contact lenses, if applicable, and continue flushing. Obtain medical attention if irritation persists. Rinse mouth. Do not induce vomiting. If vomiting occurs naturally, have victim lean forward to Ingestion reduce risk of aspiration. Never give anything by mouth if victim is unconscious or is convulsing. Obtain medical attention. Most important Direct contact with eyes may cause temporary irritation. symptoms/effects, acute and delayed Indication of immediate Treat patient symptomatically. medical attention and special treatment needed If you feel unwell, seek medical advice (show the label where possible). Ensure that medical General information personnel are aware of the material(s) involved and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Avoid contact with eyes and skin. Keep out of reach of children. 5. Fire-fighting measures Water fog. Foam. Dry chemical powder. Carbon dioxide. Suitable extinguishing media Unsuitable extinguishing Not available. media During fire, gases hazardous to health may be formed. Specific hazards arising from the chemical Special protective equipment Self-contained breathing apparatus and full protective clothing must be worn in case of fire. and precautions for firefighters Fire-fiahtina Move containers from fire area if you can do so without risk. equipment/instructions Specific methods Use standard firefighting procedures and consider the hazards of other involved materials. General fire hazards No unusual fire or explosion hazards noted. May include and are not limited to: Oxides of carbon. **Hazardous combustion** products 6. Accidental release measures Personal precautions, Keep unnecessary personnel away. For personal protection, see section 8 of the SDS. protective equipment and emergency procedures Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Methods and materials for Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place containment and cleaning up into containers. Following product recovery, flush area with water. Clean surface thoroughly to remove residual contamination. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground. Do not discharge into lakes, **Environmental precautions** streams, ponds or public waters. 7. Handling and storage Use according to package label instructions. Precautions for safe handling Wash thoroughly after handling. When using do not eat or drink. Store in original tightly closed container. Conditions for safe storage, including any incompatibilities Store away from incompatible materials (see Section 10 of the SDS). Keep out of reach of children.

#31241 Page: 2 of 9 Issue date 19-May-2020

8. Exposure controls/Personal protection

Components	onal Health & Safety Code, Sche		Form
	Туре	Value	Form
2-Propanol, 1-methoxy- (CAS 107-98-2)	STEL	553 mg/m3	
		150 ppm	
	TWA	369 mg/m3 100 ppm	
Distillates (petroleum), hydrotreated middle (CAS 64742-46-7)	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
Canada. British Columbia OELs. Safety Regulation 296/97, as ame		for Chemical Substances, O	ccupational Health and
Components	Туре	Value	Form
2-Propanol, 1-methoxy- (CAS 107-98-2)	STEL	100 ppm	
	TWA	50 ppm	
Distillates (petroleum), hydrotreated middle (CAS 64742-46-7)	TWA	1 mg/m3	Mist.
Canada. Manitoba OELs (Reg. 21	7/2006 The Workplace Safety A	nd Health Act)	
Components	Type	Value	Form
2-Propanol, 1-methoxy- (CAS 107-98-2)	STEL	100 ppm	
(0/10/10/00/2)	TWA	50 ppm	
Distillates (petroleum), hydrotreated middle (CAS 64742-46-7)	TWA	5 mg/m3	Inhalable fraction.
Canada. Ontario OELs. (Control o	of Exposure to Biological or Che Type	emical Agents) Value	
oomponomo			
2-Propanol 1-methoxy-			
2-Propanol, 1-methoxy- (CAS 107-98-2)	STEL	100 ppm	
(CAS 107-98-2)	STEL TWA	100 ppm 50 ppm	afety)
	STEL TWA	100 ppm 50 ppm	afety) Form
(CAS 107-98-2) Canada. Quebec OELs. (Ministry Components 2-Propanol, 1-methoxy-	STEL TWA of Labor - Regulation respecting	100 ppm 50 ppm g occupational health and sa	
(CAS 107-98-2) Canada. Quebec OELs. (Ministry Components	STEL TWA of Labor - Regulation respecting Type	100 ppm 50 ppm g occupational health and so Value	
(CAS 107-98-2) Canada. Quebec OELs. (Ministry Components 2-Propanol, 1-methoxy-	STEL TWA of Labor - Regulation respecting Type	100 ppm 50 ppm g occupational health and sa Value 553 mg/m3	
(CAS 107-98-2) Canada. Quebec OELs. (Ministry Components 2-Propanol, 1-methoxy-	STEL TWA of Labor - Regulation respecting Type STEL	100 ppm 50 ppm g occupational health and so Value 553 mg/m3 150 ppm 369 mg/m3	
Canada. Quebec OELs. (Ministry Components 2-Propanol, 1-methoxy-(CAS 107-98-2) Distillates (petroleum), hydrotreated middle (CAS	STEL TWA of Labor - Regulation respecting Type STEL TWA	100 ppm 50 ppm g occupational health and savalue 553 mg/m3 150 ppm 369 mg/m3 100 ppm	Form
Canada. Quebec OELs. (Ministry Components 2-Propanol, 1-methoxy-(CAS 107-98-2) Distillates (petroleum), hydrotreated middle (CAS 64742-46-7) Canada. Saskatchewan OELs (Oc	STEL TWA of Labor - Regulation respecting Type STEL TWA STEL TWA STEL TWA STEL TWA SCUPATIONAL Health and Safety R	100 ppm 50 ppm g occupational health and sovalue 553 mg/m3 150 ppm 369 mg/m3 100 ppm 10 mg/m3 5 mg/m3 egulations, 1996, Table 21)	Form Mist.
Canada. Quebec OELs. (Ministry Components 2-Propanol, 1-methoxy- (CAS 107-98-2) Distillates (petroleum), hydrotreated middle (CAS 64742-46-7) Canada. Saskatchewan OELs (Oc Components	STEL TWA of Labor - Regulation respecting Type STEL TWA STEL TWA STEL TWA STEL TWA STEL TWA STEL TWA Type	100 ppm 50 ppm g occupational health and sovalue 553 mg/m3 150 ppm 369 mg/m3 100 ppm 10 mg/m3 5 mg/m3 egulations, 1996, Table 21) Value	Form Mist.
Canada. Quebec OELs. (Ministry Components 2-Propanol, 1-methoxy-(CAS 107-98-2) Distillates (petroleum), hydrotreated middle (CAS 64742-46-7) Canada. Saskatchewan OELs (Oc	STEL TWA of Labor - Regulation respecting Type STEL TWA TWA STEL TWA TWA STEL TWA TWA STEL TWA TWA STEL TWA TWA TWA TWA TWA TWA TWA TW	100 ppm 50 ppm g occupational health and sovalue 553 mg/m3 150 ppm 369 mg/m3 100 ppm 10 mg/m3 5 mg/m3 egulations, 1996, Table 21) Value 150 ppm	Form Mist.
Canada. Quebec OELs. (Ministry Components 2-Propanol, 1-methoxy-(CAS 107-98-2) Distillates (petroleum), hydrotreated middle (CAS 64742-46-7) Canada. Saskatchewan OELs (Oc Components 2-Propanol, 1-methoxy-(CAS 107-98-2)	STEL TWA of Labor - Regulation respecting Type STEL TWA STEL TWA STEL TWA ccupational Health and Safety R Type 15 minute 8 hour	100 ppm 50 ppm g occupational health and sovalue 553 mg/m3 150 ppm 369 mg/m3 100 ppm 10 mg/m3 5 mg/m3 egulations, 1996, Table 21) Value 150 ppm 100 ppm	Form Mist.
Canada. Quebec OELs. (Ministry Components 2-Propanol, 1-methoxy-(CAS 107-98-2) Distillates (petroleum), hydrotreated middle (CAS 64742-46-7) Canada. Saskatchewan OELs (Oc Components 2-Propanol, 1-methoxy-	STEL TWA of Labor - Regulation respecting Type STEL TWA TWA STEL TWA TWA STEL TWA TWA STEL TWA TWA STEL TWA TWA TWA TWA TWA TWA TWA TW	100 ppm 50 ppm g occupational health and sovalue 553 mg/m3 150 ppm 369 mg/m3 100 ppm 10 mg/m3 5 mg/m3 egulations, 1996, Table 21) Value 150 ppm	Form Mist.

#31241 Page: 3 of 9 Issue date 19-May-2020

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	Form
Distillates (petroleum), hydrotreated middle (CAS 64742-46-7)	PEL	5 mg/m3	Mist.
US. ACGIH Threshold Limit Value	s		
Components	Туре	Value	Form
2-Propanol, 1-methoxy- (CAS 107-98-2)	STEL	100 ppm	
	TWA	50 ppm	
Distillates (petroleum), hydrotreated middle (CAS 64742-46-7)	TWA	5 mg/m3	Inhalable fraction.
US. NIOSH: Pocket Guide to Cher	nical Hazards		
Components	Туре	Value	Form
2-Propanol, 1-methoxy- (CAS 107-98-2)	STEL	540 mg/m3	
		150 ppm	
	TWA	360 mg/m3 100 ppm	
Distillates (petroleum), hydrotreated middle (CAS 64742-46-7)	STEL	10 mg/m3	Mist.

Biological limit values

No biological exposure limits noted for the ingredient(s).

Exposure guidelines

This material does not have established exposure limits.

Canada - Ontario OELs: Skin designation

Ethanol, 2-phenoxy- (CAS 122-99-6)

Can be absorbed through the skin.

TWA

Appropriate engineering

controls

Ensure adequate ventilation.

Individual protection measures, such as personal protective equipment

Eye/face protection Not normally required.

Skin protection

Hand protection Rubber gloves. Confirm with a reputable supplier first.

Other As required by employer code.

Respiratory protection Where exposure guideline levels may be exceeded, use an approved NIOSH respirator.

Thermal hazards Not applicable.

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and immediately after handling the product. When using, do not eat, drink or smoke.

5 mg/m3

Mist.

9. Physical and chemical properties

Liquid **Appearance** Physical state Liquid. **Form** Liquid. White Color Odor Solvent **Odor threshold** Not available. рΗ Not available. Melting point/freezing point Not available.

Initial boiling point and boiling

range

212 - 590 °F (100 - 310 °C)

Pour pointNot available.Specific gravityNot available.Partition coefficientNot available.

(n-octanol/water)

Flash point Not available.

Evaporation rate Not available.

Not applicable. Flammability (solid, gas) Upper/lower flammability or explosive limits

Flammability limit - lower Not available.

(%)

Not available.

Flammability limit - upper

(%)

Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not available.

Vapor pressure Not available. Vapor density Not available. Not available. Relative density Solubility(ies) Not available. Not available. Auto-ignition temperature Not available. **Decomposition temperature**

> 20.5 mm²/s @ 40°C Viscosity

Other information

1.05 - 1.15 g/cm3 @ 20°C Density

Explosive properties Not explosive. **Oxidizing properties** Not oxidizing.

10. Stability and reactivity

Reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport.

No dangerous reaction known under conditions of normal use.

Possibility of hazardous Chemical stability

reactions

Material is stable under normal conditions.

Conditions to avoid Do not mix with other chemicals.

Incompatible materials None when used and stored according to label directions.

Hazardous decomposition

products

No hazardous decomposition products are known.

11. Toxicological information

Eye, Skin contact, Inhalation, Ingestion. Routes of exposure

Information on likely routes of exposure

Ingestion May cause stomach distress, nausea or vomiting. Inhalation No adverse effects due to inhalation are expected. Skin contact No adverse effects due to skin contact are expected. Direct contact with eyes may cause temporary irritation. Eye contact

Symptoms related to the physical, chemical and toxicological characteristics There are no hazards associated with this product in normal use.

Information on toxicological effects

Acute toxicity

Components **Test Results Species**

2-Propanol, 1-methoxy- (CAS 107-98-2)

Acute

Dermal

LD50 Rat > 2000 mg/kg, Days, ECHA

Inhalation

LC50 Rat 30 mg/l/4h, ECHA

Oral

LD50 Rat 4277 mg/kg, ECHA

4016 mg/kg, ECHA

Components **Test Results Species**

Distillates (petroleum), hydrotreated middle (CAS 64742-46-7)

Dermal

LD50 Rabbit > 2000 mg/kg, 24 Hours, ECHA

2000 mg/kg, Madison Chemical

Inhalation

LC50 Rat 73680 mg/L, 4 Hours, HSDB

7640 mg/m3, 4 h, ECHA

7640 mg/m3, 4 Hours, ECHA 61 mg/L, 4 Hours, HSDB

4.6 mg/L, 4 Hours, ECHA 1.8 mg/L, 4 Hours, ECHA 1.8 mg/L, 4 Hours, ECHA

1.7 mg/L, 4 Hours, ECHA

Oral

LD50 Rat > 5000 mg/kg, ECHA

> > 25 ml/kg, HSDB 7400 mg/kg, LOLI

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Not available. **Exposure minutes** Not available. Erythema value Oedema value Not available.

Serious eye damage/eye

irritation

Direct contact with eyes may cause temporary irritation.

Not available. Corneal opacity value Iris lesion value Not available. Not available. Conjunctival reddening

value

Not available.

Conjunctival oedema value Recover days Not available.

Respiratory or skin sensitization Canada - Alberta OELs: Irritant

> Glycerol (CAS 56-81-5) Irritant

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity Contains < 3% (w/w) DMSO-extract

IARC Monographs. Overall Evaluation of Carcinogenicity

Distillates (petroleum), hydrotreated middle (CAS Volume 33, Supplement 7 - 3 Not classifiable as to carcinogenicity

64742-46-7) to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not listed.

This product is not expected to cause reproductive or developmental effects. Reproductive toxicity

Teratogenicity Not classified. Specific target organ toxicity -Not classified.

single exposure

Specific target organ toxicity -

repeated exposure

Not classified.

Not an aspiration hazard. Aspiration hazard

12. Ecological information

Ecotoxicity See below Ecotoxicological data

Components Species Test Results

2-Propanol, 1-methoxy- (CAS 107-98-2)

Crustacea EC50 Daphnia 23300 mg/L, 48 Hours

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potentialNo data available.Mobility in soilNo data available.Mobility in generalNot available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructionsCollect and reclaim or dispose in sealed containers at licensed waste disposal site.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

Transport of Dangerous Goods (TDG) Proof of Classification

Classification Method: Classified as per Part 2, Sections 2.1 - 2.8 of the Transportation of Dangerous Goods Regulations. If applicable, the technical name and the classification of the product will appear below.

U.S. Department of Transportation (DOT)

Not regulated as dangerous goods.

Transportation of Dangerous Goods (TDG - Canada)

Not regulated as dangerous goods.

15. Regulatory information

Canadian federal regulations

This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

Canada CEPA Schedule I: Listed substance

Aluminum oxide (CAS 1344-28-1) Listed.

Canada Priority Substances List (Second List): Listed substance

Aluminum oxide (CAS 1344-28-1) Listed.

Export Control List (CEPA 1999, Schedule 3)

Not listed.

Greenhouse Gases

Not listed.

Precursor Control Regulations

Not regulated.

WHMIS 2015 Exemptions Controlled

US federal regulations This product is NOT known to be a "Hazardous Chemical" as defined by the OSHA Hazard

Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

2-Propanol, 1-methoxy- (CAS 107-98-2) Listed. Ethanol, 2-phenoxy- (CAS 122-99-6) Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely

No

hazardous substance

SARA 311/312 Hazardous

chemical

Acute toxicity (any route of exposure)

Classified hazard categories

Skin corrosion or irritation Germ cell mutagenicity Carcinogenicity

Aspiration hazard

Yes

SARA 313 (TRI reporting)

Chemical name CAS number % by wt. Aluminum oxide 1344-28-1 15

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Ethanol, 2-phenoxy- (CAS 122-99-6)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

US state regulations

See below

US - California Hazardous Substances (Director's): Listed substance

2-Propanol, 1-methoxy- (CAS 107-98-2) Listed. Aluminum oxide (CAS 1344-28-1) Listed. Distillates (petroleum), hydrotreated middle (CAS Listed. 64742-46-7)

US - Illinois Chemical Safety Act: Listed substance

2-Propanol, 1-methoxy- (CAS 107-98-2) Ethanol, 2-phenoxy- (CAS 122-99-6)

US - Louisiana Spill Reporting: Listed substance

2-Propanol, 1-methoxy- (CAS 107-98-2) Listed. Ethanol, 2-phenoxy- (CAS 122-99-6) Listed.

US - Minnesota Haz Subs: Listed substance

1,2-Propanediol (CAS 57-55-6) Listed. 2-Propanol, 1-methoxy- (CAS 107-98-2) Listed. Aluminum oxide (CAS 1344-28-1) Listed. Distillates (petroleum), hydrotreated middle (CAS Listed. 64742-46-7)

Glycerol (CAS 56-81-5) Listed.

US - Texas Effects Screening Levels: Listed substance

1,2-Propanediol (CAS 57-55-6) Listed. 2-Propanol, 1-methoxy- (CAS 107-98-2) Listed. Aluminum oxide (CAS 1344-28-1) Listed. Distillates (petroleum), hydrotreated middle (CAS Listed. 64742-46-7) Ethanol, 2-phenoxy- (CAS 122-99-6) Listed. Glycerol (CAS 56-81-5) Listed.

US. Massachusetts RTK - Substance List

2-Propanol, 1-methoxy- (CAS 107-98-2) Aluminum oxide (CAS 1344-28-1)

Distillates (petroleum), hydrotreated middle (CAS 64742-46-7)

Glycerol (CAS 56-81-5)

US. New Jersey Worker and Community Right-to-Know Act

1.2-Propanediol (CAS 57-55-6) 2-Propanol, 1-methoxy- (CAS 107-98-2) Aluminum oxide (CAS 1344-28-1) Ethanol, 2-phenoxy- (CAS 122-99-6)

Glycerol (CAS 56-81-5) US. Pennsylvania Worker and Community Right-to-Know Law

1,2-Propanediol (CAS 57-55-6)

2-Propanol, 1-methoxy- (CAS 107-98-2)

Aluminum oxide (CAS 1344-28-1)

Distillates (petroleum), hydrotreated middle (CAS 64742-46-7)

Ethanol, 2-phenoxy- (CAS 122-99-6)

Glycerol (CAS 56-81-5)

US. Rhode Island RTK

1.2-Propanediol (CAS 57-55-6)

2-Propanol, 1-methoxy- (CAS 107-98-2)

Aluminum oxide (CAS 1344-28-1)

Distillates (petroleum), hydrotreated middle (CAS 64742-46-7)

Glycerol (CAS 56-81-5)

US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

Inventory status


Country(s) or region	Inventory name	On inventory (yes/no)*
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other information

LEGEND	
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0





Disclaimer

Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.

Issue date 19-May-2020

Version # 02

Effective date 19-May-2020

Prepared by Dell Tech www.delltech.com Phone: 519-858-5021

Further information Not available.

Other information For an updated SDS, please contact the supplier/manufacturer listed on the first page of the

document.