

2026
Q3



Professional Two-Way Radios & Accessories



GO!-KP

KEYPAD, LCD & BLUETOOTH



NEW

BLUETOOTH



“M1”
MOTOROLA
STYLE CONNECTOR

GO WIRED
OR
GO WIRELESS

DIGITAL DMR

- 4 Watts of Power
- IP56 Water Resistant
- 500 Channels (w Zones)
- 2,000 mAh Battery
- Bluetooth included
- MotoTRBO Tier II

Works with Klein
Bluetooth PTT Gear

4.50"



Blu RSM

Remote Speaker Microphone



Blu GENIE

Modular Earpiece
Listen-Only earpieces
sold separately



Blu TALK

Earpiece with Dual
PTT Buttons

PTT Button # 2

PTT Button # 1

Genuine
blackbox



**BLUETOOTH
BUILT RUGGED**



**BLUETOOTH
BUILT EASY**

 **GO!-KP**
BLUETOOTH PTT ACCESSORIES



**BLUETOOTH
BUILT RIGHT**

GO!®

FULL SIZE PRO DIGITAL RADIO

**MOST
POPULAR**

DIGITAL **DMR**

**UHF & VHF
AVAILABLE!**

- 4 Watts UHF
- 5 Watts VHF
- MotoTRBO Tier II & Hytera Compatible
- IP56 Water Resistant
- 32 Channels
- 2,000 mAh Battery
- 2 Slot Simplex

**"M1"
MOTOROLA
STYLE CONNECTOR**



FREE
screw-down
audio
accessory
clamp.



4.50"



blackbox



SILICONE CASES

Genuine
blackbox

NEW

SHIFT™

UHF, DMR / ANALOG, SUB-COMPACT

- Ultra Compact
- KeyPad & LCD
- IP54 Rated
- 1.5 Watts Power
- 1024 Channels
- 1,600 mAh Battery

3.25"



DIGITAL DMR

For extended coverage
add the compact & rugged

FLEX

DIGITAL REPEATER
UHF & VHF PROGRAMMABLE



"K1"
KENWOOD
STYLE CONNECTOR

SILICONE CASES



SHIFT-6™
Multi-Charger



BANTAM[®]

Best in Class Compact Analog Radio

FEATURES

- UHF or VHF
- 16 Channels
- 5 / 4 / 2 watts
- Scanning
- Voice Channel Encryption
- PC Program Freqs, PL, DPL
- VOX
- NARROWBAND !
- Programmable Buttons:
 - Voice Encryption Function*
 - High/Low Power*

ANALOG



3.75"



**KENWOOD
STYLE CONNECTOR**

**MOTOROLA
STYLE CONNECTOR**

*Your
Choice*

*Genuine
blackbox*



SILICONE CASES

Plus[®]

Rugged JobSite Radio.



ANALOG



- IP54 (Water Resistant)
- 4 Watts, UHF
5 Watts, VHF
- 16 Channels with Scan
- 2-Tone Encode / Decode
- VOX (Voice activated)
- Voice Enunciation for each ch.
- Programmable Button
(VOX, Announce Battery
Power, or Emergency Alert)

4.25"



"M1"
MOTOROLA
STYLE CONNECTOR



FREE
screw-down
audio
accessory
clamp.



SILICONE CASES

Genuine
blackbox

POCKET+[®]

SUB COMPACT RADIO



ONLY
3.7"
TALL

ONLY
0.5"
THIN



- 1.5 Watt
- 16 Channel
- PC Programmable
- Compaander Incl.
- Dual PTT (front/side)
- 1-Year Warranty*



MOTOROLA &
KENWOOD
AUDIO PORT
OPTIONS



20 FOOT
DROP
TESTED



Rugged
Belt Clip



Genuine
blackbox

POCKET+[®]

CHARGERS & OPTIONS



SUPER
COMPACT

**Single & 6-Unit Drop-In Chargers.
Saves charging time and damage to your radios!**

This charger adapter was
Custom Built for
Motorola OEM
CLS Radio Chargers!



Now you can upgrade from
Motorola CLS radio
to POCKET radios and
keep using your 6-unit
Motorola CLS chargers!



DECIBEL[®]

HIGH-NOISE HEADSET & 2-WAY RADIO

Radio is Built



PTT BUTTON
ON EARSHELL

16 CHANNELS
FOR GROUPS



1.5W
AUDIO OUTPUT



Remote PTT Options.
Down the sleeve,
on the finger,
or steering wheel!

GREAT FOR TOUR GUIDES
& FIRING RANGES!

- High-Noise Headset with 2-Way Radio Built-In
- Noise Canceling Microphone
- UHF / FRS / GMRS
- PC Programmable
- Communicate with multiple headsets
- Volume & Channel Selector
- Flex Boom



FLEX™

PROFESSIONAL REPEATER

DIGITAL REPEATER

UHF & VHF PROGRAMMABLE



DMR
DIGITAL MOBILE RADIO ASSOCIATION



NO NEED TO RE-PROGRAM YOUR RADIOS - NO MHZ SPREAD!

THE FLEX TRANSMITS & RECEIVES ON THE SAME FREQUENCIES.

- Dual Band (UHF & VHF) DMR Repeater
- Dual Band & Dual Standby
- Same Frequency Repeater Function
- **3,000 mAh 10A Polymer Lithium Battery**
- Single Frequency Repeater
- Automatic Power Supply Mode Conversion
- (DC): Voltage Input: 12V~48V
- TFT Screen

Genuine
blackbox



FLEX™

PROFESSIONAL MOBILE RADIO

DIGITAL & ANALOG

UHF & VHF IN ONE DEVICE

"The World's Most Flexible Mobile Radio"

1.5"



- Sub-Compact (4.5" X 1.5")
- DMR & Analog
- UHF & VHF
- 2 Slot Simplex
- 20 Watts
- Headset Port
- Encryption & Scan



Only 4.5" wide

Antenna sold separately



Turn the FLEX into a Base Station with these available accessories:



Optional DTMF Mic



FLEX Mobile has a 2-Pin Kenwood Port for all of our High-Noise Headsets

Genuine
blackbox

MOBILE

Installed in Vehicle or as a Base Station

UHF & VHF
versions available



ANALOG



- 200 Channels
- Optional Field Programmability
- Alpha-Numeric Display
- Narrow and Wide Band option
- Alarm/Stun/2-Tone/5-Tone
- Conventional Network Scalability

- Tune it like a ham radio then program freq to memory.
- Wide band - scan local police, fire, ambulance, helo rescue, etc.
- Compauder audio enhancement
- ANI

55 / 40 WATTS.
VHF / UHF.
EASY TO USE.
SOLID STATE.



ONE-WIRE

Affordable, Superior Quality.



STAR™

- Coiled audio tube with quick disconnect for easy cleaning and changing.
- In-line PTT button and mic.



Quick Disconnect Audio Tube



Quick-Disconnect Audio Tube

14" Cord
2.6mm



14" Cord
2.3mm

32" Cord
3.0mm

AGENT

- Sturdy "C" swivel earloop with clear-audio speaker that rests on the ear.
- In-line mic. & PTT button.
- Great for shift workers to share earpieces.
- Left or right ear.

D-Ring available



SEE CONNECTOR
OPTIONS CHART

32" Cord
3.0mm

SEE CONNECTOR
OPTIONS CHART





ONE-WIRE

Different. Better. Patented.

TUBELESS

CURL™

- C-RING EARLOOP.
- LEFT OR RIGHT EAR.
- IN-LINE MICROPHONE WITH PTT.
- SPEAKER RESTS ON EAR.

KEVLAR™

Reinforced cables



INTREPID™

- RIGHT-EAR ONLY.
- IN-LINE MICROPHONE WITH PTT.
- KEVLAR REINFORCED CABLES.



SEE CONNECTOR OPTIONS CHART

NOISE CANCELING MICROPHONE

SEE CONNECTOR OPTIONS CHART



Featherweight

COMFIT™

- RIGHT-EAR ONLY.
- IN-LINE PTT.
- NOISE CANCELING BOOM MICROPHONE



INCLUDES 3 SIZES

SEE CONNECTOR OPTIONS CHART

14" CABLE



SPLIT-WIRE

Wires split at the PTT Button.



SIGNAL™

- Comfortable acoustic coil tube (black or clear)
- Adjustable for left or right ear usage
- PTT button with built-in microphone & clothing clip




SEE CONNECTOR
OPTIONS CHART



BODYGUARD™

- Adjustable for left or right ear usage
- PTT button with built-in microphone & clothing clip
- Great for Security, Hotels, Casinos, Rentals, etc.

SEE CONNECTOR
OPTIONS CHART



PTT Button

Mic



Quick-Disconnect
Audio Tube



TWO WIRE

Public Safety Grade. Kevlar Cables.



2WIRE™

DIRECTOR™

- Side-bar PTT with noise reduction microphone & steel clothing clip
- Comfortable acoustic coil tube (black or clear)

47" Cord
2.6mm

47" Cord
2.6mm

SEE CONNECTOR
OPTIONS CHART

PATRIOT™

- True Noise Reducing Mic.
- Kevlar reinforced cables
- Clear sound in High-Noise areas
- **Dual PTT buttons - Front Facing**
- Comfortable acoustic coil tube (black & clear available)

26" Cord
3.2mm

27" Cord
2.6mm

18" when coil is stretched
4.0mm

Designed in partnership with Gang Task-Force Officers, the Front-Facing PTT button is easy to press if grappling.

SEE CONNECTOR
OPTIONS CHART



COMFORT-EAR
Noise Reduction
Foam Eartip Option

K-FLEX
Eartip Option

MUSHROOM
Eartip Option

PINKIE
Eartip

Noise Reduction
Microphone

PTT
Button



Noise
Reduction
Microphone

Dual
PTT Button



THREE WIRE

Barrel or Ring Style PTT.



STEALTH S E R I E S



- Miniature Microphone.
- Acoustic coil tube.
- Choice of PTT type.



Did you know?

Klein offers custom cable lengths for any eartip.
Minimum quantity requirements. Just ask!

NOISE CANCELING

Microphone Cancels Background Noise.

DIRECTOR-NC™

2-WIRE SURVEILLANCE KIT

- *DIRECTIONAL Microphone. Reduces Background Noise.
- *PRO Armature Speaker for stealth look and super loud / clear audio.
- *Kevlar Reinforced Cabling.
- *Clear Audio Acoustic Coil Tube (black tube optional).

INDUSTRY-STANDARD
PTT Button

DIRECTIONAL
MICROPHONE




PATRIOT-NC™

2-WIRE SURVEILLANCE KIT

- *DIRECTIONAL Microphone. Reduces Background Noise.
- *Dual Front-Facing PTT Switches - For grappling or wearing gloves!
- *Kevlar Reinforced Cabling.
- *PRO Armature speaker with QD audio tube.

FRONT-FACING
DUAL PTT

DIRECTIONAL
MICROPHONE



QUICK-DISCONNECT
FOR EASY CLEANING
AND REPLACEMENT

Noise
Canceling
Microphone

PTT
Button



Noise
Canceling
Microphone

Dual
PTT Button



COMFORT-EAR
Noise Reduction
Foam Eartip Option



K-FLEX
Eartip Option



MUSHROOM
Eartip Option



PINKIE
Eartip

LISTEN-ONLY

Receive-only Earpieces - No Mic.

INTREPID-LOE™

- Receive-Only
- Right-Ear
- 3 Sizes of Eartip



AVAILABLE WITH:
2.5MM / 3.5MM
STRAIGHT / RT ANGLE

TUBELESS

BRAIDED
CABLE

SCORPION™

- Receive-Only
- Earloop with eartud
- Swivels for Left or Right Ear

AVAILABLE WITH:
2.5MM / 3.5MM
STRAIGHT / RT ANGLE

16" Cord
2.3mm

3" Cord
2.3mm

4" Coil
Unstretched

AGENT™ LOE

- Sturdy "C" adjustable earloop with clear audio speaker that rests on ear
- Short or Long cables available
- 3.5mm right angle connector
- Swivels for Left or Right Ear

AVAILABLE WITH:
3.5MM
STRAIGHT / RT ANGLE

16" Cord
2.3mm

4" Coil
Unstretched

3" Cord
2.3mm

SHADOW™

- Receive-only earpiece with high-quality speaker, standard quick disconnect clear acoustic tube and eartip
- 12" or 42" length cord
- Super strong strain relief

Coil Cord
Available

AVAILABLE WITH:
2.5MM / 3.5MM
STRAIGHT / RT ANGLE

12" or 42" Cord
3 mm thick

SHADOW-PRO™

- Mini-aramature speaker for super loud and clear voice quality
- Listen-only earpiece with clear acoustic tube and eartip
- Rugged cables
- Clothing clip

AVAILABLE WITH:
2.5MM / 3.5MM
STRAIGHT / RT ANGLE

12" or 42" Cord
3 mm thick

PRO-RACING

- Used for Racing
- Comfortable foam
- Knowles speaker



DARK

Covert Listen-Only Earpiece

ULTRA-DISCREET FOR POLICE / PUBLIC SAFETY

- Sub-Miniature Speaker.
- Nearly Invisible Cable with Easy-Stretch Coil.
- Adjustable Clip.
- Large Tactile Connector.

NEARLY
INVISIBLE

HIGH-MEMORY
COIL CABLE.

BLACK CABLE
OPTIONAL

INCLUDES:
6 EARTIPS (2 EACH SIZE)
6 EARWAX FILTERS



ACTUAL
SIZE



Works with RSM



MODULAR

Interchangeable Audio System.



1. Buy the Main Unit.
2. Pick a headset or throat mic.
3. Pick a radio connector cable.
4. Ring & Barrel PTT's are optional.
5. Rugged Swivel Clip included.



MODULAR CABLE.
Connects a variety of headsets to the Main Unit.

The Front-Facing PTT Button is extra large for those wearing gloves.



PTT button



PTT JUNCTION BOX

SPEAKER MICS

Rugged. Patented. Waterproof.



3.25"



Locking
Earpiece
Cam-Port



2.25"

LAB CERTIFIED
IP67
WATERPROOF



2.50"

VALOR®

- Rubber overmolded.
- 3 PTT switches
- 2 Audio Ports with Locking Cams (patented design)

BRAVO®

- IP67 Waterproof Compliant
- Compact Size
- Strong Strain Relief
- Ruggedized Cable

FLARE®

- Slim & Flat
- Tactile PTT switch
- Swivel clothing clip
- Reinforced Cabling

Clip options built for Valor & Bravo

Vehicle Mount for O-Post



O-Post for Vehicle Mount



Swivel Belt Clip - Detachable-



Blu RSM®
Bluetooth Speaker Mic.



Compatible with
Kenwood models
NX-3300, NX-5000

HIGH-NOISE

HIGH NOISE CANCELING HEADSETS



Dual-Sport

- Racing, Manufacturing, Engineers, Construction, OSHA Compliance, Oil Rig.
- Universal 5-pin cable connector plus a 3.5mm port for listen-only.
- Sealed push-to-talk.
- Electret or Dynamic mic. is available.
- dB reduction rated earshells.
- Use with K-Cord™!



water
proof
PTT



Comet
FLEX

- SINGLE MUFF HEADSET W/PTT
- Impact rated earshell
- Universal 5-pin cable connector port
- Swivel Boom for Left or Right side use
- Soft hygienic cover for earpad included

Dual-Comm

- DUAL PTT Buttons (independent)
- DUAL cable connector ports
- Use 2 radios per headset!
- Electret or Dynamic mic. is available.
- dB reduction rated earshells.
- Use with K-Cord™!



Rigged for
Dual Cables

SEE
CONNECTOR
CHART

SEE
CONNECTOR
CHART



Titan-LO

- Listen-Only (no microphone)
- Uses any K-Cord cable.



Shown connected
to an RSM with
a short K-Cord.

BEHIND-THE-HEAD

HIGH NOISE CANCELING HEADSETS

TITAN[®] FLEX

water
proof
PTT

- Tarmac, Manufacturing, Construction, Fracking, Warehousing, Racing, OSHA.
- Waterproof Push-To-Talk button.
- dB Reducing Earshells.
- Noise Canceling Microphone.



RED, BLACK, CARBON FIBER




TITAN[®] EXTREME HIGH NOISE

- Similar to Titan-Flex, but with a Mechanical-Boom microphone.



Mechanical
Boom Mic
Version.



YOUR CHOICE:
Dynamic or Electret
Microphone



HIGH NOISE



Wear
Hearing
Protection

K-CORD

RUGGED HEADSET CABLES



- Super Memory Cable.
- Impact Jacketed
- Kevlar strand for Pull Strength.
- Built to outlast your device.
- 4.5mm thick cables.
- Made for all Dual-Muff and Single-Muff High-Noise Headsets.
- 3-Year Warranty

Custom Lengths Available.

KEVLAR[®]
strand in cable

Built for these High-Noise Headsets



LIGHTWEIGHT

Tactical Quality. Clear & Loud Audio.



VOYAGER™

- Over-the-head
- Industrial Quality
- In-line PTT button
- Swivel boom microphone
- Adjustable steel headband



CREWCHIEF™

- Heavy duty headset with noise cancelling boom microphone
- In-line PTT button
- Behind-the-head design



RAZOR™

- Behind-the-head
- Water resistant in-line PTT button
- Noise cancelling boom mic
- Speaker rests on the ear for comfort

R-7 SERIES

Built with OEM Motorola Connectors

DIRECTOR

2-Wire Earpiece.
Rugged PTT
& Microphone
& eartip options.



LAB CERTIFIED
IP67
WATERPROOF



BRAVO

- Compact Size
- Strong Strain Relief
- Ruggedized Cable

CURL

1-Wire Earpiece.
In-line PTT &
Microphone.



Silicone Grip Carry Cases.

With & Without Keypad.

waterproof
PTT




PATRIOT

2-Wire Earpiece.
Front-Facing PTT
w/ Microphone
& eartip options.



STAR

1-Wire Earpiece.
In-line PTT & Mic.



K-Cord-R7
High-Memory Coil,
Shielded, Rugged.



R7 to M1
Adapter



DISPATCH-PTT



PTT (Push-To-Talk) Handgrip
for Radio Dispatchers

Replaces the Plantronics SHS1890 (HP 8K7T8AA#AC3)

- Hand-Grip PTT Button
- Lockable PTT
- Rugged 15' or 25' Cable options
- Spring Steel Clip

KEVLAR
strand in cable



DISPATCH-BOXES



- Simultaneously receive radio & phone into headset (volume levels adjustable).
- Light indicates radio / telephone comm.
- Desktop or mounted - brackets included.
- Made in the USA.



ADAPTERS

Top Quality for 2-Way Radios

MULTI-PIN


- R7M1-Adapter - for the R7 radios
- M9-Adapter - for XPR3300, 3500, etc.
- TRBO - for the TRBO, XPR, APX7000, etc.
- K9717 - for the HT750, GP328 (incl PTI)
- K9716a - for the HT750, GP328 (no PTI)
- K6676 - for the HT1000, XTS 3000, etc.
- K3180 - for the TK380, 390, 480, etc.
- K4455 - for the Motorola EX500, etc.



PIGTAIL

K1-K1 Adapter

- Kenwood Male to Kenwood Female Adapter
- Works with "Kenwood" (K1) connector radios.




K1-M1 Adapter

- Kenwood Male to Motorola Female Adapter
- Works with "Kenwood" (K1) connector radios.




M1-M1 Adapter

- Motorola Male to Motorola Female Adapter
- Works with "Motorola" (M1) connector radios.



M1-Y4 Adapter

- Vertex Male to Motorola Female Adapter
- Works with "Vertex" (Y4) connector radios.



3.5MM

Motorola Adapter



Reduce damage to the headset jack by keeping an adapter on the radio at all times!

Vertex Adapter



DID YOU KNOW?

We can build what you need!
Contact us for custom goods.

RADIOGRIPS®

Custom Made Silicone Cases.
Compatible with OEM Chargers.

COMING SOON
R5 & BPR50DX

MOTOROLA



BLACKBOX



HYTERA



KENWOOD



FUELPAD-12[®]

Universal. 1 outlet cable. 12 positions.

LIMITED
QUANTITY

Radios not included



16.5"

For the FuelPad, there no need to purchase pods!
You use what came with your device. Mix-N-Match
radios, phones, or even power tools!



Dual front ports for charging up
power tools or other devices!



MULTI-CHARGERS

EFFICIENT, AFFORDABLE AND DURABLE CHARGERS!

12-GAUGE



6-SHOT



Easy-Swap Pods.
Available for All
Popular Radio &
Battery Models.

POCKET 6









SHIFT-6™



2-WAY RADIO

Connector options

P/N	Connector Figure	Radio Brand	Radio Models
K1		Blackbox	Zone, Bantam, Club
		Kenwood	TK208, TK220, TK240, TK240D, TK248, TK250, TK260, TK260G, TK270, TK270G, TK308, TK320, TK340, TK340D, TK348, TK350, TK353, TK360, TK360G, TK370, TK370G, TK372G, TK373, TK430, TK431, TK2100(ProTalk), TK2102(ProPower), TK2130(ProTalk XLS), TK2160, TK2170, TK2200, TK2202, TK2212, TK2300, TK2360, TK2360ISV16P, TK2400V16P, TK2402V16P, TK3000, TK3100(ProTalk), TK3101(FreeTalk XL), TK3102(ProPower), TK3130(ProTalk XLS), TK3131 (FreeTalk XLS), TK3160, TK3170, TK3173, TK3200, TK3201, TK3202, TK3212, TK3230, TK3230DX, TK3230DXK, TK3230DXBKP, TK3300, TK3360, TK3360ISU16P, TK3400U16P, TK3402U16P, NX220, NX240series, NX1200/1300 NX320, NX340, NX340U16P, NX350U16P2
		RELM	RPV516A, 599A, Plus/RPU416A, 499A Plus, RP4200
		Blackbox	Pocket+, Bantam
K2		Kenwood	TK2140, TK2180, TK3140, TK3148, TK280, TK290, TK380, TK390, TK480, TK481, TK190, TK3180, TK5210, TK5220, TK5310, TK5320, TK5400, NX200, NX300, NX5200, NEXEDGE Series
K3		Kenwood	Kenwood PKT-23 Radios
K4		Kenwood	NXP500
R7		Motorola	R7 Radio Series
M1		Blackbox	Blackbox, Blackbox+, Bantam
		Motorola	BPR40, CLS1110, CLS1410, CP100, CP125, CP150, CP185, CP200, CP200D, CT150, CT250, CT450, CT450LS, DTR410, DTR600, DTR700, GP350 (requires a Motorola HLN9482 adaptor), GP68, GP88, GP280, GP300, GP308, GP2000, GTI, GTX, LTS2000, P040, P080, P110, P1225, P1225LS, PR400, PRO3150, RDU4100, RDU4160D RDV5100, RMU2040, RMU2050, R2, BPR50DX
		Blackbox	GO!, M1-DMR, Bantam
		HYT	TC-446S, POWER446, TC500, TC508, TC600, TC610, TC-620, TC700, TC700EX
		TEKK	XU100, XV100, XU1000, XV1000
Bearcom	BC130, BC95, BC250D		
M2		Motorola	Visar Series
M3		EF Johnson	51SL, 5000, 5100, 7700 Series, VP600, 900
		Motorola	GP900, 9000, HT1000, JT1000, MT1500, MT2000, MTS2000, MTK8000, 838, 900, 9000, PR1500, MTX-LS, XTS1500, XTS2500, XTS3000/Astro, XTS3500, 5000
M4		Motorola	GP1280, 140, 320, 328, 329, 338, 339, 340, 360, 380, 640, 650, 680, HT1250, 1250LS, 1550, 1550XLS, 750, MTX8250, 8250LS, 850, 850LS, 9250, 950, 960, PR860, PRO5150, 5350, 5450, 5550, 5750, PRO7150, 7350, 7450, 7550, 7750, 9150, PTX700, 760, 780
		HYT	TC980
M5		Siyata	SD-7 Device
		Motorola	EX500, EX560XLS, 600, GL2000, GP328Plus, 338Plus, GP344, 388, PRO5150elite
		HYT	TC610P, TC780, TC3000
M6		Motorola	Sprint GT/GT+, Talkabout 270, 280, T289, T5100, 5200, 5300, 5340, 5400, 5410, 5420, Cobra FRS 5512, 5522, T5800, 5820, 6200, 6210, 6220, 6250, 6300, 6320, 6400, T7200 series and FRS50, 60
		HYT	TC1688, TC-320, TC-310
M7		Motorola	DGP 4150+ Series, DGP 5000 & 8000 Series, TRBO XPR6000 and XPR7000 Series, APX NEXT, APX 900 , APX1000, 3000, 4000, 6000, 7000, 8000, & SRX2200.
M8		Motorola	TLK100 Series, SL300, SL7550, SL4000, SL4010, SL500
M9		Motorola	R5 XPR3300, XPR3300e, XPR3500, XPR3500e
CLP		Motorola	CLP446 & CLK446
S1		Icom	IC-F3, F3S, F30G, F31, F4, F4S, F4TR, F10, F20, H2, H6, J12, M5, U12, U16, 4008, 4088A, All Icom Dual-Pin Amateur
		Maxon	SL25, SL55, SP100, SP120, SP130, SP140, PL1145, PL2215, PL24125, PL2445, All COBRA 2 Pin
		Motorola	Talkabout 200, 250, Distance, Distance DPS
		Ritron	Patriot Series RTX, SST, Jobcom JMX, MBX
		Vertex	VX-200, VX-500, VX-510, VX-520UD

CONNECTORS

Don't see yours? Call us!

P/N	Connector Figure	Radio Brand	Radio Models
S2		Maxon	75-785, 75440, GTX-200, GTX-250, GTX-300, GTX-325, GTX-400, GTX-444, GTX-450, G-225, G-227, G-300, GXT500VP, SP140, Some Midland Radios
S3		Icom	F3G, F3GS, F4G, F4GS, F11, F11S, F14, F14S, F15, F21, F21S, F22, F24, F24S, F31, F33, F43
S4		Maxon	SL100, SP200, 200K, SP210, 210K, SP220K Legacy Series: PL1145, PL2245, PL2215P, PL2245P, PL2415, PL2445, PL5000, PL5151, PL5161, PL5184, TruTalk MURS-22/25
S6		Icom	F11, F21, F14, F14S, F24, F24S, F33G, F43G, F43TR, F3001, F3011, F3021, F3021S, F3021T, F4001, F4011, F4021, F4021S, F4021T, IC-V80/V80E
S6-WP		Icom	F3031S, F4031S, F3101D, F4101D, F3210D, F4210D, F3230D, F4230D, F1000T, F2000T, F1000S, F2000S, F1000, F2000
S8		Icom	F30G, F30GS, F30GT, F31G, F31GS, F31GT, F40G, F40GS, F40GT, F41G, F50, F50V, F60, F60V, F70, F80, F3061T/S, F3061S, F3161, F3161DS/S, F3161DT/T, F4061T/S, F4061S, F4161, F4161DS/S, F4161DT/T, M88
S9		Icom	ICOM 14-pin Connector. IC-F9011/F9021 Series, IC-F3260/F4260 Series, M85
HA1		Harris	L3 Harris XL185P
Y4		Vertex	VX130, VX160, VX180, VX210, VX210A, VX230 Series, VX260 series, VX350, VX400, VX410, VX420, VX351, VX354, VX231, VX451, VX454, VX459, EVX531/534/539
Y5		Vertex	VX820/VX920/VX824/VX924/VXD720
Y6		Vertex	HX380/HX400/HX400IS, EVX-S24
Sepura		Sepura	STP8000
Tait		Tait	TP8100
Tetra1		Tetra	SPS-C200
Tetra2		Tetra	MTP-850
H1		Hytera	PD782, PD702
H2		Hytera	PD605/PD605G, PD665/PD665G, PD685/PD685G, X1e, X1p, Z1p
H3		Hytera	PD35X, PD36X
TC700		Hytera	TC700/700Ex, TC500/508/518/580, TC610, PD502/562
SO		Sonim	3.5mm Right Angle
KO		Rugby PRO and Others	
3.5ST		Sonim	3.5mm Straight Angle for iPhone and Other Mobile Phones



2026
Q3

Professional Two-Way Radios & Accessories



U.S. 800.959.2899
Int'l 760.781.3220
Email: sales@kleinelectronics.com
Web: www.KleinElectronics.com
349 N. Vinewood street
Escondido, California USA 92029