

SECTION 1 — Identification

Product name	Ambered Apricot
Supplier name	Lone Star Candle Supply, Inc.
Recommended use	Compound used in customer substance/mixture/product
Supplier address	5800 Park Vista Circle, Keller, TX 76244
Supplier phone	1-800-929-9425
Emergency phone (24h)	CHEMTREC 1-800-424-9300 / +1 703-741-5970

SECTION 2 — Hazards Identification
2.1. Classification of the substance or mixture
GHS US classification

Hazard class	Category	Hazard statement
Flammable liquid	Category 4	H227 - Combustible liquid.
Skin corrosion/irritation	Category 2	H315 - Causes skin irritation.
Serious eye damage/eye irritation	Category 2	H319 - Causes serious eye irritation.
Skin sensitization	Category 1	H317 - May cause an allergic skin reaction.

Full text of H statements : see section 16

2.2. GHS Label elements, including precautionary statements

Hazard pictograms (GHS US):



Signal word (GHS US):	Warning
Hazard statements (GHS US):	H227 - Combustible liquid H315 - Causes skin irritation H317 - May cause an allergic skin reaction H319 - Causes serious eye irritation
Precautionary statements (GHS US):	P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P261 - Avoid breathing dust, fume, gas, mist, vapors, spray. P264 - Wash hands, forearms and face thoroughly after handling. P272 - Contaminated work clothing must not be allowed out of the workplace. P280 - Wear protective gloves. P302+P352 - If on skin: Wash with plenty of water. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P321 - Specific treatment (see supplemental first aid instruction on this label). P333+P313 - If skin irritation or rash occurs: Get medical advice or attention. P337+P313 - If eye irritation persists: Get medical advice or attention. P362+P364 - Take off contaminated clothing and wash it before reuse. P370+P378 - In case of fire: Use appropriate media to extinguish. P403 - Store in a well-ventilated place. P501 - Dispose of contents and/or container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulations.

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3 — Composition / Information on Ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS US classification
LINALOOL	(CAS-No.) 78-70-6	5 – 10	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1B, H317
LINALYL ACETATE	(CAS-No.) 115-95-7	5 – 10	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2B, H320 Skin Sens. 1B, H317
Dihydromyrcenol	(CAS-No.) 18479-58-8	5 – 10	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H336
PHENYL ETHYL ALCOHOL	(CAS-No.) 60-12-8	1–5	Acute Tox. 4 (Oral), H302 Eye Irrit. 2A, H319
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone (Iso E Super)	(CAS-No.) 54464-57-2	1–5	Skin Irrit. 2, H315 Skin Sens. 1B, H317
GERANYL ACETATE	(CAS-No.) 105-87-3	1–5	Skin Irrit. 2, H315 Skin Sens. 1B, H317
LIMONENE	(CAS-No.) 5989-27-5	1–5	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304
CITRONELLYL ACETATE	(CAS-No.) 150-84-5	1–5	Skin Irrit. 2, H315
CYCLAMEN ALDEHYDE	(CAS-No.) 103-95-7	1–5	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Skin Sens. 1B, H317
CITRAL	(CAS-No.) 5392-40-5	1–5	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1, H317
2,4-DIMETHYL-3-CYCLOHEXENE CARBOXALDEHYDE	(CAS-No.) 68039-49-6	1–5	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Skin Sens. 1B, H317
HEXYL ALCOHOL	(CAS-No.) 111-27-3	1–5	Flam. Liq. 3, H226 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Eye Irrit. 2A, H319
CITRONELLOL	(CAS-No.) 106-22-9	1–5	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1B, H317
GERANIOL	(CAS-No.) 106-24-1	0.1 – 1	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317
DAMASCONE DELTA	(CAS-No.) 57378-68-4	0.1 – 1	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Skin Sens. 1A, H317

Full text of hazard classes and H-statements : see section 16

SECTION 4 — First-Aid Measures

4.1. Description of first aid measures

First-aid measures general:

If you feel unwell, seek medical advice.

First-aid measures after inhalation:	Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact:	Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact:	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion:	Call a poison center/doctor/physician if you feel unwell.

4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after inhalation:	None under normal conditions.
Symptoms/effects after skin contact:	Irritation. May cause an allergic skin reaction.
Symptoms/effects after eye contact:	Eye irritation.
Symptoms/effects after ingestion:	None under normal conditions.

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTION 5 — Fire-Fighting Measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media:	Water spray. Dry powder. Foam. Carbon dioxide.
Unsuitable extinguishing media:	Do not use a heavy water stream.

5.2. Specific hazards arising from the chemical

Fire hazard:	Combustible liquid.
Explosion hazard:	No direct explosion hazard.

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions:	Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection.
Protection during firefighting:	Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6 — Accidental Release Measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures:	Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material-damage.
-------------------	---

6.1.1. For non-emergency personnel

Protective equipment:	Wear recommended personal protective equipment.
Emergency procedures:	Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray.

6.1.2. For emergency responders

Protective equipment:	Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures:	Evacuate unnecessary personnel. Stop leak if safe to do so.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment:	Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak, if possible without risk.
Methods for cleaning up:	Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.

Other information: Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7 — Handling and Storage

7.1. Precautions for safe handling

Additional hazards when processed:	Not expected to present a significant hazard under anticipated conditions of normal use.
Precautions for safe handling:	Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear personal protective equipment. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray.
Hygiene measures:	Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures:	Keep in a cool, well-ventilated place away from heat.
Storage conditions:	Store in a well-ventilated place. Keep cool.
Packaging materials:	Always store product in container of same material as original container.

SECTION 8 — Exposure Controls / Personal Protection

8.1. Control parameters

CITRAL (5392-40-5)

ACGIH	Local name	Citral
ACGIH	ACGIH® TLV® TWA	5 ppm (IFV - Inhalable fraction and vapor)
ACGIH	Remark (ACGIH®)	TLV® Basis: Body weight eff; URT irr; eye dam. Notations: Skin; DSEN; A4 (Not classifiable as a Human Carcinogen)
ACGIH	Regulatory reference	ACGIH 2024

CITRONELLOL (106-22-9)

Not applicable

CITRONELLYL ACETATE (150-84-5)

Not applicable

CYCLAMEN ALDEHYDE (103-95-7)

Not applicable

DAMASCONE DELTA (57378-68-4)

Not applicable

Dihydromyrcenol (18479-58-8)

Not applicable

GERANIOL (106-24-1)

Not applicable

GERANYL ACETATE (105-87-3)

Not applicable

HEXYL ALCOHOL (111-27-3)

Not applicable

1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone (Iso E Super) (54464-57-2)

Not applicable

LINALOOL (78-70-6)

Not applicable

LINALYL ACETATE (115-95-7)

Not applicable

LIMONENE (5989-27-5)

Not applicable

PHENYL ETHYL ALCOHOL (60-12-8)

Not applicable

2,4-DIMETHYL-3-CYCLOHEXENE CARBOXALDEHYDE (68039-49-6)

Not applicable

8.2. Appropriate engineering controls

Appropriate engineering controls: Ensure good ventilation of the work station.

Environmental exposure controls: Avoid release to the environment.

8.3. Individual protection measures / Personal protective equipment

Personal protective equipment: Wear recommended personal protective equipment.

Hand protection: Protective gloves

Eye protection: Safety glasses

Skin and body protection: Wear suitable protective clothing

Respiratory protection: In case of insufficient ventilation, wear suitable respiratory equipment

PPE symbols:



SECTION 9 — Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid

Color: No data available

Odor: No data available

Odor threshold: No data available

pH: No data available

Melting point: Not applicable

Freezing point: No data available

Boiling point: No data available

Flash point: $\approx 73.9^{\circ}\text{C}$

Relative evaporation rate (butyl acetate=1): No data available

Flammability: Not applicable.

Vapor pressure: No data available

Relative vapor density at 20°C : No data available

Relative density: No data available

Solubility: No data available

Partition coefficient n-octanol/water (Log Pow): No data available

Auto-ignition temperature: No data available

Decomposition temperature:	No data available
No data availableViscosity, kinematic:	No data available
Viscosity, dynamic:	No data available
Explosion limits:	No data available
Explosive properties:	No data available
Oxidizing properties:	No data available

9.2. Other information

No additional information available

SECTION 10 — Stability and Reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11 — Toxicological Information

11.1. Information on toxicological effects

Acute toxicity (oral):	No data available
Acute toxicity (dermal):	No data available
Acute toxicity (inhalation):	No data available

CITRONELLOL (106-22-9)

ATE US (oral)	3450 mg/kg body weight
ATE US (dermal)	2650 mg/kg body weight

CYCLAMEN ALDEHYDE (103-95-7)

ATE US (oral)	3810 mg/kg body weight
---------------	------------------------

DAMASCONE DELTA (57378-68-4)

ATE US (oral)	1400 mg/kg body weight
---------------	------------------------

GERANIOL (106-24-1)

LD50 oral rat	3600 mg/kg body weight (Rat, Male / female, Experimental value, Oral, 14 day(s))
LD50 dermal rabbit	> 5000 mg/kg (Rabbit, Experimental value, Dermal)
ATE US (oral)	3600 mg/kg body weight

GERANYL ACETATE (105-87-3)

LD50 oral rat	6300 mg/kg (Rat, Oral)
ATE US (oral)	6300 mg/kg body weight

HEXYL ALCOHOL (111-27-3)	
ATE US (oral)	500 mg/kg body weight
ATE US (dermal)	1750 mg/kg body weight
LINALOOL (78-70-6)	
LD50 oral rat	2790 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral, 14 day(s))
LD50 dermal rabbit	5610 mg/kg body weight (Equivalent or similar to OECD 402, 24 h, Rabbit, Experimental value, Dermal, 7 day(s))
ATE US (oral)	2790 mg/kg body weight
ATE US (dermal)	5610 mg/kg body weight
LIMONENE (5989-27-5)	
LD50 oral rat	> 2000 mg/kg body weight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Female, Read-across, Oral)
LD50 dermal rabbit	> 5000 mg/kg body weight (Equivalent or similar to OECD 402, Rabbit, Weight of evidence, Dermal)
PHENYL ETHYL ALCOHOL (60-12-8)	
LD50 oral rat	> 1790 mg/kg (Rat, Oral)
LD50 dermal rabbit	> 808 mg/kg (Rabbit, Dermal)
LC50 Inhalation - Rat	> 1.4 mg/l (4 h, Rat, Inhalation)
ATE US (oral)	1610 mg/kg body weight
ATE US (dermal)	2500 mg/kg body weight
Skin corrosion/irritation:	Causes skin irritation.
Serious eye damage/irritation:	Causes serious eye irritation.
Respiratory or skin sensitization:	May cause an allergic skin reaction.
Germ cell mutagenicity:	No data available
Carcinogenicity:	No data available
LIMONENE (5989-27-5)	
IARC group	3 - Not classifiable
Reproductive toxicity:	No data available
STOT-single exposure:	No data available
Dihydromyrcenol (18479-58-8)	
STOT-single exposure	May cause drowsiness or dizziness.
STOT-repeated exposure:	No data available
LINALOOL (78-70-6)	
NOAEL (dermal,rat/rabbit,90 days)	250 mg/kg body weight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study)
Aspiration hazard:	No data available
Viscosity, kinematic:	No data available
Symptoms/effects after inhalation:	None under normal conditions.
Symptoms/effects after skin contact:	Irritation. May cause an allergic skin reaction.
Symptoms/effects after eye contact:	Eye irritation.
Symptoms/effects after ingestion:	None under normal conditions.
SECTION 12 — Ecological Information	

12.1. Toxicity

Ecology - general:	The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.
--------------------	--

GERANIOL (106-24-1)

LC50 - Fish [1]	22 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Danio rerio, Static system, Fresh water, Experimental value, GLP)
EC50 - Crustacea [1]	10.8 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect)
ErC50 algae	13.1 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, GLP)

GERANYL ACETATE (105-87-3)

LC50 - Fish [1]	68.12 mg/l (DIN 38412: German standard methods for the examination of water, waste water and sludge, 96 h, Leuciscus idus, Static system, Fresh water, Read-across)
EC50 - Crustacea [1]	14.1 mg/l (EU Method C.2, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)

LINALOOL (78-70-6)

LC50 - Fish [1]	27.8 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Oncorhynchus mykiss, Static system, Fresh water, Experimental value, GLP)
EC50 - Crustacea [1]	59 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)
ErC50 algae	156.7 mg/l (DIN 38412-9, 96 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, Nominal concentration)

LINALYL ACETATE (115-95-7)

LC50 - Fish [1]	11 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Cyprinus carpio)
EC50 - Crustacea [1]	15 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna)

LIMONENE (5989-27-5)

LC50 - Fish [1]	720 µg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value, Lethal)
EC50 - Crustacea [1]	0.36 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)

PHENYL ETHYL ALCOHOL (60-12-8)

LC50 - Fish [1]	220 – 260 mg/l (96 h, Leuciscus idus)
EC50 - Crustacea [1]	287.17 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna)

12.2. Persistence and degradability

CITRONELLOL (106-22-9)

Persistence and degradability	Readily biodegradable in water.
Chemical oxygen demand (COD)	2.05 g O ₂ /g substance
ThOD	2.961 g O ₂ /g substance

CITRONELLYL ACETATE (150-84-5)

Persistence and degradability	Biodegradability in water: no data available.
-------------------------------	---

CYCLAMEN ALDEHYDE (103-95-7)

Persistence and degradability	Biodegradability in water: no data available.
-------------------------------	---

Dihydromyrcenol (18479-58-8)

Persistence and degradability	Biodegradability in water: no data available.
-------------------------------	---

GERANIOL (106-24-1)	
Persistence and degradability	Readily biodegradable in water.
GERANYL ACETATE (105-87-3)	
Persistence and degradability	Readily biodegradable in water.
ThOD	2.6 g O ₂ /g substance
LINALOOL (78-70-6)	
Persistence and degradability	Readily biodegradable in water.
LINALYL ACETATE (115-95-7)	
Persistence and degradability	Readily biodegradable in water.
LIMONENE (5989-27-5)	
Persistence and degradability	Readily biodegradable in water.
ThOD	3.29 g O ₂ /g substance
PHENYL ETHYL ALCOHOL (60-12-8)	
Persistence and degradability	Biodegradable in the soil. Readily biodegradable in water.
Biochemical oxygen demand (BOD)	1.45 g O ₂ /g substance
Chemical oxygen demand (COD)	2.5 g O ₂ /g substance
ThOD	2.6 g O ₂ /g substance
BOD (% of ThOD)	0.558
2,4-DIMETHYL-3-CYCLOHEXENE CARBOXALDEHYDE (68039-49-6)	
Persistence and degradability	Biodegradability in water: no data available.
12.3. Bioaccumulative potential	
CITRONELLOL (106-22-9)	
Partition coefficient n-octanol/water (Log Pow)	3.41 – 3.91
CITRONELLYL ACETATE (150-84-5)	
Partition coefficient n-octanol/water (Log Pow)	4.28
Bioaccumulative potential	No bioaccumulation data available.
CYCLAMEN ALDEHYDE (103-95-7)	
Partition coefficient n-octanol/water (Log Kow)	≈ 3.91
Bioaccumulative potential	No bioaccumulation data available.
Dihydromyrcenol (18479-58-8)	
Partition coefficient n-octanol/water (Log Pow)	3.47 (Estimated value)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
GERANIOL (106-24-1)	
Partition coefficient n-octanol/water (Log Pow)	2.6 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 25 °C)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
GERANYL ACETATE (105-87-3)	
BCF - Other aquatic organisms [1]	1500 (Estimated value)
Partition coefficient n-octanol/water (Log Pow)	4.04 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method)
Bioaccumulative potential	Potential for bioaccumulation (4 ≥ Log Kow ≤ 5).

LINALOOL (78-70-6)	
Partition coefficient n-octanol/water (Log Pow)	2.84 (Experimental value, Equivalent or similar to OECD 107, 25 °C)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
LINALYL ACETATE (115-95-7)	
Partition coefficient n-octanol/water (Log Pow)	3.93 (Experimental value)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
LIMONENE (5989-27-5)	
BCF - Fish [1]	864.8 – 1022 (Pisces, QSAR, Fresh weight)
Partition coefficient n-octanol/water (Log Pow)	4.38 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 37 °C)
Bioaccumulative potential	Potential for bioaccumulation ($4 \geq \text{Log Kow} \leq 5$).
PHENYL ETHYL ALCOHOL (60-12-8)	
Partition coefficient n-octanol/water (Log Pow)	1.38 (Experimental value)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
2,4-DIMETHYL-3-CYCLOHEXENE CARBOXALDEHYDE (68039-49-6)	
Bioaccumulative potential	No bioaccumulation data available.
12.4. Mobility in soil	
Dihydromyrcenol (18479-58-8)	
Ecology - soil	No (test)data on mobility of the substance available.
GERANIOL (106-24-1)	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.85 (log Koc, PCKOCWIN v1.66, Calculated value)
Ecology - soil	Highly mobile in soil.
GERANYL ACETATE (105-87-3)	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.06 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
Ecology - soil	Low potential for mobility in soil.
LINALOOL (78-70-6)	
Surface tension	8.3 mN/m (20 °C, ISO 9101: Surface active agents - Determination of interfacial tension)
Ecology - soil	No (test)data on mobility of the substance available.
LINALYL ACETATE (115-95-7)	
Ecology - soil	Adsorbs into the soil.
LIMONENE (5989-27-5)	
Ecology - soil	Adsorbs into the soil.
2,4-DIMETHYL-3-CYCLOHEXENE CARBOXALDEHYDE (68039-49-6)	
Ecology - soil	No (test)data on mobility of the substance available.
12.5. Other adverse effects	
No additional information available	
SECTION 13 — Disposal Considerations	
13.1. Disposal methods	
Regional waste regulation:	Disposal must be done according to official regulations.

Waste treatment methods:	Dispose of contents/container in accordance with licensed collector's sorting instructions.
Sewage disposal recommendations:	Disposal must be done according to official regulations.
Product/Packaging disposal recommendations:	Disposal must be done according to official regulations.
Additional information:	Do not re-use empty containers.

SECTION 14 — Transport Information

Department of Transportation (DOT)

In accordance with DOT

Not regulated

SECTION 15 — Regulatory Information

15.1. US Federal regulations

No additional information available

This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

SECTION 16 — Other Information

Revision date: 08/13/2026

Full text of H-phrases

H226 Flammable liquid and vapor

H227 Combustible liquid

H302 Harmful if swallowed

H304 May be fatal if swallowed and enters airways

H312 Harmful in contact with skin

H315 Causes skin irritation

H317 May cause an allergic skin reaction

H318 Causes serious eye damage

H319 Causes serious eye irritation

H320 Causes eye irritation

H336 May cause drowsiness or dizziness

Disclaimer: The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Compiled by Lone Star Candle Supply, Inc. (5800 Park Vista Circle, Keller, TX 76244) from supplier-provided information. Section 1 supplier identity and emergency contact standardized to Lone Star; all other section content reproduced from the source SDS.