

SECTION 1 — Identification

Product name	Garden Glow
Supplier name	Lone Star Candle Supply, Inc.
Recommended use	Compound used in customer substance/mixture/product
Supplier address	5800 Park Vista Circle, Keller, TX 76244
Supplier phone	1-800-929-9425
Emergency phone (24h)	CHEMTREC 1-800-424-9300 / +1 703-741-5970

SECTION 2 — Hazards Identification
2.1. Classification of the substance or mixture
GHS US classification

Hazard class	Category	Hazard statement
Skin corrosion/irritation	Category 2	H315 - Causes skin irritation.
Serious eye damage/eye irritation	Category 2A	H319 - Causes serious eye irritation.
Skin sensitization	Category 1	H317 - May cause an allergic skin reaction.

Full text of H statements : see section 16

2.2. GHS Label elements, including precautionary statements

Hazard pictograms (GHS US):



Signal word (GHS US):	Warning
Hazard statements (GHS US):	H315 - Causes skin irritation H317 - May cause an allergic skin reaction H319 - Causes serious eye irritation
Precautionary statements (GHS US):	P261 - Avoid breathing dust, fume, gas, mist, vapors, spray. P264 - Wash hands, forearms and face thoroughly after handling. P272 - Contaminated work clothing must not be allowed out of the workplace. P280 - Wear protective gloves. P302+P352 - If on skin: Wash with plenty of water. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P321 - Specific treatment (see supplemental first aid instruction on this label). P333+P313 - If skin irritation or rash occurs: Get medical advice or attention. P337+P313 - If eye irritation persists: Get medical advice or attention. P362+P364 - Take off contaminated clothing and wash it before reuse. P501 - Dispose of contents and/or container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulations.

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3 — Composition / Information on Ingredients
3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS US classification
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8-tetramethyl-2-naphthalenyl)ethanone (Iso E Super)	(CAS-No.) 54464-57-2	10 – 30	Skin Irrit. 2, H315 Skin Sens. 1B, H317
2H-pyran-4-ol, tetrahydro-4-methyl-2-(2-methylpropyl)-	(CAS-No.) 63500-71-0	5 – 10	Eye Irrit. 2A, H319
PHENYL ETHYL ALCOHOL	(CAS-No.) 60-12-8	5 – 10	Acute Tox. 4 (Oral), H302 Eye Irrit. 2A, H319
HEXYL CINNAMAL	(CAS-No.) 101-86-0	5 – 10	Skin Sens. 1B, H317
CITRONELLOL	(CAS-No.) 106-22-9	1–5	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1B, H317
LINALOOL	(CAS-No.) 78-70-6	1–5	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1B, H317
BENZYL BENZOATE	(CAS-No.) 120-51-4	1–5	Acute Tox. 4 (Oral), H302
CYCLAMEN ALDEHYDE	(CAS-No.) 103-95-7	1–5	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Skin Sens. 1B, H317
FLORALOZONE	(CAS-No.) 67634-15-5	1–5	Skin Irrit. 2, H315 Skin Sens. 1B, H317
HYDROXY-CITRONELLAL	(CAS-No.) 107-75-5	1–5	Eye Irrit. 2A, H319 Skin Sens. 1B, H317
DAMASCONE DELTA	(CAS-No.) 57378-68-4	< 0.5	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Skin Sens. 1A, H317

Full text of hazard classes and H-statements : see section 16

SECTION 4 — First-Aid Measures

4.1. Description of first aid measures

First-aid measures general:	If you feel unwell, seek medical advice.
First-aid measures after inhalation:	Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact:	Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact:	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion:	Call a poison center/doctor/physician if you feel unwell.

4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after inhalation:	None under normal conditions.
Symptoms/effects after skin contact:	Irritation. May cause an allergic skin reaction.
Symptoms/effects after eye contact:	Eye irritation.
Symptoms/effects after ingestion:	None under normal conditions.

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTION 5 — Fire-Fighting Measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media:	Water spray. Dry powder. Foam. Carbon dioxide.
Unsuitable extinguishing media:	Do not use a heavy water stream.

5.2. Specific hazards arising from the chemical

Fire hazard:	No fire hazard.
Explosion hazard:	No direct explosion hazard.

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions:	Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection.
Protection during firefighting:	Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6 — Accidental Release Measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures:	Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material-damage.
-------------------	---

6.1.1. For non-emergency personnel

Protective equipment:	Wear recommended personal protective equipment.
Emergency procedures:	Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray.

6.1.2. For emergency responders

Protective equipment:	Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures:	Evacuate unnecessary personnel. Stop leak if safe to do so.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment:	Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak, if possible without risk.
Methods for cleaning up:	Take up liquid spill into absorbent material.
Other information:	Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7 — Handling and Storage

7.1. Precautions for safe handling

Additional hazards when processed:	Not expected to present a significant hazard under anticipated conditions of normal use.
Precautions for safe handling:	Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal protective equipment. Avoid breathing dust/fume/gas/mist/vapors/spray.
Hygiene measures:	Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures:	Keep in a cool, well-ventilated place away from heat.
Storage conditions:	Keep cool. Protect from sunlight.
Packaging materials:	Always store product in container of same material as original container.

SECTION 8 — Exposure Controls / Personal Protection

8.1. Control parameters

BENZYL BENZOATE (120-51-4)	Not applicable
CITRONELLOL (106-22-9)	Not applicable
CYCLAMEN ALDEHYDE (103-95-7)	Not applicable
DAMASCONE DELTA (57378-68-4)	Not applicable
FLORALOZONE (67634-15-5)	Not applicable
2H-pyran-4-ol, tetrahydro-4-methyl-2-(2-methylpropyl)- (63500-71-0)	Not applicable
LINALOOL (78-70-6)	Not applicable
HEXYL CINNAMAL (101-86-0)	Not applicable
HYDROXY-CITRONELLAL (107-75-5)	Not applicable
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone (Iso E Super) (54464-57-2)	Not applicable
PHENYL ETHYL ALCOHOL (60-12-8)	Not applicable

8.2. Appropriate engineering controls

Appropriate engineering controls:	Ensure good ventilation of the work station.
Environmental exposure controls:	Avoid release to the environment.

8.3. Individual protection measures / Personal protective equipment

Personal protective equipment:	Wear recommended personal protective equipment.
Hand protection:	Protective gloves
Eye protection:	Safety glasses
Skin and body protection:	Wear suitable protective clothing
Respiratory protection:	In case of insufficient ventilation, wear suitable respiratory equipment

PPE symbols:



SECTION 9 — Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Physical state:	Liquid
Color:	No data available
Odor:	No data available
Odor threshold:	No data available
pH:	No data available
Melting point:	Not applicable
Freezing point:	No data available
Boiling point:	No data available
Flash point:	≈ 99.1 °C
Relative evaporation rate (butyl acetate=1):	No data available
Flammability:	Not applicable.
Vapor pressure:	No data available
Relative vapor density at 20°C:	No data available
Relative density:	No data available
Solubility:	No data available

Partition coefficient n-octanol/water (Log Pow):	No data available
Auto-ignition temperature:	No data available
Decomposition temperature:	No data available
No data availableViscosity, kinematic:	No data available
Viscosity, dynamic:	No data available
Explosion limits:	No data available
Explosive properties:	No data available
Oxidizing properties:	No data available

9.2. Other information

No additional information available

SECTION 10 — Stability and Reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11 — Toxicological Information

11.1. Information on toxicological effects

Acute toxicity (oral):	No data available
Acute toxicity (dermal):	No data available
Acute toxicity (inhalation):	No data available

BENZYL BENZOATE (120-51-4)

LD50 oral rat	> 2000 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, Male/female, Experimental value, Oral, 14 day(s))
LD50 dermal rabbit	> 2 ml/kg (Modification of Draize 1959 method, 4 h, Rabbit, Experimental value, Dermal)
ATE US (oral)	1160 mg/kg body weight

CITRONELLOL (106-22-9)

ATE US (oral)	3450 mg/kg body weight
ATE US (dermal)	2650 mg/kg body weight

CYCLAMEN ALDEHYDE (103-95-7)

ATE US (oral)	3810 mg/kg body weight
---------------	------------------------

DAMASCONE DELTA (57378-68-4)

ATE US (oral)	1400 mg/kg body weight
---------------	------------------------

LINALOOL (78-70-6)	
LD50 oral rat	2790 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral, 14 day(s))
LD50 dermal rabbit	5610 mg/kg body weight (Equivalent or similar to OECD 402, 24 h, Rabbit, Experimental value, Dermal, 7 day(s))
ATE US (oral)	2790 mg/kg body weight
ATE US (dermal)	5610 mg/kg body weight
HEXYL CINNAMAL (101-86-0)	
ATE US (oral)	3100 mg/kg body weight
HYDROXY-CITRONELLAL (107-75-5)	
LD50 oral rat	> 6400 mg/kg body weight (Equivalent or similar to OECD 401, 7 day(s), Rat, Male / female, Experimental value, Oral, 7 day(s))
LD50 dermal rabbit	> 2000 mg/kg (Rabbit, Experimental value, Dermal, 14 day(s))
PHENYL ETHYL ALCOHOL (60-12-8)	
LD50 oral rat	> 1790 mg/kg (Rat, Oral)
LD50 dermal rabbit	> 808 mg/kg (Rabbit, Dermal)
LC50 Inhalation - Rat	> 1.4 mg/l (4 h, Rat, Inhalation)
ATE US (oral)	1610 mg/kg body weight
ATE US (dermal)	2500 mg/kg body weight
Skin corrosion/irritation:	Causes skin irritation.
Serious eye damage/irritation:	Causes serious eye irritation.
Respiratory or skin sensitization:	May cause an allergic skin reaction.
Germ cell mutagenicity:	No data available
Carcinogenicity:	No data available
Reproductive toxicity:	No data available
STOT-single exposure:	No data available
STOT-repeated exposure:	No data available
LINALOOL (78-70-6)	
NOAEL (dermal,rat/rabbit,90 days)	250 mg/kg body weight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study)
Aspiration hazard:	No data available
Viscosity, kinematic:	No data available
Symptoms/effects after inhalation:	None under normal conditions.
Symptoms/effects after skin contact:	Irritation. May cause an allergic skin reaction.
Symptoms/effects after eye contact:	Eye irritation.
Symptoms/effects after ingestion:	None under normal conditions.
SECTION 12 — Ecological Information	
12.1. Toxicity	
Ecology - general:	The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

BENZYL BENZOATE (120-51-4)	
LC50 - Fish [1]	2.32 mg/l (EU Method C.1, 96 h, Danio rerio, Semi-static system, Fresh water, Experimental value, GLP)
EC50 - Crustacea [1]	3.09 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)

LINALOOL (78-70-6)	
LC50 - Fish [1]	27.8 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Oncorhynchus mykiss, Static system, Fresh water, Experimental value, GLP)
EC50 - Crustacea [1]	59 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)
ErC50 algae	156.7 mg/l (DIN 38412-9, 96 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, Nominal concentration)

HYDROXY-CITRONELLAL (107-75-5)	
LC50 - Fish [1]	31.6 mg/l (DIN 38412: German standard methods for the examination of water, waste water and sludge, 96 h, Leuciscus idus, Static system, Fresh water, Experimental value, Nominal concentration)
EC50 - Crustacea [1]	410 mg/l (EU Method C.2, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect)
ErC50 algae	123.32 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, Nominal concentration)

PHENYL ETHYL ALCOHOL (60-12-8)	
LC50 - Fish [1]	220 – 260 mg/l (96 h, Leuciscus idus)
EC50 - Crustacea [1]	287.17 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna)

12.2. Persistence and degradability

BENZYL BENZOATE (120-51-4)	
Persistence and degradability	Readily biodegradable in water.

CITRONELLOL (106-22-9)	
Persistence and degradability	Readily biodegradable in water.
Chemical oxygen demand (COD)	2.05 g O ₂ /g substance
ThOD	2.961 g O ₂ /g substance

CYCLAMEN ALDEHYDE (103-95-7)	
Persistence and degradability	Biodegradability in water: no data available.

2H-pyran-4-ol, tetrahydro-4-methyl-2-(2-methylpropyl)- (63500-71-0)	
Persistence and degradability	Biodegradability in water: no data available.

LINALOOL (78-70-6)	
Persistence and degradability	Readily biodegradable in water.

HYDROXY-CITRONELLAL (107-75-5)	
Persistence and degradability	Readily biodegradable in water.

PHENYL ETHYL ALCOHOL (60-12-8)	
Persistence and degradability	Biodegradable in the soil. Readily biodegradable in water.
Biochemical oxygen demand (BOD)	1.45 g O ₂ /g substance
Chemical oxygen demand (COD)	2.5 g O ₂ /g substance
ThOD	2.6 g O ₂ /g substance
BOD (% of ThOD)	0.558

12.3. Bioaccumulative potential

BENZYL BENZOATE (120-51-4)	
BCF - Fish [1]	2.286 (BCFBAF v3.00, Pisces, QSAR)
Partition coefficient n-octanol/water (Log Pow)	3.97 (Experimental value, 25 °C)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).

CITRONELLOL (106-22-9)	
Partition coefficient n-octanol/water (Log Pow)	3.41 – 3.91

CYCLAMEN ALDEHYDE (103-95-7)	
Partition coefficient n-octanol/water (Log Kow)	≈ 3.91
Bioaccumulative potential	No bioaccumulation data available.

2H-pyran-4-ol, tetrahydro-4-methyl-2-(2-methylpropyl)- (63500-71-0)	
Bioaccumulative potential	No bioaccumulation data available.

LINALOOL (78-70-6)	
Partition coefficient n-octanol/water (Log Pow)	2.84 (Experimental value, Equivalent or similar to OECD 107, 25 °C)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).

HYDROXY-CITRONELLAL (107-75-5)	
BCF - Fish [1]	11.52 l/kg (BCFBAF v3.01, Estimated value, Fresh weight)
Partition coefficient n-octanol/water (Log Pow)	1.68 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 25 °C)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).

PHENYL ETHYL ALCOHOL (60-12-8)	
Partition coefficient n-octanol/water (Log Pow)	1.38 (Experimental value)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).

12.4. Mobility in soil

BENZYL BENZOATE (120-51-4)	
Surface tension	0.027 N/m (210 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.8 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value)
Ecology - soil	Low potential for mobility in soil.

2H-pyran-4-ol, tetrahydro-4-methyl-2-(2-methylpropyl)- (63500-71-0)	
Ecology - soil	No (test)data on mobility of the substance available.

LINALOOL (78-70-6)	
Surface tension	8.3 mN/m (20 °C, ISO 9101: Surface active agents - Determination of interfacial tension)
Ecology - soil	No (test)data on mobility of the substance available.

HYDROXY-CITRONELLAL (107-75-5)	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
Ecology - soil	Highly mobile in soil.

12.5. Other adverse effects

No additional information available

SECTION 13 — Disposal Considerations

13.1. Disposal methods

Regional waste regulation:	Disposal must be done according to official regulations.
Waste treatment methods:	Dispose of contents/container in accordance with licensed collector's sorting instructions.
Sewage disposal recommendations:	Disposal must be done according to official regulations.
Product/Packaging disposal recommendations:	Disposal must be done according to official regulations.
Additional information:	Do not re-use empty containers.

SECTION 14 — Transport Information

Department of Transportation (DOT)

In accordance with DOT

Transport document description (DOT):	UN3082 Environmentally hazardous substances, liquid, n.o.s. (1-(1,2,3,4,5,6,7,8-Octahydro- 2,3,8,8-tetramethyl-2-naphthalenyl)ethanone (Iso E Super)), 9, III
UN-No. (DOT):	UN3082
Proper Shipping Name (DOT):	Environmentally hazardous substances, liquid, n.o.s. 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone (Iso E Super)
Class (DOT):	9 - Class 9 - Miscellaneous hazardous material 49 CFR 173.140
Packing group (DOT):	III - Minor Danger
Hazard labels (DOT):	9 - Class 9 (Miscellaneous dangerous materials) 
DOT Packaging Non Bulk (49 CFR 173.xxx):	203
DOT Packaging Bulk (49 CFR 173.xxx):	241
DOT Symbols:	G - Identifies PSN requiring a technical name
DOT Special Provisions (49 CFR 172.102):	8 - A hazardous substance that is not a hazardous waste may be shipped under the shipping description "Other regulated substances, liquid or solid, n.o.s.", as appropriate. In addition, for solid materials, special provision B54 applies. 146 - This description may be used for a material that poses a hazard to the environment but does not meet the definition for a hazardous waste or a hazardous substance, as defined in 171.8 of this subchapter, or any hazard class as defined in Part 173 of this subchapter, if it is designated as environmentally hazardous by the Competent Authority of the country of origin, transit or destination. 173 - An appropriate generic entry may be used for this material. 335 - Mixtures of solids that are not subject to this subchapter and environmentally hazardous liquids or solids may be classified as "Environmentally hazardous substances, solid, n.o.s.," UN3077 and may be transported under this entry, provided there is no free liquid visible at the time the material is loaded or at the time the packaging or transport unit is closed. Each transport unit must be leak-proof when used as bulk packaging. IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672). T4 - 2.65 178.274(d)(2) Normal..... 178.275(d)(3) TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = $97 / 1 + a (tr - tf)$ Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling. TP29 - A portable tank having a minimum test pressure of 1.5 bar (150.0 kPa) may be used provided the calculated test pressure is 1.5 bar or less based on the MAWP of the hazardous materials, as defined in 178.275 of this subchapter, where the test pressure is 1.5 times the MAWP.
DOT Packaging Exceptions (49 CFR 173.xxx):	155

DOT Quantity Limitations Passenger aircraft/rail
(49 CFR 173.27):

No Limit

DOT Quantity Limitations Cargo aircraft only (49
CFR 175.75):

No Limit

DOT Vessel Stowage Location:

A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.

Emergency Response Guide (ERG) Number:

171

Other information:

No supplementary information available.

SECTION 15 — Regulatory Information

15.1. US Federal regulations

No additional information available

This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

SECTION 16 — Other Information

Revision date:

01/09/2026

Full text of H-phrases

H227 Combustible liquid

H302 Harmful if swallowed

H315 Causes skin irritation

H317 May cause an allergic skin reaction

H319 Causes serious eye irritation

Disclaimer:

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Compiled by Lone Star Candle Supply, Inc. (5800 Park Vista Circle, Keller, TX 76244) from supplier-provided information. Section 1 supplier identity and emergency contact standardized to Lone Star; all other section content reproduced from the source SDS.