

SECTION 1 — Identification

Product name	Hot Pink/Pink Liquid Dye
Supplier name	Lone Star Candle Supply, Inc.
Recommended use	Compound used in customer substance/mixture/product
Supplier address	5800 Park Vista Circle, Keller, TX 76244
Supplier phone	1-800-929-9425
Emergency phone (24h)	CHEMTREC 1-800-424-9300 / +1 703-741-5970

SECTION 2 — Hazards Identification
2.1. Classification of the substance or mixture
GHS US classification

Hazard class	Category	Hazard statement
Skin corrosion/irritation	Category 2	H315 - Causes skin irritation
Serious eye damage/eye irritation	Category 2A	H319 - Causes serious eye irritation
Specific target organ toxicity (repeated exposure)	Category 2	H373 - May cause damage to organs through prolonged or repeated exposure

Full text of H statements : see section 16

2.2. GHS Label elements, including precautionary statements

Hazard pictograms (GHS US):



Signal word (GHS US):	Warning
Hazard statements (GHS US):	H315 - Causes skin irritation H319 - Causes serious eye irritation H373 - May cause damage to organs through prolonged or repeated exposure
Precautionary statements (GHS US):	P260 - Do not breathe dust/fume/gas/mist/vapors/spray. P264 - Wash hands thoroughly after handling P280 - Wear eye protection, face protection, protective clothing, protective gloves. P302+P352 - If on skin: Wash with plenty of water. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P314 - Get medical advice/attention if you feel unwell. P332+P313 - If skin irritation occurs: Get medical advice/attention. P337+P313 - If eye irritation persists: Get medical advice/attention.

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3 — Composition / Information on Ingredients
3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS US classification
Spiro[isobenzofuran-1(3H),9'-[9H]xanthen]-3-one, 3',6'-bis(diethylamino)-	CAS-No.: 509-34-2	18	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335 STOT RE 2, H373 Aquatic Acute 3, H402 Aquatic Chronic 3, H412
Mineral oil	CAS-No.: 8012-95-1	2	Asp. Tox. 1, H304

Full text of hazard classes and H-statements : see section 16

SECTION 4 — First-Aid Measures

4.1. Description of first aid measures

First-aid measures general:	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Get medical advice/attention if you feel unwell.
First-aid measures after inhalation:	Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact:	Wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation occurs: Get immediate medical advice/attention. Get medical advice/attention. Specific treatment (see Wash skin with plenty of water, Call a physician immediately on this label). Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention. Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact:	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.
First-aid measures after ingestion:	Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Call a poison center/doctor/physician if you feel unwell.

4.2. Most important symptoms and effects (acute and delayed)

Potential Adverse human health effects and symptoms:	Based on available data, the classification criteria are not met.
Symptoms/effects:	Causes damage to organs. Not expected to present a significant hazard under anticipated conditions of normal use.
Symptoms/effects after skin contact:	Causes skin irritation. Irritation.
Symptoms/effects after eye contact:	Causes serious eye irritation. Eye irritation.

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTION 5 — Fire-Fighting Measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media:	Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media:	Do not use a heavy water stream.

5.2. Specific hazards arising from the chemical

Hazardous decomposition products in case of fire:	Toxic fumes may be released.
---	------------------------------

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions:	Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.
----------------------------	---

Protection during firefighting:

Do not enter fire area without proper protective equipment, including respiratory protection. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6 — Accidental Release Measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures:	Ventilate spillage area. Evacuate unnecessary personnel. Avoid contact with skin and eyes. Do not breathe dust/fume/gas/mist/vapors/spray.
-----------------------	--

6.1.2. For emergency responders

Protective equipment:	Do not attempt to take action without suitable protective equipment. Equip cleanup crew with proper protection. For further information refer to section 8: "Exposure controls/personal protection".
-----------------------	--

Emergency procedures:	Ventilate area.
-----------------------	-----------------

6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up:	Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.
--------------------------	--

Other information:	Dispose of materials or solid residues at an authorized site.
--------------------	---

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection. For further information refer to section 13.

SECTION 7 — Handling and Storage

7.1. Precautions for safe handling

Precautions for safe handling:	Ensure good ventilation of the work station. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. Avoid contact with skin and eyes. Wear personal protective equipment. Do not breathe fume. Avoid breathing dust/fume/gas/mist/vapors/spray.
--------------------------------	--

Hygiene measures:	Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Wash contaminated clothing before reuse.
-------------------	--

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions:	Keep only in the original container in a cool, well ventilated place away from : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container closed when not in use. Store in a well-ventilated place. Keep cool.
---------------------	---

Incompatible products:	Strong bases. Strong acids.
------------------------	-----------------------------

Incompatible materials:	Sources of ignition. Direct sunlight.
-------------------------	---------------------------------------

Maximum storage period:	1 year
-------------------------	--------

Storage temperature:	4 – 37 °C
----------------------	-----------

Storage area:	Store in a well-ventilated place. Store away from heat.
---------------	---

Special rules on packaging:	Store in a closed container.
-----------------------------	------------------------------

Packaging materials:	Do not store in corrodable metal.
----------------------	-----------------------------------

SECTION 8 — Exposure Controls / Personal Protection

8.1. Control parameters

Spiro[isobenzofuran-1(3H),9'-[9H]xanthen]-3-one, 3',6'-bis(diethylamino)- (509-34-2)

No additional information available

Mineral oil (8012-95-1)

USA - ACGIH - Occupational Exposure Limits

ACGIH OEL TWA	5 mg/m ³ (excluding metal working fluids, highly & severely refined-inhalable particulate matter)
ACGIH chemical category	Not Classifiable as a Human Carcinogen highly and severely refined, Suspected Human Carcinogen highly and severely refined

USA - OSHA - Occupational Exposure Limits

OSHA PEL (TWA) [1]	5 mg/m ³
--------------------	---------------------

USA - IDLH - Occupational Exposure Limits

IDLH	2500 mg/m ³
------	------------------------

USA - NIOSH - Occupational Exposure Limits

NIOSH REL (TWA)	5 mg/m ³
NIOSH REL (STEL)	10 mg/m ³

8.2. Appropriate engineering controls

Appropriate engineering controls:	Ensure good ventilation of the work station.
Environmental exposure controls:	Avoid release to the environment.

8.3. Individual protection measures / Personal protective equipment

Personal protective equipment:	Avoid all unnecessary exposure.
Hand protection:	Wear protective gloves.
Eye protection:	Chemical goggles or safety glasses. Safety glasses
Skin and body protection:	Wear suitable protective clothing
Respiratory protection:	Wear appropriate mask
PPE symbols:	



Other information:	Do not eat, drink or smoke during use.
--------------------	--

SECTION 9 — Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Physical state:	Liquid
Color:	Conforms to standard
Odor:	characteristic
Odor threshold:	No data available
pH:	No data available
Melting point:	Not applicable
Freezing point:	No data available
Boiling point:	No data available
Flash point:	> 94 °C
Relative evaporation rate (butyl acetate=1):	No data available
Flammability (solid, gas):	Non flammable.
Vapor pressure:	No data available
Relative vapor density at 20 °C:	No data available
Relative density:	No data available

Solubility:	No data available
Partition coefficient n-octanol/water (Log Pow):	No data available
Auto-ignition temperature:	No data available
Decomposition temperature:	No data available
Viscosity, kinematic:	No data available
Viscosity, dynamic:	No data available
Explosion limits:	No data available
Explosive properties:	No data available
Oxidizing properties:	No data available

9.2. Other information

No additional information available

SECTION 10 — Stability and Reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Not established.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

SECTION 11 — Toxicological Information

11.1. Information on toxicological effects

Acute toxicity (oral):	Not classified
Acute toxicity (dermal):	Not classified
Acute toxicity (inhalation):	Not classified

Spiro[isobenzofuran-1(3H),9'-[9H]xanthen]-3-one, 3',6'-bis(diethylamino)- (509-34-2)

LD50 oral rat	1830 mg/kg
LD50 dermal rat	> 2000 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
ATE US (oral)	1830 mg/kg body weight

Mineral oil (8012-95-1)

LD50 oral rat	> 24 g/kg
LC50 Inhalation - Rat [ppm]	2062 ppm/4h
ATE US (gases)	2062 ppmV/4h

Skin corrosion/irritation:	Causes skin irritation.
Serious eye damage/irritation:	Causes serious eye irritation.
Respiratory or skin sensitization:	Not classified

Germ cell mutagenicity:	Not classified
Carcinogenicity:	Not classified
Reproductive toxicity:	Not classified
STOT-single exposure:	Not classified

Spiro[isobenzofuran-1(3H),9'-[9H]xanthen]-3-one, 3',6'-bis(diethylamino)- (509-34-2)

STOT-single exposure	May cause respiratory irritation.
----------------------	-----------------------------------

STOT-repeated exposure: May cause damage to organs through prolonged or repeated exposure.

Spiro[isobenzofuran-1(3H),9'-[9H]xanthen]-3-one, 3',6'-bis(diethylamino)- (509-34-2)

STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.
------------------------	--

Aspiration hazard:	Not classified
--------------------	----------------

Viscosity, kinematic:	No data available
-----------------------	-------------------

Potential Adverse human health effects and symptoms:	Based on available data, the classification criteria are not met.
--	---

Symptoms/effects:	Causes damage to organs. Not expected to present a significant hazard under anticipated conditions of normal use.
-------------------	---

Symptoms/effects after skin contact:	Causes skin irritation. Irritation.
--------------------------------------	-------------------------------------

Symptoms/effects after eye contact:	Causes serious eye irritation. Eye irritation.
-------------------------------------	--

SECTION 12 — Ecological Information

12.1. Toxicity

Ecology - general:	The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.
--------------------	--

Spiro[isobenzofuran-1(3H),9'-[9H]xanthen]-3-one, 3',6'-bis(diethylamino)- (509-34-2)

LC50 - Fish [1]	40 mg/l
-----------------	---------

12.2. Persistence and degradability

Persistence and degradability:	Not established.
--------------------------------	------------------

12.3. Bioaccumulative potential

Bioaccumulative potential:	Not established.
----------------------------	------------------

Spiro[isobenzofuran-1(3H),9'-[9H]xanthen]-3-one, 3',6'-bis(diethylamino)- (509-34-2)

Partition coefficient n-octanol/water (Log Pow)	3.649 (at 25 °C (at pH 7.14)
---	------------------------------

12.4. Mobility in soil

No additional information available	
-------------------------------------	--

12.5. Other adverse effects

Other information:	Avoid release to the environment.
--------------------	-----------------------------------

SECTION 13 — Disposal Considerations

13.1. Disposal methods

Waste treatment methods:	Dispose of contents/container in accordance with licensed collector's sorting instructions.
--------------------------	---

Product/Packaging disposal recommendations:	Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container in accordance with local/national laws and regulations.
---	---

Ecology - waste materials:	Avoid release to the environment.
----------------------------	-----------------------------------

SECTION 14 — Transport Information

In accordance with DOT

14.1. UN number

Not regulated for transport

14.2. UN proper shipping name

Proper Shipping Name (DOT): Not applicable

14.3. Transport hazard class(es)**DOT**

Transport hazard class(es) (DOT): Not applicable

14.4. Packing group

Packing group (DOT): Not applicable

14.5. Environmental hazards

Other information: No supplementary information available.

14.6. Special precautions for user

DOT: No data available

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15 — Regulatory Information**15.1. US Federal regulations**

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

15.2. International regulations**CANADA****Spiro[isobenzofuran-1(3H),9'-[9H]xanthen]-3-one, 3',6'-bis(diethylamino)- (509-34-2)**

Listed on the Canadian DSL (Domestic Substances List)

Mineral oil (8012-95-1)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations**Spiro[isobenzofuran-1(3H),9'-[9H]xanthen]-3-one, 3',6'-bis(diethylamino)- (509-34-2)**

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Mineral oil (8012-95-1)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

National regulations**Spiro[isobenzofuran-1(3H),9'-[9H]xanthen]-3-one, 3',6'-bis(diethylamino)- (509-34-2)**

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the Japanese ENCS (Existing New Chemical Substances) inventory

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Listed on the NCI (Vietnam - National Chemical Inventory)

Mineral oil (8012-95-1)

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Listed on the NCI (Vietnam - National Chemical Inventory)

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm


Component	State or local regulations
Oleic acid(112-80-1)	U.S. - Pennsylvania - RTK (Right to Know) List
Mineral oil(8012-95-1)	U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - Pennsylvania - RTK (Right to Know) List; U.S. - Massachusetts - Right To Know List

SECTION 16 — Other Information

Revision date: 9/14/2022

Full text of H-phrases

H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H319	Causes serious eye irritation
H335	May cause respiratory irritation
H373	May cause damage to organs through prolonged or repeated exposure
H402	Harmful to aquatic life
H412	Harmful to aquatic life with long lasting effects



NFPA health hazard: 1 - Materials that, under emergency conditions, can cause significant irritation.
NFPA fire hazard: 1 - Materials that must be preheated before ignition can occur.
NFPA reactivity: 0 - Material that in themselves are normally stable, even under fire conditions.

Disclaimer:

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Compiled by Lone Star Candle Supply, Inc. (5800 Park Vista Circle, Keller, TX 76244) from supplier-provided information. Section 1 supplier identity and emergency contact standardized to Lone Star; all other section content reproduced from the source SDS.