

Revised Date: 2019-07-22 00:00

Product: AUTUMN LODGE

5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879 Web: www.lonestarcandlesupply.com Page 1 of 8 Print Date: 2019-11-08 08:14

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: AUTUMN LODGE FW 1037841

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Supplier:

Lone Star Candle Supply, Inc. 5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879 Web: www.lonestarcandlesupply.com

1.4 Emergency telephone number

1 (817) 741-0876 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

	Acute Toxicity Oral, Category 4	H302 : Harmful if swallowed
	Acute Toxicity Dermal, Category 4	H312 : Harmful in contact with skin
	Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation
	Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction
	Eye Damage/Eye Irritation, Category 2A	H319 : Causes serious eye irritation
	Acute Toxicity Inhalation, Category 5	H333 : May be harmful if inhaled
	Aquatic Acute Toxicity, Category 1	H400 : Very Toxic to aquatic life
	Aquatic Chronic Toxicity, Category 2	$\label{eq:H411} H411: Toxic to aquatic life with long lasting effects$
Clas	ssification OSHA (Provisions 1910.1200 of title	29)
	Acute Toxicity Oral, Category 4	H302 : Harmful if swallowed
	Acute Toxicity Dermal, Category 4	H312 : Harmful in contact with skin
	Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation
	Eye Damage/Eye Irritation, Category 2A	H319 : Causes serious eye irritation

- Classification Other
 - Carcinogenicity

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

H400 : Very Toxic to aquatic life

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) Hazard pictograms

Aquatic Acute Toxicity, Category 1



5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879 Web: www.lonestarcandlesupply.com



Signal Word: Warning

Hazard statments

ina statificilits	
H302	Harmful if swallowed
H312	Harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H333	May be harmful if inhaled
H400	Very Toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P264	Wash hands thoroughly after handling
P270	Do not eat, drink or smoke when using this product
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment

Product: AUTUMN LODGE

Response:

p • · · · • • ·	
P301 + P312 + P330	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell Rinse mouth
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P337 + P313	If eye irritation persists: Get medical advice/attention
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
P391	Collect Spillage

2.3 Other Hazards

no data available

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS#	F0#	Conc.	
Ingredient	EC#	Range	GHS Classification

SDS v1 GHS / OSHA

Revised Date: 2019-07-22 00:00

Page 2 of 8 Print Date: 2019-11-08 08:14



5800 Park Vista Circle

Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879 Product: AUTUMN LODGE

SDS v1 GHS / OSHA

Revised Date: 2019-07-22 00:00

Page 3 of 8 Print Date: 2019-11-08 08:14

CAS# ngredient	EC#	Conc. Range	GHS Classification	
20-51-4	204-402-9	50 - 60 %	H302; H313; H400; H411	
Benzyl Be	enzoate			
1-64-5	202-086-7	5 - 10 %	H302; H317; H402	
Coumarin	,			
8-55-5	202-680-6	5 - 10 %	H227; H303; H315; H319; H401	
Terpineol				
25-12-2	204-727-6	5 - 10 %	H227; H316; H401	
Isobornyl	acetate			
21-32-4	204-464-7	2 - 5 %	H303; H320; H402	
3-Ethoxy-	4-hydroxybenza	aldehyde		
15-95-7	204-116-4	2 - 5 %	H227; H315; H317; H320; H402	
Linalyl Ac	etate			
0-12-8	200-456-2	2 - 5 %	H302; H313; H316; H319	
phenethyl	alcohol			
23-11-5	204-602-6	2 - 5 %	H303; H402; H412	
Anisaldeh	iyde			
050-08-0	218-080-2	1 - 2 %	H302; H400; H410	
Amyl salid	cylate			
21-33-5	204-465-2	1 - 2 %	H303; H319	
vanillin				
6306-87-3	252-961-2	1 - 2 %	H315; H401; H411	
3,3,5,5-Te	etramethyl-4-eth	oxyvinyl cyclohe.	xanone	
20-57-0	204-409-7	1 - 2 %	H303; H317; H401	
Heliotropi	ne			
01-86-0	202-983-3	1 - 2 %	H303; H316; H317; H400; H411	
Hexyl cini	namaldehyde			
0-54-6	201-289-8	0.1 - 1.0 %	H227; H302; H315; H317; H361; H401;	
• •	nyl Methylpropic		H412	
8096-62-3	241-997-4	0.1 - 1.0 %	H303; H361	
4,4a,5,9b	-Tetrahydroinde	no[1,2-d]-1,3-dio	xine	
04-55-2	203-213-9	0.1 - 1.0 %	H303; H312; H315; H317; H319; H401	
Cinnamal				
See Section 1	6 for full text of	GHS classification	on codes	
See S	Section 16 for fu	II text of GHS cla	ssification codes which where not shown in section 2	

4. First Aid Measures

4.1 Description of first aid measures

Inhalation:

Remove from exposure site to fresh air and keep at rest. Obtain medical advice.



5800 Park Vista Circle Keller, TX 76244

Ph#1 (800) 929-9425

Revised Date: 2019-07-22 00:00

Product: AUTUMN LODGE

Page 4 of 8 Print Date: 2019-11-08 08:14

Eye Exposure:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
Skin Exposure:	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.
Ingestion:	Rinse mouth with water and obtain medical advice.
4.2 Most important symptoms ar	nd effects, both acute and delayed
Symptoms:	no data available
Risks:	Refer to Section 2.2 "Hazard Statements"
4.3 Indication of any immediate	medical attention and special treatment needed
Treatment:	Refer to Section 2.2 "Response"
5. Fire-Fighting measu	ires
5.1 Extinguishing media	
Suitable:	Carbon dioxide (CO2), Dry chemical, Foam
Unsuitable	Do not use a direct water jet on burning material
5.2 Special hazards arising from	the substance or mixture
During fire fighting:	Water may be ineffective

5.3 Advice for firefighters

Further information:

Standard procedure for chemical fires

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

Lone Star

Revised Date: 2019-07-22 00:00

Print Date: 2019-11-08 08:14

Page 5 of 8

Product: AUTUMN LODGE

5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879 Web: www.lonestarcandlesupply.com

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection			
8.1 Control parameters			
Exposure Limits:	Contains no substances with occupational exposure limit values.		
Engineering Controls: Use local exhaust as needed.			
8.2 Exposure controls - Pers	onal protective equipment		
Eye protection:	Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure		
Respiratory protection:	Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.		
Skin protection:	Avoid Skin contact. Use chemically resistant gloves as needed.		

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance:	Liquid
Odor:	Conforms to Standard
Color:	Colorless to Nearly Colorless G0
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	>200 F (93.33 C)
Auto flammability:	Not determined
Explosive Properties:	None Expected
Oxidizing properties:	None Expected
Vapor Pressure (mmHg@20 C):	0.0108
%VOC:	0.01
Specific Gravity @ 25 C:	1.0772
Density @ 25 C:	1.0742
Refractive Index @ 20 C:	1.5471
Soluble in:	Oil

10. Stability and Reactivity

10.1 Reactivity	None
10.2 Chemical stability	Stable



5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879 Web: www.lonestarcandlesupply.com SDS v1 GHS / OSHA

Revised Date: 2019-07-22 00:00

Product: AUTUMN LODGE

Page 6 of 8 Print Date: 2019-11-08 08:14

10.3 Possibility of hazardous reactions	None known	
10.4 Conditions to avoid	None known	
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis	
10.6 Hazardous decomposition products	None known	

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg	(LD50: 1536.5123) Harmful if swallowed
Acute toxicity - Dermal - (Rabbit) mg/kg	(LD50: 1559.9795) Harmful in contact with skin
Acute toxicity - Inhalation - (Rat) mg/L/4hr	(LD50: 93.8500) May be harmful if inhaled
Skin corrosion / irritation	May be harmful if inhaled
Serious eye damage / irritation	Causes serious eye irritation
Respiratory sensitization	Not classified - the classification criteria are not met
Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Not classified - the classification criteria are not met
Reproductive toxicity	Not classified - the classification criteria are not met
Specific target organ toxicity - single exposure	Not classified - the classification criteria are not met
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
Aspiration hazard	Not classified - the classification criteria are not met

12. Ecological Information 12.1 Toxicity

Acute acquatic toxicity	Very Toxic to aquatic life
Chronic acquatic toxicity	Toxic to aquatic life with long lasting effects
Toxicity Data on soil	no data available
Toxicity on other organisms	no data available
12.2 Persistence and degradability	no data available
12.3 Bioaccumulative potential	no data available
12.4 Mobility in soil	no data available
12.5 Other adverse effects	no data available



SDS v1 GHS / OSHA

Revised Date: 2019-07-22 00:00

Product: AUTUMN LODGE

5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879 Web: www.lonestarcandlesupply.com Page 7 of 8 Print Date: 2019-11-08 08:14

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Marine Pollutant	Yes. Ingredient of greatest environmental impact : 120-51-4 : (50 - 60 %) : Benzyl Benzoate				
Regulator		Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk)		Not Regulated - Not Dangerous Goods			
Chemicals NOI					
ADR/RID (International Ro	oad/Rail)				
Environmentally Hazardou Substance, Liquid, n.o.s		9	III		UN3082
IATA (Air Cargo)					
Environmentally Hazardou Substance, Liquid, n.o.s		9	III		UN3082
IMDG (Sea)					
Environmentally Hazardou Substance, Liquid, n.o.s		9	111		UN3082

15. Regulatory Information

U.S. Federal Regulations

TSCA (Toxic Substance Control Act)	All components of the substance/mixture are listed or exempt	
40 CFR(EPCRA, SARA, CERCLA and CAA)	This product contains NO components of concern.	
U.S. State Regulations		
California Proposition 65 Warning	This product contains the following components:	
123-35-3(NF 204-622-5 <= 10 ppm	beta-Myrcene (Natural Source)	
Canadian Regulations		

DSL

100.00% of the components are listed or exempt.

16. Other Information

GHS H-Statements referred to under section 3 and not listed in section 2

H227 : Combustible liquid	H303 : May be harmful if swallowed
H313 : May be harmful in contact with skin	H316 : Causes mild skin irritation
H317 : May cause an allergic skin reaction	H319 : Causes serious eye irritation
H320 : Causes eye irritation	H361 : Suspected of damaging fertility or the unborn child
H401 : Toxic to aquatic life	H402 : Harmful to aquatic life



5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879 Web: www.lonestarcandlesupply.com

SDS v1 GHS / OSHA

Revised Date: 2019-07-22 00:00

Product: AUTUMN LODGE

Page 8 of 8 Print Date: 2019-11-08 08:14

H412 : Harmful to aquatic life with long lasting effects

Total Fractional Values	
(TFV) Risk	(TFV) Risk
(53.28) Acute Toxicity Inhalation, Category 5	(29.55) Aquatic Chronic Toxicity, Category 3
(9.50) Sensitization, Skin, Category 1B	(3.00) Sensitization, Skin, Category 1A
(2.94) Aquatic Chronic Toxicity, Category 2	(2.60) Skin Corrosion/Irritation, Category 3
(2.49) Aquatic Chronic Toxicity, Category 4	(2.19) Aquatic Acute Toxicity, Category 1
(2.06) Eye Damage/Eye Irritation, Category 2	(1.54) Skin Corrosion/Irritation, Category 2
(1.48) Eye Damage/Eye Irritation, Category 2A	(1.30) Acute Toxicity Oral, Category 4
(1.28) Acute Toxicity Dermal, Category 4	

Department issuing data sheet:

H410 : Very toxic to aquatic life with long lasting effects

Department E-mail address:

Remarks

This safety data sheet is based on the properties of the material known to Lone Star Candle Supply, Inc.[™] at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Lone Star Candle Supply, Inc.[™] holds no responsibility. This document is not intended for quality assurance purposes.